



MANIFEST YOUR OUTER HOME



## Therma-Tru. Manifest your outer home.

We reinvented the door, so you can reinvent your first impression.

Thanks to decades of material science expertise, Therma-Tru doors are made from super-natural, better-than-nature materials proven to outlast and outperform wood and steel.

Therma-Tru doors seamlessly blend beauty and durability to add incredible value and stunning curb appeal. They're designed to enhance your home's aesthetic and character, and keep their allure season after season. Choosing a Therma-Tru door means designing an inspired entrance with the confidence that it will perform for years to come.



Uncompromising quality,  
inside and out.

#### FIND YOUR FAVORITE DOORS

Throughout the catalog you'll find doors organized by glass shape (largest to smallest), followed by glass design, and then texture.

## Table of Contents

<b>Introduction</b> .....	2-27
<b>NEW</b> Products .....	4-9
Therma-Tru, Thrive .....	10-11
Curb Appeal .....	12
Door Selections .....	13-15
Door System Components .....	16-17
Tru-Defense .....	18-19
Safety & Security .....	20-21
Decorative & Specialty Glass .....	22-25
Impact-Rated Products .....	26-27
<b>Patio, Storm &amp; Vent</b> .....	28-33
Hinged Patio Door Systems .....	28-29
Retractable Screen Doors .....	30-31
Impressions- Integrated Storm & Entry Door System .....	32-33
<b>Veris Collection Overview</b> .....	34-43
<b>Classic Craft.</b> .....	44-107
Decorative & Specialty Glass .....	52-59
Accessories .....	60-61
Hinged Patio Doors .....	104-107
<b>Fiber-Classic. &amp; Smooth-Star.</b> .....	108-215
Decorative & Specialty Glass .....	114-121
Accessories .....	122
Hinged Patio Doors .....	210-215
<b>Steel</b> .....	216-239
Profiles .....	218, 221-233
Traditions .....	218, 234-239
Decorative & Specialty Glass .....	219-220
<b>Fire Doors</b> .....	240-243
<b>Pulse.</b> .....	244-257
<b>Finish Options</b> .....	258-264
PrismaGuard, Stain & Paint .....	258-263
Same-Day, Stain Kit .....	264
<b>Door System Components</b> .....	265-279
<b>Special Quote Program</b> .....	280
<b>3'6" Width Options Chart</b> .....	281
<b>7'0" &amp; 6'6" Height Options Charts</b> .....	282-283
<b>Product Details</b> .....	284-285
<b>Index</b> .....	286-298
<b>Trade Resources</b> .....	299

## NEW Flush-Glazed Half-Lite 1-Panel Shaker Doors & Sidelites for Smooth-Star. Doors



### Classic Shaker-style charm.

Capture the beautiful simplicity of Shaker style with half-lite 1-panel Shaker doors and sidelites with flush-glazed glass. Available with privacy and textured, energy-efficient Low-E glass and divided lite styles.

Available in Smooth-Star, starting on page 133.

7'0" sizes available Q3 2024.



Residential



Multi-Family /  
Commercial





#### EnLiten. Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

# NEW Door Divider Bar (DDB) & Simulated Divided Lite (SDL) Styles for Smooth-Star® Doors



## On-trend design, timeless style.

Discover new ways to bring popular Shaker charm to the entry. New DDB and SDL styles for flush-glazed full-lite and solid-panel Shaker-style doors blend on-trend contours with purposeful Shaker design to complete the look of Contemporary and Modern home styles.

Available in Smooth-Star, starting on page 126.




### EnLiten® Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star Door - S5701; Satin Etch Glass, Sidelite - S2000XESL, Finish - Elk

## NEW Impact-Rated Full-Lite Flush-Glazed Glass Designs for Smooth-Star. Doors



### More light along the coast.

Enjoy the clean style and increased daylight opening of full-lite EnLiten. flush-glazed glass, now engineered to withstand extreme weather conditions.\* Available with privacy and textured, energy-efficient Low-E glass and a wide selection of simulated divided lite styles.

Available in Smooth-Star, starting on page 128.

Available Q3 2024.



Residential



Multi-Family /  
Commercial



WBDR  
Options\*\*

#### EnLiten. Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

\*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru Impact-rated product approval.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions, details on available product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

# Advanta Lite Frame<sup>™</sup>

for Fiber-Classic, Smooth-Star, Profiles, Traditions & Pulse.



**ADVANTA**  
LITE FRAME



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.

Four-piece design includes two interchangeable frame covers and a two-piece base frame.

## A new frame of mind.

Achieve a seamless look with the Advanta lite frame, an innovative, patented solution from Therma-Tru. Avoid the unsightly look of missing screw plugs and enhance the beauty of your home's entryway.

Available in scrolled and flat frame options for Fiber-Classic and Smooth-Star, starting on page 139; Profiles and Traditions, starting on page 221; and Pulse, starting on page 248.

## AVAILABLE LITE FRAME SIZES

Fiber-Classic, / Smooth-Star, / Profiles, / Traditions / Pulse.



## AVAILABLE GLASS OPTIONS

Glass options vary by size.

Decorative Glass      Divided Lites  
Privacy & Textured      Clear / Low-E  
Internal Blinds



\*\*\*See your Therma-Tru seller for details on product availability.  
Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, and limited warranties and exclusions.

# NEW 8'0" Smooth-Star® Doors & Sidelites with Elevated Bottom Rail

Therma-Tru® Doors



## Classic style – elevated.

Our assortment of popular Smooth-Star doors and sidelites expands to include new elevated bottom rail options. The new flush-glazed full-lite sidelite features a 10" bottom rail to match doors with elevated bottom rails for a consistent look across the door system. The new 8'0" 2-panel square top Shaker-style door offers new ways to bring transitional style to tall entries.

Available in Smooth-Star, starting on page 207.

Door available Q3 2024.



8'0" 2-Panel  
Square Top  
Shaker Door

8'0" Flush-Glazed  
Full-Lite Sidelite



Residential



Multi-Family /  
Commercial



Fire-Rated  
Options

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on product sizes and options, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Top: Smooth-Star Door - S8120; Low-E Glass, Sidelite - S85225SL, Finish - Granite



# NEW 8'0" Smooth-Star® Flush-Glazed Doors with Internal Blinds & Elevated Bottom Rail



## More natural light. No compromises.

A durable, on-trend solution for multi-family dwellings, the 8'0" Smooth-Star flush-glazed full-lite door with internal blinds delivers privacy and convenience. Now with an elevated bottom rail to meet ADA applications\*\*, this door is ideal for the patio and back of the home.

Available in Smooth-Star, starting on page 126.



Residential



Multi-Family / Commercial

**EnLiten™ Flush-Glazed Riders**  
for Construction & Installation, and Homeowners



8'0" Flush-Glazed Full-Lite Door

Elevated Bottom Rail  
U1: 10-1/4"  
Book / Hybrid: 10-3/8"

\*\*For ADA compliance, door must be 3'0" wide.

Note: Smooth-Star products used in multi-family or commercial settings are backed by a 3-year limited warranty. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, Riders, ENERGY STAR qualified products, product approvals and installation instructions. Please verify that there is a Therma-Tru product approval for the configuration before buying.

Top: Smooth-Star, Internal Blinds, Doors - S82600, Finish - Alpine

# Together, let's make a world of difference.

We're doing our part to build a better world, every chance we get. Therma-Tru. Thrive is our commitment to make safe and sustainable products, support the communities where we live and work, and leave a positive, lasting impact on the environment.

**THERMA TRU**  
THRIVE

## Making life better at home.

Our complete door systems are built to help protect against energy loss and break-ins, helping people stay safe and comfortable at home.

Fiberglass doors have up to four times the insulating R-Value of wood\*. Ours feature a polyurethane foam core, an **energy-efficient insulating material**.

5+ years on the leading edge of the industry, **reducing harmful chemicals** from our PrismaGuard, paints and stains.

Our door systems are **tested for 300 lbs. of forced-entry resistance**. (AAMA 1304)




## Helping take care of our planet.

Across all our facilities, we're finding innovative ways to reuse waste materials and expand our recycling efforts.

Therma-Tru is proud to be **recognized as the 2023 Brand Leader\*\*** by *Green Builder* magazine for offering durable, well-insulated products.

More than 50% of our fiberglass and steel door end rails are made from **over 90% recycled or scrap material**.



## Being a good neighbor.

For over 40 years, we've been proud to partner with 100+ local and national organizations to make a positive impact on the places we all call home.

**Building homes** for those in need with Habitat for Humanity.

**Providing entryways** for our nation's wounded vets with Jared Allen's Homes for Wounded Warriors.


**Hosting blood and donation drives** to support the American Red Cross.



\*Comparison of fiberglass to wood doors (both without glass).  
\*\*Brand Index, 2023 *Green Builder* magazine.

# Make a Smart Investment

Therma-Tru. Doors.



## Make a great first impression.

A front door is nearly impossible to ignore when walking into a home, and for potential homebuyers, first impressions are critical. How attractive a home is from the exterior tends to set expectations for the interior and beyond.

In fact, in a recent survey, **44% of homeowners said they were more likely to purchase a home with an enhanced entry**, and one in three homeowners said they were willing to pay a premium for one.\*



**One in three** homeowners said they were willing to pay a premium for an enhanced entry.\*

\*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

\*\*Manufacturer's Test Facility Quality Assurance Validation Program, Architectural Testing, Inc.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and installation instructions.


# The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.




## DOOR SELECTIONS

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 14-15.



## FINISH OPTIONS

Complete the desired look with stain or paint. Explore a variety of colors from PrismaGuard, premium finish and Same-Day, stain on pages 258-264.



## DECORATIVE & SPECIALTY GLASS

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 22-25.



## DOOR SYSTEM COMPONENTS

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 16-21.

# Designed for peace of mind.

## LIFETIME LIMITED WARRANTIES

We stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by our comprehensive lifetime limited warranties.



## QUALITY TESTING

Our doors, glass and components undergo thorough testing to help ensure they will live up to a homeowner's toughest quality and performance expectations.

We even have our own engineering lab - approved to perform specific test methods with a third-party witness\*\* - as part of our ongoing commitment to ensuring that our products live up to our high standards for durability and reliability.

# Door Selections

Choose from our many door selections to complement the architectural style of the home from the front entry to the back patio. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

## The Classic Craft. Series Pages 44-107

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.

**LIFETIME**  
LIMITED  
**WARRANTY**  
TRANSFERABLE



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Bottom: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR, Finish - Driftwood


## Fiber-Classic. Collections Pages 108-215

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



## Smooth-Star. Pages 108-215

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.




## Steel Pages 216-239

Bring style and affordability together to create very attractive results with our steel doors.




## Pulse. Pages 244-257

A contemporary series of door styles and glass designs that can be combined to make a bold statement.




# Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.








- 1 **Weatherstrip** is engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the **door** and **frame**. In addition, a rot-free Therma-Tru **composite door frame\*** delivers extra protection from the damaging effects of moisture.




- 2 **Sill and bottom sweep** form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. **Sill pan** (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.



- 3 **Corner seal pads** (inswing only) complete the seal between the **sill cap, bottom sweep** and **weatherstrip** to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.




- 4 **Hinges** position the **door** to properly compress the **weatherstrip** to help form a tight, even seal against air and moisture infiltration when the door closes.



- 5 **Multi-point locking system** (recommended) engages the door and frame at three points from top to bottom for enhanced security while helping to preserve the **weatherstrip's** seal even under wind pressure.



- 6 **Lip-lite frame** (shown right) features a **compression seal** against weather on the outside of the **door** and an **adhesive seal** against weather on the outside of the **glass**. **Flush-glazed glass** (shown left) is built directly into the door without a Lip-lite frame, featuring a **high-performance adhesive weather seal** inside and out.



## Composite Door Frame\*

featuring Tru-Guard™ Composite Technology

Therma-Tru composite door frame featuring Tru-Guard composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

**TRU • GUARD.**  
COMPOSITE TECHNOLOGY

# Tru-Defense. Warranty Rider


A Therma-Tru door system with Tru-Defense system components is a high-performing door system backed by a lifetime limited warranty and a comprehensive Tru-Defense Warranty Rider.



## Tru-Defense: The Ultimate Protection

More than beautiful doors and glass, a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru genuine components in a Tru-Defense door system are our premium options for long-lasting durability.

### DOUBLE YOUR PEACE OF MIND

When it comes to door systems, we believe that proper installation is just as important as having the best components. A Tru-Defense door system installed by a Therma-Tru Certified Door System Installer doubles your reimbursement eligibility should an issue arise.\* Look for the  icon.

**CERTIFIED**  
DOOR SYSTEM  
**INSTALLER**

**THERMA-TRU**  
DOORS

\*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, including Therma-Tru Certified Door System installers, nor any damages caused by improper handling, assembly or installation.

\*\*Latch and deadbolt must meet Therma-Tru specifications.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.

Top: Classic Craft Canvas, Provincial Glass, Door - CCV10028, Sidelites - CCV108SL, Transom - CC420T, Finish - Chestnut

# Required Components for Tru-Defense Door System

## with Therma-Tru Fiberglass Door Slab & Components



**DOOR FRAME** ✦  
Provides a solid structure for the door slab and components. Recommended: Therma-Tru Composite Door Frame



**CORNER SEAL PADS** ✦  
(Inswing Only)  
Fit securely behind the weatherstrip to help block wind-driven moisture infiltration at the bottom corner of the door system.



**COMPOSITE ADJUSTABLE SILL** ✦  
Provides a solid stepping surface and forms a tight seal at the bottom of the door system to help channel moisture away from the home.



**WEATHERSTRIP** ✦  
Features a resilient design to help deliver a precise seal between the door and frame.



**BOTTOM SWEEP** ✦  
(Inswing Only)  
A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



**ASTRAGAL** ✦  
(Double Doors)  
Covers the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability.



**HINGES** ✦  
Ensure smooth operation and position the door so it creates a tight seal with the weatherstrip when closed.



**RAIN GUARD** ✦  
(Outswing Only)  
Creates a barrier at the top of the door to protect against moisture infiltration.

## Recommended Components



**MULTI-POINT LOCKING SYSTEM** ✦ (MPLS)  
Engages the door and frame at three points from top to bottom for enhanced security and sealing.



**SILL PAN** ✦  
Adds an extra layer of protection to help keep moisture away from the subfloor; protects flooring by catching and draining water in the event of infiltration.

Levels of Reimbursement		
System Components	Reimbursement Eligibility	Reimbursement Eligibility with a Certified Installer
Latch & Deadbolt (No Sill Pan)**	\$250	\$500
Latch & Deadbolt with Sill Pan**	\$500	\$1,000
MPLS (No Sill Pan)	\$1,000	\$2,000
MPLS with Sill Pan	\$1,250	\$2,500

Baseline components required to qualify for the Tru-Defense Warranty Rider.

# Fiberglass Door Systems Built for Safety & Security

Protect the home and everything in it, from family and pets to valuables and keepsakes. Therma-Tru products are designed for durability and enhanced security with pieces and parts engineered as a complete system.


## Did you know?



On average, a home is burglarized in the U.S. **every 45 seconds.**<sup>1</sup>



More than half of home burglaries occur **during the daytime.**<sup>2</sup>



How do burglars enter the home?

**34% Front Door**<sup>3</sup>  
**22% Back Door**<sup>3</sup>


## THERMA-TRU. COMPOSITE DOOR FRAME

More reliable and up to 50% stronger on average than standard wood door frames when withstanding a simulated forced entry attempt by kicking in the door.\*

- Features full-length jambs with no finger joints for more reliable performance, and a continuous composite material that will not deteriorate over time, like wood.
- Entries with a wooden door frame are more susceptible to being kicked in as compared to a Therma-Tru composite door frame, giving burglars access to your home within seconds.
- Wood jambs typically have finger joints. These areas where two pieces of wood come together are structurally weaker when compared to a single continuous material that runs the entire length of the jamb.



Scan to see our products put to the test.



Therma-Tru Wood Jamb

Therma-Tru Composite Jamb

\*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

\*\*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.

<sup>1</sup>Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States."

<sup>2</sup>Source: FBI Uniform Crime Reporting Program, "2019 Crime in the United States," Table 7.

<sup>3</sup>Source: [asecurelife.com](http://asecurelife.com)



Pendulum Impact Test

## THERMA-TRU FIBERGLASS DOOR SLAB

Up to 30% more resistant to kick-ins than standard steel doors.\*\*

Features durable construction that can withstand impact by absorbing and deflecting the force.\*\*


- Built with enhanced lock blocks to help ensure proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- Will not dent or rust, nor will it warp, split, crack or rot.

## THERMA-TRU GLASS

- Options feature double- or triple-pane construction and include two panes of tempered glass for enhanced safety and performance.

## Material Myths: Think steel is stronger? Think again.

- While many people assume steel doors are the most secure against forced entry, Therma-Tru fiberglass doors are up to 30% more resistant to kick-ins than standard steel doors.\*\*
- Standard steel doors can dent and bow, which leads more quickly to product failure. Therma-Tru fiberglass doors feature durable construction that can withstand impact by absorbing and deflecting the force.\*\*
- Wood doors and steel doors may weaken over time with exposure to the elements.



## Decorative & Specialty Glass

A Therma-Tru. door system with decorative glass can create an entrance that makes a statement — one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Numerous glass colors, textures, shapes and coming options are available to complement any door.
- All Low-E and clear glass panels are tempered or laminated to provide added safety.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on ENERGY STAR qualified products.



Contributes to an energy-efficient home.



### TRIPLE-PANE CONSTRUCTION

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



## Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Available options include Low-E glass for energy efficiency, EnLiten.™ flush-glazed designs and Impact-rated options.

Available in Fiber-Classic., Smooth-Star., Profiles. and Traditions doors and sidelites.


Right Page: Smooth-Star, Clear Glass with SDLs, Door - S6042, Finish - Alpine

## Privacy & Textured Glass

Therma-Tru doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic Craft., Fiber-Classic., Smooth-Star., Profiles., Traditions and Pulse. doors and sidelites.



## Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (☀️) icon.



## Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile, width and color choices.


- Coordinate with the home's window patterns and architectural details for a cohesive look and increased curb appeal.
- Available divided lite options include simulated divided lites (SDLs), grilles between glass (GBGs) and fixed grilles.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear glass.

Available in Classic Craft., Fiber-Classic., Smooth-Star., Profiles. and Traditions.

# EnLiten™ Flush-Glazed Designs

## for Classic Craft®, Fiber-Classic® & Smooth-Star® Doors & Sidelites

Simplified beauty. Resilient designs. With clean lines and seamless construction, EnLiten flush-glazed designs are perfect for today's homes. Built for long-term performance, these doors and sidelites feature the sleek looks homeowners want and the stylish around-the-home solutions they need. Look for the ( 🔥 💧 ) icons.



### STRENGTH IS BUILT IN

Our doors are durable by design. Flush-glazed glass represents a trouble-free solution that provides a superior barrier against the elements, resulting in performance you can depend on.



\*Comparison of U-factor values of a flush-glazed full-lite door and a Lip-lite full-lite door, both with Low-E glass.

\*\*Must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Check product approvals before purchasing.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page Top Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors - CCA82320XE, Finish - Raven

Left Page Bottom Left: Smooth-Star, Chinchilla Glass with SDLs, Door - S2104X1, Finish - Granite

Left Page Bottom Right: Smooth-Star, Internal Blinds, Doors - S2600

Right Page: Smooth-Star, Granite Glass with SDLs, Door - S83400XN, Sidelites - S85225XNSL, Finish - Peregrine





## DURABLE BY DESIGN

Double- or triple-pane glass is built directly into the door with a high-performance dual adhesive weather seal. This delivers a clean seamless look with no lite frame or screw plugs, and reduces the potential for air and water infiltration, among other benefits.



### Superior Sound Dampening

Doors with flush-glazed glass do a better job of dampening outside noise compared to a Lip-lite alternative.



### 11% More Energy Efficient

The Low-E glass used in flush-glazed doors delivers a clear view and is 11% more energy efficient than 1/2" Low-E glass in a Lip-lite frame.\*



### Withstands Winds Up to 167 mph

Door systems with flush-glazed glass are designed and tested to withstand wind forces up to 167 mph (DP-50).\*\* (ASTM-E330)

## EnLiten™ Flush-Glazed Warranty Riders

for Construction & Installation, and Homeowners. See page 123 for details.

Tough when you need it. Beautiful always.

### High-Power Testing

Our impact-rated doors pass a large missile impact test. We blast a 9 lb. 2" x 4" stud into the doors at 34 mph to prove they're the better choice for strength and stability.



## IMPACT-RATED PRODUCTS


Therma-Tru offers impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

### 1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.\*

### 2 Use the icons to find available Therma-Tru. product options in this catalog.




**WBDR / HVHZ Options:** Look for this icon to find door and sidelite styles that can be configured for WBDR or HVHZ.

### 3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.\*

### 4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

\*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed. Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.


Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.\*

### IMPACT DOORS

Feature a built-in 24-gauge steel plate lining.


### NEW IMPACT FLUSH-GLAZED GLASS

Offers clean style and an increased daylight opening.



### IMPACT GLASS

Features special laminated glass construction.




### IMPACT INTERNAL BLINDS

Features laminated glass construction and a durable, paintable aluminum lite frame with a flat profile aesthetic cover for a simple look.



### IMPACT LIP-LITE FRAME

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.



### OTHER CONSIDERATIONS

**Fire Doors**  
See pages 240-243.

**Noise Reduction Doors**  
See page 205.

**Elevated 10" Bottom Rail**  
Look for the (E) symbol.

# Hinged Patio Door Systems

Patio, Storm & Vent



## Simply beautiful, any way you see it.

Extend the beauty and quality of a Thermo-Tru. entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with options to control the level of privacy and light, complement window patterns, and let fresh air into the home.

Note: See page 285 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass, Doors - 8000, Finish - Driftwood  
Bottom: Smooth-Star, Clear Glass, Doors - S2000

A Therma-Tru, patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Interior view of door.



- 1 Multi-Point Locking System (Recommended)
- 2 Bottom Sweep
- 3 Sill
- 4 Hinges
- 5 Corner Seal Pads (Inswing Only)
- 6 Sill Pan (Recommended)
- 7 Frame Components
- 8 Multi-Point Locking System (Included)
- 9 Removable Screens

**VENTED SIDELITES**

Enjoy the view - and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Look for the ( ● ) symbol.

**Available Configurations**



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

**PATIO TRANSOMS**

Transoms can be stained or painted to match a Fiber-Classic, or Smooth-Star, door system.

Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for door systems with a mullion.



19250T




19050T

Classic Craft, starting on page 104.  
 Fiber-Classic, Smooth-Star, Profiles & Traditions, starting on page 210.

# Retractable Screen Doors

Welcome fresh air and natural light into the home while keeping debris and insects out. Therma-Tru retractable screen doors feature a discreet, hidden design that helps provide a seamless transition from indoors to out. Plus, it's been quality tested for compatibility with Therma-Tru entry door systems.



**Face mount installation** allows for an easier install while providing a full pass-through space without an intrusive cassette or track.

**E-Z Glide System** enables smooth screen retraction and extension without slamming.

**Fiberglass screen mesh** fully retracts when not in use.

**One-hand operation** with a secure and ergonomic latch / lock handle.

**Rust-proof aluminum** housing and track for strength and beauty.

**Quick-Snap Track** adjusts to required length in seconds – no cutting required.\*

**Universal sill plate** designed for simple and secure fit.

\*Adjusts quickly for 32"-36" doors. If less than 32", a hacksaw is required for one cut to each track.

\*\*Based on average DIY skills and standard door application, widths 32"-36".

\*\*\*Retractable screen frame colors are complementary to PrismaGuard, but not an exact match.

Note: Recommended for inwing applications only. Therma-Tru retractable screens are designed to support natural ventilation and protection against airborne insects and other pests. Windy conditions may affect the performance of the screen. Retract the screen in windy circumstances, during inclement weather and when not needed to support immediate ventilation or prolonged periods of time when not used. Not intended to keep pets inside. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.



### AVAILABLE SIZES

(Available for most inswing units.)



#### Single Door System

Widths: 32"-36"  
Heights: 6'6", 6'8", 8'0"



#### French Door System

Widths: 68"-73"  
Heights: 6'6", 6'8", 8'0"



Installation is quick and easy, taking approximately 30 minutes.\*\*

### AVAILABLE COLOR OPTIONS

Coordinates with exterior trim.\*\*\*



White




Brown



Black

### AVAILABLE CONFIGURATIONS



See your Therma-Tru seller for details on product availability and ordering.

### WARRANTY COVERAGE

All parts are covered by the Therma-Tru full-system limited warranty, excluding the screen mesh, when purchased and installed with a Therma-Tru door system.

When purchased and installed separately all parts are covered by a full-system lifetime limited warranty, excluding the screen mesh.



Classic Craft



Fiber-Classic,  
Smooth-Star,  
Pulse Fiberglass



Profiles, Traditions,  
Pulse Steel



# Impressions™ Integrated Storm & Entry Door System

The first of its kind, the Impressions storm and entry door system\* integrates the storm door flush into the brickmould portion of the door frame, creating a cohesive unit that provides a seamless look. With an integrated system engineered to work together, this system takes the guesswork out of ordering the right size storm door for your project and simplifies storm door installation.



- 1 Choose a **Therma-Tru. entry door** to create an entry that complements your home's architectural style.



- 2 The Impressions system comes standard with **composite brickmould** and an aluminum storm door panel. For added protection from rotting and to match the brickmould, choose a **composite frame featuring Tru-Guard. composite technology**.



- 3 The storm door features a modern profile with mitered corners for a sleek, on-trend look that emphasizes the beauty of the entry door. The storm door panel fits into Therma-Tru's **flat-profile composite brickmould**.

\*Patent pending.

\*\*The Impressions system can be paired with a single sidelite on either side of the door or with two sidelites. Direct set sidelite options are also available.




\*\*\*Not suitable for use with Therma-Tru grip-style handlesets.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions.



**THE STORM DOOR IS EASY TO INSTALL AT THE JOBSITE**

The concealed hinges featuring retractable pins **4** and the revolutionary hidden closer with Click&Hold technology **5** enable a quick and intuitive installation experience. After the installation of the entry door, install the closer, sweep and hardware. Then, follow these three simple steps to complete the job. Scan the QR code to learn more about storm door panel installation.



**6 ALUMINUM STORM DOOR OPTIONS**

**Available Sizes & Configurations**  
Choose Low-E or clear glass.  
Interchangeable screen panel included.




**IM100**  
30" x 6'6"  
2'8" x 6'6"

**IM8100**  
30" x 8'0"  
2'8" x 8'0"




Single      Single with 1 Sidelite\*\*      Single with 2 Sidelites\*\*

**Color Options**  
Features a maintenance-free finish.



**7 QuickFit.. Handlesets\*\*\***



# Home, unbound.

The feeling of home extends beyond four walls as homeowners focus on connecting with nature. Blur the lines between indoor and outdoor living spaces with entry doors designed as beautiful connection points.



# Veris

COLLECTION

Explore an expansive portfolio of glass-forward aluminum door systems from the entry door brand building professionals choose most.\* Redefine indoor and outdoor living with the Veris Collection.

# Open to possibilities.

The Veris. Collection embodies a reconnection between home and outdoors. Sleek, minimalist designs perfectly frame the view. Expansive glass welcomes an abundance of natural light.

## THE VERIS COLLECTION



Folding Doors



Sliding Doors




Hinged Doors



Pivot Doors



These contemporary glass door systems bring together high-end style and unique functionality to create a bright and airy experience. Blending beauty and versatility, the Veris Collection offers a seamless transition from indoors to out.



Expand their horizon.



Blend indoor and outdoor living spaces with wide views, contemporary framing and innovative options designed for convenience and ease.



Contemporary connections.





Create statement-making entrances with sleek and subtle designs perfect for homes with contemporary styling.





## Experience the Veris™ Collection.



Scan the QR code to view the complete Veris Collection catalog.

Print copies are available — contact your Therma-Tru representative for ordering information.



Explore options and see it in your home with our visualizer at [veriscollection.com](http://veriscollection.com).

Veris  
COLLECTION

# Classic Craft.



## An unrivaled entry experience.

Transform the entry into a one-of-a-kind experience. One that blends artistry, craftsmanship and modern engineering. Captivate the senses with remarkably authentic wood grains, exquisite handcrafted glass and sumptuous design details found only in Classic Craft. Because homes with uncompromising style demand uncompromising entryways.

Top: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM82804, Finish - Driftwood  
Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA2105L, Finish - Raven  
Right Page Middle: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Doors - CCM8306CAL, CCM8306CAR, Finish - Acorn  
Right Page Bottom: Classic Craft Walnut Grain Door - CCW8906R, Low-E Direct Set Sidelite - DRS821315L, Finish - Lynx

## Curated collections inspired by style.

Classic Craft celebrates the best of design for homes with uncompromising style. Three expertly curated collections draw inspiration from the latest trends and bring your home design vision to life with unrivaled beauty, luxe craftsmanship and an attention to detail you won't find anywhere else.



### Artissa Collection

CASUAL | RELAXED | SIMPLE



### Founders Collection

TRADITIONAL | TIME-HONORED | DECORATIVE



### Visionary Collection

MODERN | CONFIDENT | MINIMAL





## Comprehensive warranties for peace of mind.



Uniquely designed by Therma-Tru, Classic Craft, complete entryway systems are backed by an industry-leading 1x transferable lifetime limited warranty from the entry door brand building professionals choose most.\* This comprehensive lifetime limited warranty can be transferred one time to a new owner, should you ever sell your home.



In addition, Classic Craft entryways with our handcrafted and professionally applied PrismaGuard, premium stain or paint are backed by a transferable 10-year limited finish warranty – Therma-Tru's best. The balance of this finish warranty can transfer to a second owner.

Learn about our warranties at [thermatru.com/warranty](http://thermatru.com/warranty).



## Next-level engineering.

Classic Craft complete entryway systems are designed with a full suite of premium-grade components, including ball-bearing hinges, medium-reach weatherstrip, 7-shape corner seal pads and more. Each piece is engineered with craftsman precision to create an unrivaled entry experience built to perform for a lifetime.

## Premium construction, inside and out.

Highlighting the best of craftsmanship and innovation, Classic Craft, premium entryways boast impressive, well-designed features and remarkable construction. The inner workings of each Classic Craft door lay the foundation for exceptional strength, security, energy efficiency and long-term performance you can depend on for years to come.



### Engineered for Moisture Protection

Features composite top and bottom rails and solid hardwood edges for increased moisture and rot protection all the way around the door.



### Designed with Authenticity

Features construction identical to wood doors with narrow stiles and rails, and flush-glazed glass options that are more than 10% wider\* to welcome more natural light into the home.



### Tested to Withstand Mother Nature

Designed and rigorously tested to withstand and protect from the damaging effects of harsh weather conditions.



### Thermo-Tru. Door Frame

Created specifically for Thermo-Tru doors to deliver an entire entry system designed and engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



\*Comparison of Classic Craft to other standard fiberglass doors with similar styles. Visit [thermatru.com](http://thermatru.com) for details.

\*\*Comparison of R-Values of fiberglass to wood doors (both without glass).

Right Page Top: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelite - DR582131SL, Finish - Acorn

Right Page Middle: Classic Craft Mahogany Grain, Homeward Glass, Door - CCM82501, Finish - Barley





### Designed for Long-Term Performance

Features fiberglass skins that are 46% thicker\* for added durability and better long-term performance.



### Triple-Pane Construction

Most decorative, privacy and textured glass panels are enclosed between tempered glass, offering superior quality and thermal performance.



### Crafted for a True-to-Wood Appearance

Revolutionary AccuGrain technology replicates authentic natural wood textures for a look and feel that is virtually indistinguishable from real wood.




### Built for Strength and Security

Constructed with a 4" wide board of engineered lumber that runs the full length of the locking side of the door for a solid natural wood feel that makes Classic Craft doors 50% stronger and 30% heavier.\*



### Constructed for Energy Efficiency

Built with a high-performance polyurethane foam core that is four times more energy efficient than wood.\*\*



## True-to-Wood Origins

Revel in the handcrafted look and feel of a premium fiberglass entryway with true-to-wood origins. Discover exquisite textures with grains hand-selected from the finest natural wood species and meticulously recreated with our revolutionary AccuGrain. technology.

**AccuGrain.**  
TECHNOLOGY

Bottom: Classic Craft Walnut Grain, Door - CCW900L, Finish - Shale

### Fir Grain

Formerly Classic-Craft American Style

Designed to echo the grain of the largest species of American Hemlocks - the Western Hemlock tree - found in lush coastal rainforests of the Pacific Northwest.

### Walnut Grain

Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



### Mahogany Grain

Formerly Classic-Craft Mahogany & Rustic

Derived from the finest African and Honduran Mahogany, blending rustic influences with exotic roots to build upon the rich history of one of the most renowned woods in the world.

### Canvas

Inspired by the world's most exquisite masterpieces and designed with the architectural character of finely sanded wood.




# Decorative & Specialty Glass Designs

## Homeward™

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive ① clear bevels, ② seeded glass and ③ gray artique glass. An ideal complement for a Transitional home design.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel




Brushed Nickel


## Arborwatch.

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines ① narrow reeded glass, ② M seeded glass, ③ waterglass and coming in a symmetrical arrangement accented by ④ pale amber glass, ⑤ amber artique glass and ⑥ clear bevels.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 60 to see an example on a home.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Augustine.


Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

### GLASS SHAPES



Corresponding sidelites feature Granite glass without wrought iron.

### GLASS PRIVACY RATING



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 77 to see an example on a home.

## Borrassa.


A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

### GLASS SHAPES



Corresponding sidelites feature Hammered glass without wrought iron.

### GLASS PRIVACY RATING



Wrought Iron

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 46 to see an example on a home.

# Decorative & Specialty Glass Designs

## Provincial™

A unique diamond-based motif features **1** double waterglass, **2** clear bevels and coming surrounded by a **3** gray baroque glass border. Provincial captivates with stunning clarity.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel




Brushed Nickel


## Longford™

The traditional design of Longford integrates a hint of a Celtic knot with **1** seeded glass, **2** clear bevels, **3** granite glass and coming. A timeless design ideal for entries where modest privacy is desired.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Lucerna.

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 5 diamond border glass.

### GLASS SHAPES



### GLASS PRIVACY RATING



Black Nickel



Brushed Nickel


## Zaha.

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and coming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

### GLASS SHAPES



### GLASS PRIVACY RATING




Black Nickel



Brushed Nickel

# Privacy & Textured Glass



## Reeded (XK)

A vertical, linear textured glass that provides modest privacy and an on-trend aesthetic.

### GLASS PRIVACY RATING



## Satin Etch (XE)

A fine-textured pearlescent glass that delivers a pure, simple design aesthetic.

### GLASS PRIVACY RATING



## Chord (XC)

A vertical flowing pattern reminiscent of waves on the water.

### GLASS PRIVACY RATING



## Chinchilla (XJ)


A free-flowing configuration, presenting quiet lines and curves.

### GLASS PRIVACY RATING



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.





## Rainglass (XR)

An elegantly fashioned glass, featuring ripples of cascading water.

### GLASS PRIVACY RATING



## Granite (XN)

A coarse-grained arrangement with surface detail over the entirety of the glass.

### GLASS PRIVACY RATING



## Also Available: Low-E Glass



In cold weather, Low-E glass reflects the heat back inside to help keep your home warm.



In warm weather, Low-E glass reflects the sun's rays off of the glass to help keep your home cool.

# Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

## Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (■) icon.



(40.64 mm / 1.6 in.)  
Look for the (■) icon.

4-1/4" and 5-1/2" flat profile bars are also used on solid-panel doors as door divider bars (DDBs). Look for the (■) icon.



(107.95 mm / 4.25 in.)  
Look for the (■) and (■) icons.



(139.70 mm / 5.5 in.)  
Look for the (■) and (■) icons.



Note: Some door styles use a combination of 4-1/4" and 5-1/2" divider bars. Look for the (■) and (■) icons.



(40.64 mm / 1.6 in.)  
Look for the (■) icon.

Mahogany Grain



(40.64 mm / 1.6 in.)  
Look for the (■) icon.

Canvas







## Flush-Glazed Sticking Profiles

EnLiten. flush-glazed designs feature a seamless look with simple profile around the glass.

Look for the ( 🔥 ) and ( 💧 ) icons.



**Detailed Sticking**  
Look for the ( 🔥 ) icon.



**Square Sticking**  
Look for the ( 💧 ) icon.

### EnLiten. Flush-Glazed Warranty Riders

for Construction & Installation,  
and Homeowners. See page 123  
for details.

Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Riders.

Left Page: Classic Craft Canvas, Low-E Glass with SDLs, Door – CCV960, Sidelites – CCV9020SL, Transom – 19220T, Finish – Cypress  
Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Doors – CCA82350, Finish – Raven

# Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic Craft. Fir Grain 4-Block Dentil Shelf



Classic Craft. Fir Grain 4-Block Dentil Shelf\*



Classic Craft. Fir Grain 16-Block Dentil Shelf



Classic Craft. Canvas 4-Block Dentil Shelf



4-Block Dentil Shelf  
Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf  
Shown on 3'0" x 8'0" door.

\*Pairs with 3'6" wide doors.

Bottom: Classic Craft Fir Grain, Arborwatch Glass, Door - CCA9900, Sidelites - CCA1423SL, Finish - Autumn Harvest; Dentil Shelf

Right Page, Left: Classic Craft Mahogany Grain Door - CCR205; Smooth-Star, Clear Glass with GBGs Sidelites - S1170SL, Clear Glass Transom - 19220T; Clavos

Right Page, Right: Classic Craft Mahogany Grain Door - CCR100R, Finish - Lynx; Strap Hinges



# Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.



# Full Lites

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

## HOMEWARD™



Mahogany

CCR9925  
30" x 6'8"



Mahogany

CCR9925SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV9925  
30" x 6'8"



Canvas

CCV9115L  
▲  
12" x 6'8"  
14" x 6'8"

## ARBORWATCH™



Mahogany

CCR1423  
30" x 6'8"



Mahogany

CCR1423SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV1423  
30" x 6'8"



Canvas

CCV1423SL  
▲  
12" x 6'8"  
14" x 6'8"

## AUGUSTINE™



Mahogany

CCR0027  
30" x 6'8"



Mahogany

CCR3400XNSL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV10027  
30" x 6'8"



Canvas

CCV100XNSL  
▲  
12" x 6'8"  
14" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

**BORRASSA. x**



Mahogany

CCR1528  
30" x 68"



Mahogany

CCR3400HSL  
▲  
12" x 68"  
14" x 68"



Canvas

CCV1528  
30" x 68"



Canvas

CCV1000HSL  
▲  
12" x 68"  
14" x 68"

**PROVINCIAL™**



Mahogany

CCR30028  
30" x 68"



Mahogany

CCR3406SL  
▲  
12" x 68"  
14" x 68"



Canvas

CCV10028  
30" x 68"



Canvas

CCV108SL  
▲  
12" x 68"  
14" x 68"

**LONGFORD™**



Mahogany

CCR30023  
30" x 68"



Mahogany

CCR3407SL  
▲  
12" x 68"  
14" x 68"



Canvas

CCV10023  
30" x 68"



Canvas

CCV103SL  
▲  
12" x 68"  
14" x 68"

**LUCERNA. ♦**



Mahogany

CCR10022  
30" x 68"



Mahogany

CCR3412SL  
▲  
12" x 68"  
14" x 68"



Canvas

CCV10022  
30" x 68"



Canvas

CCV3412SL  
▲  
12" x 68"  
14" x 68"

# Full Lites

continued

## Fir Grain

Formerly Classic-Craft  
American Style

## Mahogany Grain

Formerly Classic-Craft  
Mahogany & Rustic

## Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 56-57.

- XX = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

### ZAHA.



Mahogany

CCR1851  
3'0" x 6'8"



Mahogany

CCR1851SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV1851  
3'0" x 6'8"



Canvas

CCV1851SL  
▲  
12" x 6'8"  
14" x 6'8"

### PRIVACY & TEXTURED



Fir

CCA2300  
▲  
3'0" x 6'8"

CCA82300  
▲  
3'0" x 8'0"



Fir

CCA2310  
▲  
3'0" x 6'8"

CCA82310  
▲  
3'0" x 8'0"



Fir

CCA2320  
▲  
3'0" x 6'8"

CCA82320  
▲  
3'0" x 8'0"



Fir

CCA2330  
▲  
3'0" x 6'8"

CCA82330  
▲  
3'0" x 8'0"



Fir

CCA2340  
▲  
3'0" x 6'8"

CCA82340  
▲  
3'0" x 8'0"



Fir

CCA2380  
▲  
3'0" x 6'8"

CCA82380  
▲  
3'0" x 8'0"

\*Not available with Reeded (XX) glass.

Note: See page 285 for important product details that may help with your purchase decision.





Fir

CCA2350\_\*    CCA82350\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA2360\_\*    CCA82360\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA2370\_\*    CCA82370\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"




Fir

CCA4900\_\*    CCA84900\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA4910L\_\*    CCA4910R\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 6'8"



Fir

CCA84910L\_\*    CCA84910R\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 8'0"    3'0" x 8'0"



Fir

CCA4920L\_\*    CCA4920R\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 6'8"



Fir

CCA4920L\_\*    CCA84920R\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 8'0"    3'0" x 8'0"



Fir

CCA4930\_\*    CCA84930\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA4940\_\*    CCA84940\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"



Fir

CCA2400\_\*    CCA82400\_\*  
 ▲ ■ ■ ■    ▲ ■ ■ ■  
 3'0" x 6'8"    3'0" x 8'0"

# Full Lites

continued

## Fir Grain

Formerly Classic-Craft  
American Style

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Elevated 10" Bottom Rail Options





### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.



- XX** = Routed      **XJ** = Chirchilla
- XE** = Satin Etch    **XR** = Rainglass
- XC** = Chord        **XN** = Granite

## PRIVACY & TEXTURED







**Fir**  
 CCA2300\_SL    CCA82300\_SL  
        
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Fir**  
 CCA2310\_SL    CCA82310\_SL  
        
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"







**Fir**  
 CCA2320\_SL    CCA82320\_SL  
        
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"



**Fir**  
 CCA2330\_SL    CCA82330\_SL  
        
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"









**Fir**  
 CCA2340\_SL    CCA82340\_SL  
        
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"









**Fir**  
 CCA2400\_SL    CCA82400\_SL  
      
 12" x 6'8"    12" x 8'0"  
 14" x 6'8"    14" x 8'0"

## LOW-E









**Fir**  
 CCA2300    CCA82300  
          
 30" x 6'8"    30" x 8'0"



**Fir**  
 CCA2310    CCA82310  
          
 30" x 6'8"    30" x 8'0"



**Fir**  
 CCA2320    CCA82320  
          
 30" x 6'8"    30" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Fir

CCA2330  
▲ ● □ E  
3'0" x 6'8"

CCA82330  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA2340  
▲ ● □ E  
3'0" x 6'8"

CCA82340  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA2380  
▲ ● □ E  
3'0" x 6'8"

CCA82380  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA2350  
▲ ● □ E  
3'0" x 6'8"

CCA82350  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA2360  
▲ ● □ E  
3'0" x 6'8"

CCA82360  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA2370  
▲ ● □ E  
3'0" x 6'8"

CCA82370  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA4900  
▲ ● □ E  
3'0" x 6'8"

CCA84900  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA4910L  
▲ ● □ E  
3'0" x 6'8"

CCA4910R  
▲ ● □ E  
3'0" x 6'8"



Fir

CCA84910L  
▲ ● □ E  
3'0" x 8'0"

CCA84910R  
▲ ● □ E  
3'0" x 8'0"



Fir

CCA4920L  
▲ ● □ E  
3'0" x 6'8"

CCA4920R  
▲ ● □ E  
3'0" x 6'8"

# Full Lites

continued

## Fir Grain

Formerly Classic-Craft  
American Style

## Mahogany Grain

Formerly Classic-Craft  
Mahogany & Rustic

## Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SOLF3)
-  Simulated Divided Lites (SOLF4)
-  Simulated Divided Lites (SOLF5)
-  Simulated Divided Lites (SOLF6)
-  Elevated 10" Bottom Rail Options

LOW-E



Fir

CCA84920L | CCA84920R  
        
 30" x 80" | 30" x 80"

Fir

CCM930 | CCA84930  
        
 30" x 68" | 30" x 80"



Fir

CCM940 | CCA84940  
       
 30" x 68" | 30" x 80"

Fir

CCA2400 | CCA82400  
       
 30" x 68" | 30" x 80"

Fir

CCA2300SL | CCA82300SL  
        
 12" x 68" | 12" x 80"  
 14" x 68" | 14" x 80"



Fir

CCA2310SL | CCA82310SL  
       
 12" x 68" | 12" x 80"  
 14" x 68" | 14" x 80"

Fir

CCA2320SL | CCA82320SL  
       
 12" x 68" | 12" x 80"  
 14" x 68" | 14" x 80"

Fir

CCA2330SL | CCA82330SL  
       
 12" x 68" | 12" x 80"  
 14" x 68" | 14" x 80"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page Top: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2340, Sidelites - CCA2400SL, Finish - Rustic Clay  
 Right Page Bottom: Classic Craft American Style Collection, Low-E Glass with SDLs, Doors - CCA4940



Fir

CCA2340SL  
 ▲ ● ■ ■  
 12" x 6'8"  
 14" x 6'8"



Fir

CCA2400SL  
 ▲ ● ■ ■  
 12" x 6'8"  
 14" x 6'8"



Mahogany

CCR30020  
 ●  
 3'0" x 6'8"



Mahogany

CCR2025SL  
 ▲ ● ■ ■  
 12" x 6'8"  
 14" x 6'8"



Mahogany

CCR3400SL  
 ▲ ● ■ ■  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV10020  
 ●  
 3'0" x 6'8"





Canvas

CCV950SL  
 ▲ ● ■ ■  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV100SL  
 ▲ ● ■ ■  
 12" x 6'8"  
 14" x 6'8"



**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (10)
-  Brushed Nickel Caming (1C)
-  Wrought Iron (1W)

HOMEWARD™



Mahogany

CCM2801 | CCM82801  
▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"



Mahogany

CCM9923  
3'0" x 6'8"



Mahogany

CCR9925SL | CCR89925SL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"



Canvas

CCV9922 | CCV89922  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV911SL | CCV811SL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

ARBORWATCH™



Mahogany

CCM81418  
3'0" x 8'0"



Mahogany

CCM1419  
3'0" x 6'8"



Mahogany

CCR1423SL | CCR81423SL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"



Canvas

CCV1418 | CCV81418  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1423SL | CCV81423SL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

**AUGUSTINE. X**



**Mahogany**  
CCM905027  
30" x 80"



**Mahogany**  
CCM1485  
30" x 68"



**Mahogany**  
CCM1495  
30" x 68"



**Mahogany**  
CCR3400XNSL  
▲ 12" x 68"  
▲ 14" x 68"



**Canvas**  
CCV05027 | CCV805027  
30" x 68" | 30" x 80"



**Canvas**  
CCV1000XNSL | CCV81000XNSL  
▲ 12" x 68" | ▲ 12" x 80"  
▲ 14" x 68" | ▲ 14" x 80"

**BORRASSA. X**



**Mahogany**  
CCM81519  
30" x 80"



**Mahogany**  
CCM1475  
30" x 68"



**Mahogany**  
CCM1465  
30" x 68"



**Mahogany**  
CCR3400XHSL | CCR8000XHSL  
▲ 12" x 68" | ▲ 12" x 80"  
▲ 14" x 68" | ▲ 14" x 80"



**Canvas**  
CCV1519 | CCV81519  
30" x 68" | 30" x 80"



**Canvas**  
CCV1000XHSL | CCV81000XHSL  
▲ 12" x 68" | ▲ 12" x 80"  
▲ 14" x 68" | ▲ 14" x 80"

**LONGFORD. X**



**Mahogany**  
CCM892  
30" x 80"



**Mahogany**  
CCM293  
30" x 68"



**Mahogany**  
CCM303  
30" x 68"

# 3/4 Lites

continued

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

## Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FS)
-  Black Nickel Caming (10)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDLF6)

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XX = Reeded
- XJ = Chinchilla
- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

For transoms, see page 102.

Note: Product images show exterior side of door.

## LONGFORD™



**Mahogany**

CCM3003SL

▲ 12" x 6'8"  
▲ 14" x 6'8"

**Mahogany**

CCR3407SL | CCR8007SL

▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

**Canvas**

CCV05023 | CCV805023


▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"

**Canvas**

CCV103SL | CCV8103SL

▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

## LUCERNA.™



**Mahogany**

CCM2902 | CCM82902

▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"

**Mahogany**

CCR3412SL | CCR8102SL

▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

**Mahogany**

CCM204

▲ 3'0" x 6'8"



**Mahogany**

CCM300  
▲ 3'0" x 6'8"

**Mahogany**

CCM3002SL  
▲ 12" x 6'8"  
▲ 14" x 6'8"

**Canvas**

CCV05022 | CCV805022  
▲ 3'0" x 6'8" | ▲ 3'0" x 8'0"

**Canvas**

CCV3412SL | CCV8102SL  
▲ 12" x 6'8" | ▲ 12" x 8'0"  
▲ 14" x 6'8" | ▲ 14" x 8'0"

\*Not available with Chinchilla (XJ) glass.

Note: See page 285 for important product details that may help with your purchase decision.



PROVINCIAL™



Mahogany

CCR3408SL    CCR9008SL  
 ▲ 12" x 6'8"    ▲ 12" x 8'0"  
 ▲ 14" x 6'8"    ▲ 14" x 8'0"



Canvas

CCV6502B    CCV80502B  
 3'0" x 6'8"    3'0" x 8'0"



Canvas

CCV108SL    CCV8108SL  
 ▲ 12" x 6'8"    ▲ 12" x 8'0"  
 ▲ 14" x 6'8"    ▲ 14" x 8'0"

ZAHA.™



Mahogany

CCM2803    CCM2903  
 ▲ 3'0" x 6'8"    ▲ 3'0" x 8'0"



Mahogany

CCR1851SL    CCR1851SL  
 ▲ 12" x 6'8"    ▲ 12" x 8'0"  
 ▲ 14" x 6'8"    ▲ 14" x 8'0"



Mahogany

CCM1844  
 3'0" x 6'8"



Mahogany

CCM1842  
 3'0" x 6'8"




Mahogany

CCM1843SL  
 ▲ 12" x 6'8"    ▲ 14" x 6'8"



Canvas

CCV1843    CCV81843  
 3'0" x 6'8"    3'0" x 8'0"



Canvas

CCV1851SL    CCV81851SL  
 ▲ 12" x 6'8"    ▲ 12" x 8'0"  
 ▲ 14" x 6'8"    ▲ 14" x 8'0"

PRIVACY & TEXTURED



Mahogany

CCM2904\_\*    CCM2904\_\*  
 ▲ 3'0" x 6'8"    ▲ 3'0" x 8'0"



Mahogany

CCM2906\_\*    CCM2906\_\*  
 ▲ 3'0" x 6'8"    ▲ 3'0" x 8'0"



Mahogany

CCM2812\_\*    CCM2815\_\*  
 ▲ 3'0" x 6'8"    ▲ 3'0" x 8'0"



Mahogany

CCM2900\_\*    CCM2900\_\*  
 ▲ 3'0" x 6'8"    ▲ 3'0" x 8'0"

# 3/4 Lites

continued

## Mahogany Grain

Formerly Classic-Craft  
Mahogany & Rustic

Canvas

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch    XR = Rainglass  
XC = Chord        XN = Granite  
XJ = Chinchilla

For transoms, see page 102.

Note: Product images show exterior side of door.

## PRIVACY & TEXTURED



Mahogany

CCM2003C  
CCM2003N  
3'0" x 6'8"



Mahogany

CCM3003C  
CCM3003N  
3'0" x 6'8"



Mahogany

CCR2025\_SL    CCR82035\_SL  
▲ ■ ■    ▲ ■ ■  
12" x 6'8"    12" x 8'0"  
14" x 6'8"    14" x 8'0"



Mahogany

CCR3400\_SL    CCR8000\_SL  
▲    ▲  
12" x 6'8"    12" x 8'0"  
14" x 6'8"    14" x 8'0"



Canvas

CCV050203C  
CCV050203N  
3'0" x 6'8"



Canvas

CCV950\_SL    CCV8950\_SL\*  
▲ ■ ■    ▲ ■ ■  
12" x 6'8"    12" x 8'0"  
14" x 6'8"    14" x 8'0"



Canvas

CCV100\_SL    CCV8100\_SL\*  
▲    ▲  
12" x 6'8"    12" x 8'0"  
14" x 6'8"    14" x 8'0"

## LOW-E



Mahogany

CCM2804    CCM82804  
▲ ■ ■    ▲ ■ ■  
3'0" x 6'8"    3'0" x 8'0"



Mahogany

CCM2806    CCM82806  
▲ ■ ■    ▲ ■ ■  
3'0" x 6'8"    3'0" x 8'0"

\*Not available with Satin Etch (XE) glass.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM2806, Finish - Acorn



Mahogany

CCM2812 | CCM82815  
 ▲ ● ■ | ▲ ● ■  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCM2800 | CCM82800  
 ▲ ● ■ | ▲ ● ■  
 3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR2025SL | CCR82035SL  
 ▲ ● ■ ■ | ▲ ● ■ ■  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Mahogany

CCR3400SL | CCR83000SL  
 ▲ ● ■ | ▲ ● ■  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Mahogany

CCM200  
 ▲ ● ■  
 3'0" x 6'8"



Mahogany

CCM300  
 ▲ ● ■  
 3'0" x 6'8"



Mahogany

CCM3300SL  
 ▲ ● ■  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Canvas

CCV05020 | CCV805020  
 ▲ ● ■ | ▲ ● ■  
 3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV950SL | CCV8950SL  
 ▲ ● ■ ■ | ▲ ● ■ ■  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



Canvas

CCV100SL | CCV8100SL  
 ▲ ● ■ | ▲ ● ■  
 12" x 6'8" | 12" x 8'0"  
 14" x 6'8" | 14" x 8'0"



**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

**Key**

- ◆ Black Nickel Caming (10)
- ⋮ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (1W)

**Optional Accessories**



Knobs



Strap Hinge

**HOMEWARD** ◆ ◆



Mahogany

CCR9921 3'0" x 6'8"  
CCR9921 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR9919 3'0" x 6'8"  
CCR9919 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR9918 3'0" x 6'8"  
CCR9918 3'0" x 8'0"



Mahogany

CCR22218 3'0" x 8'0"  
3'6" x 8'0"



Canvas

CCV9919 3'0" x 6'8"  
CCV9919 3'0" x 8'0"



Canvas

CCV9918 3'0" x 6'8"  
CCV9918 3'0" x 8'0"

**ARBORWATCH** ◆ ◆



Mahogany

CCR1417 3'0" x 6'8"  
CCR1417 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1415 3'0" x 6'8"  
CCR1415 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1414 3'0" x 6'8"  
CCR1414 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Mahogany Grain, Augustine-Glass, Door - CCR20527, Finish - New Earth



Mahogany

CCR22214  
3'0" x 8'0"  
3'6" x 8'0"



Canvas

CCV1415 | CCVB1415  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1414 | CCVB1414  
3'0" x 6'8" | 3'0" x 8'0"

**AUGUSTINE. x**



Mahogany

CCR04027 | CCR804027  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20527 | CCR820527  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20027 | CCR820027  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR22227  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR04037 | CCR804037  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"

**AUGUSTINE** *Continues on next page.*



continued

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

### Key

- ◆ Black Nickel Caming (10)
- ⋮ Brushed Nickel Caming (1C)
- ✕ Wrought Iron (W)

### Optional Accessories



Clavos



Strap Hinge

## AUGUSTINE. ✕



Mahogany

CCR20537 | CCR820537  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20037 | CCR820037  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20537A | CCR820537A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR20037A | CCR820037A  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV20527 | CCV820527  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22027 | CCV822027  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV20537 | CCV820537  
3'0" x 6'8" | 3'0" x 8'0"

## BORRASSA. ✕



Mahogany

CCR1518 | CCR81518  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1516 | CCR81516  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCR1515 | CCR81515  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR22215  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1514 | CCR81514  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1512 | CCR81512  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511 | CCR81511  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR1512A | CCR81512A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR1511A | CCR81511A  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1516 | CCV81516  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1515 | CCV81515  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV1512 | CCV81512  
3'0" x 6'8" | 3'0" x 8'0"

PROVINCIAL



Mahogany

CCR804028  
3'0" x 8'0"



Mahogany

CCR820528  
3'0" x 8'0"

## 2/3 Lites

continued

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

### Key

- ◆ Black Nickel Caming (10)
- ⋮ Brushed Nickel Caming (1C)

### Optional Accessories



Clavos



Strap Hinge

### PROVINCIAL<sup>™</sup>



Mahogany

CCR820028  
3'0" x 8'0"



Mahogany

CCR822228  
3'0" x 8'0"



Canvas

CCV820528  
3'0" x 8'0"



Canvas

CCV822028  
3'0" x 8'0"

### LONGFORD<sup>™</sup>



Mahogany

CCR04023 | CCR804023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20523 | CCR820523  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR20023 | CCR820023  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR822223  
3'0" x 8'0"



Canvas

CCV20523 | CCV820523  
3'0" x 6'8" | 3'0" x 8'0"



Canvas

CCV22023 | CCV822023  
3'0" x 6'8" | 3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



LUCERNA. ♦ ::



**Mahogany**  
 CCR04022 3'0" x 6'8"  
 CCR804022 3'0" x 8'0"  
 3'6" x 8'0"



**Mahogany**  
 CCR20522 3'0" x 6'8"  
 CCR820522 3'0" x 8'0"  
 3'6" x 8'0"



**Mahogany**  
 CCR20022 3'0" x 6'8"  
 CCR820022 3'0" x 8'0"



**Mahogany**  
 CCR822222 3'0" x 8'0"  
 3'6" x 8'0"



**Mahogany**  
 CCR904032 3'0" x 8'0"



**Mahogany**  
 CCR820532 3'0" x 8'0"



**Mahogany**  
 CCR820032 3'0" x 8'0"



**Mahogany**  
 CCR820532A 3'0" x 8'0"



**Mahogany**  
 CCR820032A 3'0" x 8'0"



**Canvas**  
 CCV20522 3'0" x 6'8"  
 CCV820522 3'0" x 8'0"



**Canvas**  
 CCV22022 3'0" x 6'8"  
 CCV822022 3'0" x 8'0"



**Canvas**  
 CCV820532 3'0" x 8'0"

ZAHA. ♦ ::



**Mahogany**  
 CCR1841 3'0" x 6'8"  
 CCR81841 3'0" x 8'0"

# 2/3 Lites

continued

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XE = Satin Etch
- XR = Rainglass
- XC = Chord
- XN = Granite

### Optional Accessories



Clavos



Strap Hinge

For transoms, see page 102.

Note: Product images show exterior side of door.

ZAHA.  



Mahogany  
CCR1839 | CCR81839  
3'0" x 6'8" | 3'0" x 8'0"

Mahogany  
CCR1838 | CCR81838  
3'0" x 6'8" | 3'0" x 8'0"

Mahogany  
CCR22238  
3'0" x 8'0"




Mahogany  
CCR81847  
3'0" x 8'0"

Mahogany  
CCR81846  
3'0" x 8'0"

Mahogany  
CCR81845  
3'0" x 8'0"

Mahogany  
CCR81846A  
3'0" x 8'0"



Mahogany  
CCR81845A  
3'0" x 8'0"

Canvas  
CCV1839 | CCV81839  
3'0" x 6'8" | 3'0" x 8'0"

Canvas  
CCV1838 | CCV81838  
3'0" x 6'8" | 3'0" x 8'0"

Canvas  
CCV81846  
3'0" x 8'0"

\*Not available with Satin Etch (XE) or Rainglass (XR) glass.  
Note: See page 295 for important product details that may help with your purchase decision.

PRIVACY & TEXTURED



Mahogany  
 CCR04020\_\* 30" x 68"  
 CCR04020\_\* 30" x 80"



Mahogany  
 CCR20520\_\* 30" x 68"  
 CCR20520\_\* 30" x 80"



Mahogany  
 CCR20020\_\* 30" x 68"  
 CCR20020\_\* 30" x 80"



Mahogany  
 CCR22220\_\* 30" x 80"



Mahogany  
 CCR04030\_\* 30" x 80"



Mahogany  
 CCR20530\_\* 30" x 80"



Mahogany  
 CCR20030\_\* 30" x 80"



Mahogany  
 CCR20530A\_\* 30" x 80"



Canvas  
 CCR20520\_\* 30" x 68"  
 CCR20520\_\* 30" x 80"



Canvas  
 CCR22020\_\* 30" x 68"  
 CCR22020\_\* 30" x 80"



Canvas  
 CCR20530\_\* 30" x 80"



Mahogany  
 CCM302L\_\* 30" x 68"  
 CCM302R\_\* 30" x 68"






Mahogany  
 CCM302L\_\* 30" x 80"  
 CCM302R\_\* 30" x 80"

continued

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XE = Satin Etch      XR = Rainglass
- XC = Chord          XN = Granite

## PRIVACY & TEXTURED



Mahogany

CCM304L      CCM304R  
          
 3'0" x 6'8"      3'0" x 6'8"



Mahogany

CCM8304L      CCM8304R  
          
 3'0" x 8'0"      3'0" x 8'0"



Mahogany

CCM303L      CCM303R  
          
 3'0" x 6'8"      3'0" x 6'8"



Mahogany

CCM8303L      CCM8303R  
          
 3'0" x 8'0"      3'0" x 8'0"



Mahogany

CCM301CAL      CCM301CAR  
        
 3'0" x 6'8"      3'0" x 6'8"



Mahogany

CCM8301CAL      CCM8301CAR  
        
 3'0" x 8'0"      3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCM305CAL CCM305CAR  
 ▲▲ 3'0" x 6'8" ▲▲ 3'0" x 6'8"



Mahogany

CCM305CAL CCM305CAR  
 ▲▲ 3'0" x 8'0" ▲▲ 3'0" x 8'0"



Mahogany

CCM306CAL CCM306CAR  
 ▲▲ 3'0" x 6'8" ▲▲ 3'0" x 6'8"



Mahogany

CCM306CAL CCM306CAR  
 ▲▲ 3'0" x 8'0" ▲▲ 3'0" x 8'0"

LOW-E



Mahogany

CCR04020 CCR04020  
 ● 3'0" x 6'8" ● 3'0" x 8'0"  
 ● 3'6" x 8'0"



Mahogany

CCR20520 CCR20520  
 ● 3'0" x 6'8" ● 3'0" x 8'0"  
 ● 3'6" x 8'0"



Mahogany

CCR20020 CCR20020  
 ● 3'0" x 6'8" ● 3'0" x 8'0"



Mahogany

CCR22220  
 ● 3'0" x 8'0"  
 ● 3'6" x 8'0"



Mahogany

CCR04030  
 ● 3'0" x 8'0"



Mahogany

CCR20530  
 ● 3'0" x 8'0"



Mahogany

CCR20030  
 ● 3'0" x 8'0"

# 2/3 Lites

continued

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF6)

## Optional Accessories



LOW-E



Mahogany

CCR20530A  
●  
3'0" x 8'0"



Mahogany

CCR20030A  
●  
3'0" x 8'0"



Canvas

CCV20520  
●  
3'0" x 6'8"

CCV820520  
●  
3'0" x 8'0"



Canvas

CCV22020  
●  
3'0" x 6'8"

CCV822020  
●  
3'0" x 8'0"



Canvas

CCV820530  
●  
3'0" x 8'0"



Mahogany

CCM302L  
▲ ●  
3'0" x 6'8"

CCM302R  
▲ ●  
3'0" x 6'8"



Mahogany

CCM8302L  
▲ ●  
3'0" x 8'0"

CCM8302R  
▲ ●  
3'0" x 8'0"



Mahogany

CCM304L  
▲ ●  
3'0" x 6'8"

CCM304R  
▲ ●  
3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCM8304L | CCM8304R  
 ▲ ● □ | ▲ ● □  
 3'0" x 6'0" | 3'0" x 8'0"



Mahogany

CCM303L | CCM303R  
 ▲ ● □ | ▲ ● □  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8303L | CCM8303R  
 ▲ ● □ | ▲ ● □  
 3'0" x 6'0" | 3'0" x 6'0"



Mahogany

CCM301CAL | CCM301CAR  
 ▲ ● | ▲ ●  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8301CAL | CCM8301CAR  
 ▲ ● | ▲ ●  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM305CAL | CCM305CAR  
 ▲ ● □ | ▲ ● □  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8305CAL | CCM8305CAR  
 ▲ ● □ | ▲ ● □  
 3'0" x 8'0" | 3'0" x 8'0"



Mahogany

CCM306CAL | CCM306CAR  
 ▲ ● □ | ▲ ● □  
 3'0" x 6'8" | 3'0" x 6'8"



Mahogany

CCM8306CAL | CCM8306CAR  
 ▲ ● □ | ▲ ● □  
 3'0" x 8'0" | 3'0" x 8'0"

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

## Key

- Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ⋮ Brushed Nickel Caming (1C)

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XE = Satin Etch

### HOMeward<sup>™</sup> ⋮



Mahogany

CCM9926  
3'0" x 6'8"



Canvas

CCV9926  
3'0" x 6'8"

### ARBORWATCH<sup>™</sup> ⋮



Mahogany

CCM1424  
3'0" x 6'8"



Canvas

CCV1424  
3'0" x 6'8"

### PROVINCIAL<sup>™</sup> ⋮



Canvas

CCV06028  
3'0" x 6'8"

### LONGFORD<sup>™</sup> ⋮



Mahogany

CCM603  
3'0" x 6'8"



Canvas

CCV06023  
3'0" x 6'8"

### LUCERNA<sup>™</sup> ⋮



Mahogany

CCM612  
3'0" x 6'8"



Canvas

CCV06022  
3'0" x 6'8"

### PRIVACY & TEXTURED



Mahogany

CCM600XE  
3'0" x 6'8"



Canvas

CCV06020XE  
3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9926, Sidelites - CCV911SL, Finish - Cabernet



LOW-E



Mahogany

CCM600

3'0" x 6'8"



Canvas

CCV06020

3'0" x 6'8"



# Craftsman Lites

## Fir Grain

Formerly Classic-Craft  
American Style

## Canvas

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Black Nickel Caming (10)
- Brushed Nickel Caming (1C)
- Simulated Divided Lites (SDL)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

XC = Chord      XI = Rainglass  
XJ = Chinchilla    XN = Granite

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

#### 16-Block Dentil Shelf

#### 4-Block Dentil Shelf

4-Block Dentil Shelf  
Pairs with 3'6" wide doors.

#### 4-Block Dentil Shelf

For transoms, see page 102.

Note: Product images show exterior side of door.

## HOMeward™



CCA231  
▲ ■  
3'0" x 6'8"

CCA8231  
▲ ■  
3'0" x 8'0"



CCA87132  
▲ ■  
3'6" x 8'0"



CCA211  
▲ ■  
3'0" x 6'8"

CCA8211  
▲ ■  
3'0" x 8'0"



CCA87112  
▲ ■  
3'6" x 8'0"



CCA3401SL  
▲ ■  
12" x 6'8"  
14" x 6'8"

CCA3501SL  
▲ ■  
12" x 8'0"  
14" x 8'0"



CCA211SL  
▲ ■  
12" x 6'8"  
14" x 6'8"



CCV931  
▲ ■  
3'0" x 6'8"



CCV911  
▲ ■  
3'0" x 6'8"

## ARBORWATCH™



CCV911SL  
▲ ■  
12" x 6'8"  
14" x 6'8"

CCV9011SL  
▲ ■  
12" x 6'8"  
14" x 6'8"



CCA8300  
▲ ■  
3'0" x 6'8"

CCA89300  
▲ ■  
3'0" x 8'0"



CCA87131  
▲ ■  
3'6" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.



Fir

CCA9100  
▲  
3'0" x 6'8"

CCA9100  
▲  
3'0" x 8'0"



Fir

CCA87111  
▲  
3'6" x 8'0"



Fir

CCA1423SL  
▲  
12" x 6'8"  
14" x 6'8"

CCA81423SL  
▲  
12" x 8'0"  
14" x 8'0"



Fir

CCA9100SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV4300  
▲  
3'0" x 6'8"



Canvas

CCV4100  
▲  
3'0" x 6'8"

PRIVACY & TEXTURED



Canvas

CCV1423SL  
▲  
12" x 6'8"  
14" x 6'8"



Canvas

CCV4100SL  
▲  
12" x 6'8"  
14" x 6'8"



Fir

CCA220  
▲  
3'0" x 6'8"

CCA8220  
▲  
3'0" x 8'0"



Fir

CCA872000B  
▲  
3'6" x 8'0"



Fir


CCA230  
▲  
3'0" x 6'8"

CCA8230  
▲  
3'0" x 8'0"



Fir

CCA873000B  
▲  
3'6" x 8'0"



Fir

CCA240  
▲  
3'0" x 6'8"

CCA8240  
▲  
3'0" x 8'0"



Fir

CCA874000B  
▲  
3'6" x 8'0"



Fir

CCA260  
▲  
3'0" x 6'8"

CCA8260  
▲  
3'0" x 8'0"

# Craftsman Lites

continued

## Fir Grain

Formerly Classic-Craft  
American Style


## Canvas

### PRIVACY & TEXTURED GLASS OPTIONS



Fir

CCA87600XR  
36" x 80"



Fir

CCA210\_\* CCA8210\_\*  
30" x 68" 30" x 80"



Fir

CCA87100XR  
36" x 80"

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 62-63.

- XE = Satin Etch
- XR = Rainglass
- XC = Cherd
- XN = Granite
- XJ = Chinchilla



Fir

CCA3450\_SL\* CCA3560\_SL\*  
12" x 68" 12" x 80"  
14" x 68" 14" x 80"



Fir

CCA3400\_SL\* CCA3500\_SL\*  
12" x 68" 12" x 80"  
14" x 68" 14" x 80"



Fir

CCA220\_SL\*  
12" x 68"  
14" x 68"



Fir

CCA210\_SL\*  
12" x 68"  
14" x 68"

### Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.

16-Block Dentil Shelf

4-Block Dentil Shelf

4-Block Dentil Shelf  
Pairs with 3 1/2" wide doors.

4-Block Dentil Shelf



Canvas

CCV920\_\*  
30" x 68"



Canvas

CCV930\_\*  
30" x 68"



Canvas

CCV940\_\*  
30" x 68"



Canvas


CCV960\_\*  
30" x 68"

For transoms, see page 102.

Note: Product images show exterior side of door.

\*Not available with Satin Etch (XE) glass.

Note: See page 285 for important product details that may help with your purchase decision.



LOW-E




# Craftsman Lites

continued



**Fir Grain**  
Formerly Classic-Craft  
American Style



**Canvas**

## Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)

## Optional Dentil Shelves

Available for all Classic Craft Craftsman-lite doors.



16-Block Dentil Shelf



4-Block Dentil Shelf



4-Block Dentil Shelf  
Pairs with 3/6" wide doors.



4-Block Dentil Shelf

LOW-E



Fir

CCA210  
▲▲ 3'0" x 6'8"

CCA8210  
▲▲ 3'0" x 8'0"



Fir

CCA87100  
▲▲ 3'6" x 8'0"



Fir

CCA3450SL  
▲▲ 12" x 6'8"  
▲▲ 14" x 6'8"

CCA3560SL  
▲▲ 12" x 8'0"  
▲▲ 14" x 8'0"



Fir

CCA3400SL  
▲▲ 12" x 6'8"  
▲▲ 14" x 6'8"



Fir

CCA3500SL  
▲▲ 12" x 8'0"  
▲▲ 14" x 8'0"



Fir

CCA220SL  
▲▲ 12" x 6'8"  
▲▲ 14" x 6'8"



Canvas

CCA210SL  
▲▲ 12" x 6'8"  
▲▲ 14" x 6'8"



Canvas

CCV930  
▲▲ 3'0" x 6'8"



Canvas

CCV940  
▲▲ 3'0" x 6'8"



Canvas

CCV960  
▲▲ 3'0" x 6'8"



Canvas

CCV910  
▲▲ 3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA230, Sidelites - CCA3400SL, Finish - Raven



Canvas

CCV950SL	CCV8950SL
▲ ● ■	▲ ● ■
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV100SL	CCV8100SL
▲ ● ■	▲ ● ■
12" x 6'8"	12" x 8'0"
14" x 6'8"	14" x 8'0"



Canvas

CCV9020SL
▲ ● ■
12" x 6'8"
14" x 6'8"



Canvas

CCV9010SL
▲ ● ■
12" x 6'8"
14" x 6'8"




# Solid Panels

## Fir Grain

Formerly Classic-Craft  
American Style

### Key


-  Flush-Glazed Glass with Square Sticking (FG)
-  Black Nickel Caming (1D)
-  Brushed Nickel Caming (1C)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Door Divider Bars (DDBF5)
-  WBDR Options
-  Elevated 10" Bottom Rail Options



Fir

CCA1125  
 3'0" x 6'8"

CCA81125  
 3'0" x 8'0"



Fir

CCA1149  
 3'0" x 6'8"

CCA81149  
 3'0" x 8'0"



Fir

CCA1127  
 3'0" x 6'8"


CCA81127  
 3'0" x 8'0"



Fir

CCM905  
 3'0" x 6'8"

CCA84905  
 3'0" x 8'0"



Fir

CCM915L  
 3'0" x 6'8"

CCM915R  
 3'0" x 6'8"



Fir

CCM915L  
 3'0" x 8'0"

CCM915R  
 3'0" x 8'0"



Fir

CCM925L  
 3'0" x 6'8"

CCM925R  
 3'0" x 6'8"

For transoms, see page 102.

Note: Product images show exterior side of door.





Fir

CCA8492SL CCA8492SR  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA8935 CCA84935  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA945 CCA84945  
  
 3'0" x 6'8" 3'0" x 8'0"




Fir

CCA1166 CCA81166  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1158 CCA81158  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1147 CCA81147  
  
 3'0" x 6'8" 3'0" x 8'0"



HOMEWARD™

Fir

CCA2420SL CCA82420SL  
  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"



ARBORWATCH™

Fir


CCA2410SL CCA82410SL  
  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"

Pair full-lite Shaker flush-glazed sidelites, also available in privacy and textured and Low-E glass, with solid-panel doors for natural light in the entry.



Fir

CCA1100 CCA81100  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1133 CCA81133  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir

CCA1145 CCA81145  
  
 3'0" x 6'8" 3'0" x 8'0"



Fir


CCA1150 CCA81150  
  
 3'0" x 6'8" 3'0" x 8'0"

# Solid Panels

Walnut Grain

## Key

- Low-E Glass (LE)
- Ⓞ WBDR Options
- E Elevated 10" Bottom Rail Options



Walnut

<b>CCW1000</b> <span style="color: blue;">Ⓞ</span> <span style="color: red;">E</span>	<b>CCW81000</b> <span style="color: blue;">Ⓞ</span> <span style="color: red;">E</span>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW900L</b> <span style="color: blue;">Ⓞ</span>	<b>CCW8900L</b> <span style="color: blue;">Ⓞ</span>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW900R</b> <span style="color: blue;">Ⓞ</span>	<b>CCW8900R</b> <span style="color: blue;">Ⓞ</span>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"




Walnut

<b>CCW901L</b> <span style="color: blue;">Ⓞ</span>	<b>CCW8901L</b> <span style="color: blue;">Ⓞ</span>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW901R</b> <span style="color: blue;">Ⓞ</span>	<b>CCW8901R</b> <span style="color: blue;">Ⓞ</span>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



Walnut

<b>CCW902L</b> <span style="color: blue;">Ⓞ</span>	<b>CCW8902L</b> <span style="color: blue;">Ⓞ</span>
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"
3'6" x 6'8" (7'0")	3'6" x 8'0"



For transoms, see page 102.

Note: Product images show exterior side of door.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Walnut Grain Door - CCW902R; Low-E Glass Direct Set Sidelites - DRS2131SL,

Transoms - 19200T, 19210T, Finish - Shale

Right Page: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelites - DRS2131SL, Finish - Tumblewood



Walnut

<b>CCW902R</b> ⓪	<b>CCW8902R</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"




Walnut

<b>CCW903</b> ⓪	<b>CCW8903</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"




Walnut

<b>CCW904L</b> ⓪	<b>CCW8904L</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"



Walnut

<b>CCW904R</b> ⓪	<b>CCW8904R</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"



Walnut

<b>CCW905</b> ⓪ E	<b>CCW8905</b> ⓪ E
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"



Walnut

<b>CCW906L</b> ⓪	<b>CCW8906L</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"




Walnut

<b>CCW906R</b> ⓪	<b>CCW8906R</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"



Walnut

<b>CCW907L</b> ⓪	<b>CCW8907L</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"



Walnut

<b>CCW907R</b> ⓪	<b>CCW8907R</b> ⓪
26" x 68" (7'0")	26" x 80"
28" x 68" (7'0")	28" x 80"
2'10" x 68" (7'0")	2'10" x 80"
3'0" x 68" (7'0")	3'0" x 80"
3'6" x 68" (7'0")	3'6" x 80"

LOW-E



Direct Set






<b>DRS2131SL</b> ⓪	<b>DRS82131SL</b> ⓪
12" x 68" (7'0")	12" x 80"
14" x 68" (7'0")	14" x 80"

# Solid Panels

**Mahogany Grain**  
Formerly Classic-Craft  
Mahogany & Rustic

Canvas

## Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF6)
-  WBDL Options
-  WBDL / HWHZ Options


## Optional Accessories



Clavos



Strap Hinge



Mahogany

CCR100 | CCR8100  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCM890  
3'0" x 8'0"



Mahogany

CCR8222  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR100R | CCR8100R  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR8005A  
3'0" x 8'0"



Mahogany

CCR205A | CCR8205A  
3'0" x 6'8" | 3'0" x 8'0"  
3'6" x 6'8" | 3'6" x 8'0"



Mahogany

CCR200A | CCR8200A  
3'0" x 6'8" | 3'0" x 8'0"



Mahogany

CCR8225  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR8005  
3'0" x 8'0"

For transoms, see page 102.

Note: Product images show exterior side of door.



Mahogany

CCR040  
3'0" x 6'8"  
CCR8040  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR205  
3'0" x 6'8"  
CCR8205  
3'0" x 8'0"  
3'6" x 8'0"



Mahogany

CCR200  
3'0" x 6'8"  
CCR8200  
3'0" x 8'0"



Mahogany

CCM60  
3'0" x 6'8"

HAMMERED



Mahogany

CCR2025XHSL  
12" x 6'8"  
14" x 6'8"  
CCR82035XHSL  
12" x 8'0"  
14" x 8'0"



Canvas

CCV200  
3'0" x 6'8"



Canvas

CCV205  
3'0" x 6'8"  
CCV8205  
3'0" x 8'0"



Canvas

CCV220  
3'0" x 6'8"  
CCV8220  
3'0" x 8'0"



Canvas

CCV831  
3'0" x 8'0"



Canvas

CCV060  
3'0" x 6'8"



Canvas

CCV050  
3'0" x 6'8"

HAMMERED



Canvas

CCV950XHSL  
12" x 6'8"  
14" x 6'8"  
CCV8950XHSL  
12" x 8'0"  
14" x 8'0"

# Transoms

Transoms can be stained or painted to match Classic Craft, door systems.

## HOMeward™ ◆ ::



**HWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**HW30T**  
3'0" Door Only

## ARBORWATCH™ ◆ ::



**ABRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**AB30T**  
3'0" Door Only

## LONGFORD™ ◆ ::



**LFET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LFRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LF30T**  
3'0" Door Only

## PROVINCIAL™ ◆ ::



**CC40T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC420T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**CC400T**  
3'0" Door Only

## LUCERNA™ ◆ ::



**LCET**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LCRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**LC30T**  
3'0" Door Only

## ZAHA™ ◆ ::



**ZHRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## LOW-E



Grille Sticks Applied



**19Q20T**  
●  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19Q220T**  
●  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19Q200T**  
●  
3'0" Door Only



**19Q210T**  
●  
12" & 14"  
Sidelite Only

### Key

- Low-E Glass (LE)
- ◆ Black Nickel Caming (10)
- ::: Brushed Nickel Caming (1C)

Note: See page 285 for important product details that may help with your purchase decision.

Right Page: Classic Craft Canvas, Homeward Glass, Door - CCV9925, Sidelites - CCV9115L, Transom - HWRT



## Classic Craft. Hinged Patio Doors



### A premium entrance to outdoor living.

The unmatched craftsmanship of Classic Craft premium entryways extends to the patio as an uncompromising entrance to the outdoors. Select from remarkably authentic wood grains and premium smooth surfaces to create a seamless indoor-outdoor connection.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.


Top: Classic Craft Mahogany Grain, Low-E Glass, Doors - CCM82800, Sidelites - CCR8000SL, Finish - Lyrx



## GRAIN & TEXTURE OPTIONS



**Fir Grain**  
Formerly Classic-Craft American Style



**Mahogany Grain**  
Formerly Classic-Craft Mahogany & Rustic




**Canvas**

## GLASS OPTIONS



**Low-E Glass**



**Flush-Glazed Glass**

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

### EnLiten<sup>®</sup> Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available		Classic Craft
<b>Door Selections</b>		
Material		Fiberglass
Warranty		1x Transferable Lifetime
Finish Options		Stain or Paint
<b>Flush-Glazed Glass Selections</b>		
Low-E Glass with and without Divided Lites	■	
Privacy & Textured Glass with and without Divided Lites	■	
<b>Lip-Lite Glass Selections</b>		
Low-E Glass with and without Divided Lites	■	
Privacy & Textured Glass with and without Divided Lites	■	
<b>Available Sizes</b>		
Heights		6'8", 8'0"
Single Widths		3'0"
Double Widths		6'0"
Triple Widths		9'0"
Retrofit Openings		
<b>Additional Options</b>		
Screens & Screen Accessories Available Colors: Bronze, White		2" Frame, 3" Frame
Impact-Rated Options		
Tra-Defense Eligible	■	

## AVAILABLE CONFIGURATIONS



## EnLiten™ Flush-Glazed Low-E Glass



### AVAILABLE COLLECTIONS

- Classic Craft, Fir Grain
- Classic Craft, Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## EnLiten™ Flush-Glazed Low-E Glass with Divided Lites



### AVAILABLE COLLECTIONS

- Classic Craft, Mahogany Grain

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



Note: See page 287 for important product details that may help with your purchase decision.

Right Page: Classic Craft Fir Grain, Low-E Glass, Doors – CCA82400, Finish – Acorn, Retractable Screens – White

# Low-E Glass




## AVAILABLE COLLECTIONS

- Classic Craft, Mahogany Grain
- Classic Craft, Canvas

## AVAILABLE DOOR STYLES




## AVAILABLE CONFIGURATIONS



## Fiber-Classic® & Smooth-Star® Fiberglass Doors


Fiber-Classic® & Smooth-Star®



### Great style for any home.

With many door styles in common and glass families that cross over between door collections, Fiber-Classic and Smooth-Star offer options to fit virtually every entrance — from front entry to patio to utility doors — at an excellent value.

Top: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM86240,  
Sidelites - FCM86201SL, Finish - Acorn  
Bottom: Fiber-Classic Oak Collection, Internal Blinds, Door - FC678, Finish - Barley  
Right Page: Smooth-Star Door - S3501, Finish - Golden Wheat





### Fiber-Classic. Mahogany Collection™

Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance.



### Fiber-Classic. Oak Collection™

Fiber-Classic Oak is the door that started the fiberglass revolution and features the warm look and feel of natural Oak graining.



### Smooth-Star.

Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours making them the more attractive and durable alternative to steel.



### SEE THE DIFFERENCE COLOR CAN MAKE.

Therma-Tru offers a wide variety of finish options for our doors. Explore PrismaGuard, premium finish and Same-Day, Stain color options on pages 258-264.

## Glass Options

- Explore a portfolio of interchangeable decorative glass designs, and privacy and textured glass options starting on page 114.
- Lite frame options include Advanta™ lite frame with no screw plugs and a standard Lip-lite frame, starting on page 139. Both feature 22" wide glass and are suitable for use with a storm door.
- Welcome even more light into the home with EnLiten™ flush-glazed designs with 25-27" wide glass, starting on page 124.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.



# Door Construction

Fiber-Classic, and Smooth-Star, doors set the standard for beauty, quality and performance at an excellent value. Explore the craftsmanship and innovation of doors designed for long-lasting energy efficiency, durability and security.



## 1 WEATHER RESISTANCE

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

## 2 SECURITY

Our fiberglass door slabs are up to 30% more resistant to kick-ins than standard steel doors.\* Our Fiber-Classic and Smooth-Star doors feature an enhanced lock block combined with a 1- $\frac{1}{4}$ " engineered lumber lock stile which increases rigidity and stability.

## 3 DURABILITY




With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

## 4 R-VALUES

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood\*\*, Therma-Tru, fiberglass doors insulate against cold and heat for exceptional energy efficiency.

\*Comparison of pendulum impact test results for Therma-Tru doors in steel versus fiberglass. Visit [thermatru.com](http://thermatru.com) for details.  
\*\*Comparison of fiberglass to wood doors (both without glass).

## Additional Options

-  WBDR Options: Look for this icon to find door styles that can be configured for WBDR.\*
-  WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*
-  Fire-Rated Options: Available on solid-panel doors. See pages 240–243.

**Flush-Glazed Options:** Look for these icons (🔥🌊) to find doors styles with flush-glazed glass. See pages 124–137.

## Warranties



Fiber-Classic and Smooth-Star products are backed by a lifetime limited warranty. See page 285 for more information.

-  Fiber-Classic and Smooth-Star products with flush-glazed glass are also backed by the EnLiten™ Flush-Glazed Rider for Construction & Installation, and the EnLiten™ Flush-Glazed Rider for Homeowners. See page 123 for more information.
-  Fiber-Classic and Smooth-Star door systems are eligible for the Tru-Defense, Warranty Rider when properly assembled and installed with all Thermo-Tru, specified system components, in accordance with the Rider. See page 18–19 for details.



	Fiber-Classic, Mahogany Collection™	Fiber-Classic, Oak Collection™	Smooth-Star
■ = Available			
- = Not Applicable			
S = Stain			
P = Paint			

### Door Widths

Door Width	Fiber-Classic, Mahogany Collection™	Fiber-Classic, Oak Collection™	Smooth-Star
2'0"	■	■	■
2'4"	■	■	■
2'6"	■	■	■
2'8"	■	■	■
2'10"	■	■	■
3'0"	■	■	■
3'6"	-	-	■

### Door Heights

Door Height	Fiber-Classic, Mahogany Collection™	Fiber-Classic, Oak Collection™	Smooth-Star
6'6"	-	■	■
6'8"	■	■	■
7'0"	■	■	■
8'0"	■	■	■

### Glass Options

Glass Option	Fiber-Classic, Mahogany Collection™	Fiber-Classic, Oak Collection™	Smooth-Star
Decorative	16	16	16
Privacy & Textured	6	6	6
Internal Blinds	■	■	■
Flush-Glazed	■	■	■
Screen Vented	-	-	■
Simulated Divided Lites	■	■	■
Grilles Between Glass	■	■	■
Low-E	■	■	■
Clear	■	■	■

### Additional Options

Additional Option	Fiber-Classic, Mahogany Collection™	Fiber-Classic, Oak Collection™	Smooth-Star
Finish	S / P	S / P	P
Vented Sidelites	■	■	■

## RETROFIT HINGED PATIO DOORS

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 210–215.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors

\*Please verify that there is a Thermo-Tru Impact-rated product approval for the configuration before buying.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, Riders, ENERGY STAR qualified products and product approvals.

Left: Smooth-Star, Clear Glass, Door - 58140

Right Page: Smooth-Star, Granite Glass with SDLs, Door - S2103XN, Sidelites - S2000XNSL





## Vented Sidelites

More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the (●) icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens – available in bronze and white – are designed for worry-free use.

### AVAILABLE SIZES

Height	Width	
	12"	14"
6'6"	■	■
6'8"	■	■
8'0"		■



### AVAILABLE CONFIGURATIONS



Single Door with  
Vented Sidelites  
(Inswing Only)



Double Doors with  
Vented Sidelites (Inswing Only)

# Decorative & Specialty Glass Designs



## Blackstone.

Traditional English design meets

1 clear curved bevels, 2 rainglass and coming to create the distinctive styling of Blackstone. Entries get the best of both privacy and simple refinement.



Black Nickel




Brushed Nickel

## Crystalline™

This time-honored design features geometric styling brought to life with 1 glue chip glass, 2 glue chip bevels, 3 clear bevels and coming. Offering modest privacy, Crystalline is a shining example of traditional decorative glass with lasting beauty.



Black Nickel





Brushed Nickel

## Sedona

Art meets glass in Sedona where Arts and Crafts simplicity is designed with 1 slump glass, 2 clear bevels, 3 clear artique glass and coming.



Black Nickel




Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit [thermotru.com](http://thermotru.com) for details on glass privacy ratings and designs.

## Salinas.

1 Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.



Wrought Iron

## Maple Park.

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.



Black Nickel




Brushed Nickel

## Saratoga™

Saratoga evokes a certain urban sophistication while offering modest privacy with its 1 clear bevels, 2 diamond glass, 3 reeded glass and caming. The geometric pattern bridges both modern and traditional designs.



Black Nickel



Brushed Nickel

## Texas Star

Beautifully crafted with **1** clear bevels, **2** curved bevels, **3** clear waterglass, **4** granite glass, **5** glue chip glass, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Black Nickel




Brushed Nickel

## Wellesley™

Simple yet charming, Wellesley's Victorian-inspired design uses **1** clear baroque glass, **2** clear curved bevels, **3** waterglass, **4** granite glass and coming to add beauty to any entry.



Black Nickel



Brushed Nickel




Brass

## Riserva.

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features **1** oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.



Wrought Iron



\*Brass coming not available for Impact-rated products.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Concorde™

There's just something friendly about Concorde's cheery four-leaf design.

① Glue chip glass, ② clear curved bevels, ③ clear glass and coming make up its Old World charm.



Black Nickel



Brushed Nickel



Brass

## Kensington™

Kensington speaks European elegance while offering modest privacy with its

① clear bevels, ② glue chip glass, ③ granite glass and coming.



Black Nickel



Brushed Nickel


## Pembridge™

Simplistic in its design, Pembridge features a field of ① hammered glass framed by ② gray baroque glass and ③ multifaceted bevels. A central diamond shape adds a decorative touch.



Note: The use of gray baroque glass varies based on glass size.

Black Nickel



Brushed Nickel



Brass\*

## Axis.

Simple and smart, Axis combines **1** narrow reeded glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of **2** clear glass bevels completes this linear design, ideal for Modern home styles.



Black Nickel




## Calix

Calix includes an on-trend "x" design and a delicate diamond pattern with **1** clear glass, providing fine-lined geometric appeal.

Available with Advanta<sub>®</sub> lite frame\* or Impact-rated lite frame only.



Black Nickel



Brushed Nickel



Brass


## Latitude

Latitude showcases **1** seedy glass and simple curved details in a half-moon geometric design.

Available with Advanta<sub>®</sub> lite frame\* or Impact-rated lite frame only.



Black Nickel



Brushed Nickel



Brass


\*See your Therma-Tru seller for details on product availability.

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs.

## Echelon

Echelon provides **1** clear glass accented with eased angles and clean edges infused with elements of diamonds and triangles.

Available with Advanta<sup>®</sup> lite frame\* or Impact-rated lite frame only.



## Internal Blinds

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

- 1** Single-Hand Operator
- 2** Privacy Bar



## Screen Vented

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



## Privacy & Textured Glass



**REEDED**



**SATIN ETCH**



**CHORD**



**CHINCHILLA**



**RAINGLASS**



**GRANITE**



Also Available: **Low-E & Clear Glass**

## Divided Lites

Additional grid patterns can be created through our simulated divided lite (SDL) lineal program. See your Thermo-Tru seller for details.

### SIMULATED DIVIDED LITES (SDLS) WITH GRILLES BETWEEN GLASS (GBGs)

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBGs to achieve the most authentic divided lite look.

Look for the (    ) icons.

Shown with flat bronze GBGs (recommended).

### SIMULATED DIVIDED LITES (SDLS)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted any color to complement the door and home.

Look for the (   ) icons.

Fiber-Classic, & Smooth-Star.



\*Almond and Bronze GBGs available in flat bars only.

\*\*Available in Special Quote Program.

Note: See page 285 for important product details that may help with your purchase decision.



### GRILLES BETWEEN GLASS (GBGS)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the (  ) icons.



### FIXED GRILLES

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home's décor.

Look for the (  ) icon.



### SDL BAR OPTIONS

Grained


Smooth



(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Grained

Smooth



(28.6 mm / 1.125 in.)  
Look for the (  ) icon.

Smooth SDL bars are color matched to PrismaGuard Alpine.

Grained

Smooth



(88.9 mm / 3.5 in.)  
Look for the (  ) icon.

### GBG BAR OPTIONS

Flat

Contour



(20 mm / 0.787 in.)

(18 mm / 0.708 in.)

### GBG Color Options



### Key

-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLF1)
-  Simulated Divided Lites (SDLF2)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Fixed Grilles (FXG)

## Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware.



## Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.



Fiber-Classic. 4-Block Dentil Shelf\*



Smooth-Star. 4-Block Dentil Shelf\*



\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for details on product sizes and options, limited warranties, exclusions and Riders.

Bottom: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door - FCM4816, Clear Glass with Grille Sticks, Transom - 19200T, Finish - Acorn; Dentil Shelf

## EnLiten™ Flush-Glazed Designs

EnLiten flush-glazed designs feature double- or triple-pane glass built directly into the door with a high-performance dual adhesive weather seal. This creates a seamless look with a simple profile around the glass and no lite frame or screw plugs. In addition, EnLiten flush-glazed designs offer up to a 16% increase in visible glass area than conventional lite frames to welcome more natural light into the home.



**Flush-Glazed Glass**



**Lip-Lite Frame**

### SEE THE DIFFERENCE

EnLiten flush-glazed designs provide a simple profile with no added embellishments around the glass.



**Flush-Glazed Glass with Detailed Sticking**  
Look for the ( 🔸 ) symbol.



**Flush-Glazed Glass with Square Sticking**  
Look for the ( 🔲 ) symbol.



**Lip-Lite Frame**

### WARRANTY RIDERS FOR PEACE OF MIND

#### EnLiten™ Flush-Glazed Rider for Construction & Installation

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door or sidelite.

#### EnLiten™ Flush-Glazed Rider for Homeowners

Provides protection in case of glass-related failures due to manufacturer defect. Therma-Tru will furnish \$300 toward installation and replace the flush-glazed fiberglass door or sidelite.

# EnLiten™ Flush-Glazed Full Lites



## TRANSOMS

For transoms, see page 209.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>			
FC1205_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC1207_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	2010_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	2050_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	2050_SL ▲ ■ 12" x 68" 14" x 68"	FC5700_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC85700_ ▲ ■ 26" x 80" 28" x 80" 2'10" x 8'0" 30" x 8'0"			
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
FC5710_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC85710_ ▲ ■ 26" x 80" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	FC5720_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC85720_ ▲ ■ 26" x 80" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	FC891_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC8691_ ▲ ■ 26" x 80" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	FC68SL_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC868SL_ ▲ ■ 26" x 80" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	FC68SR_ ▲ ■ 26" x 68" 28" x 68" 30" x 68"	FC868SR_ ▲ ■ 26" x 80" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded    XC = Chord    XR = Rainglass  
XE = Satin Etch    XJ = Chinchilla    XN = Granite

\*Not available with Reeded (XK) glass.

Note: See page 265 for important product details that may help with your purchase decision.

Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5700, Sidelite – FC5700SL, Finish – Wildflower Honey



**Oak**  
FCS700\_SL  
▲ ■ E  
12" x 6'8"  
14" x 6'8"

**Oak**  
FCS710\_SL  
▲ ■ E  
12" x 6'8"  
14" x 6'8"

**Oak**  
FCS720\_SL  
▲ ■ E  
12" x 6'8"  
14" x 6'8"

**Smooth**  
S1205  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S1207  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S2010  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S2050  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓



**Smooth**  
S5705  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S85705  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Smooth**  
S5715  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S85715  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Smooth**  
S5725  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S85725  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Smooth**  
S2010\_SL  
▲ ■ E  
10" x 6'8" ↓  
12" x 6'8" ↓ (7'0")  
14" x 6'8" ↓ (7'0")

**Smooth**  
S85226\_SL  
▲ ■ E  
12" x 8'0"  
14" x 8'0"

**Smooth**  
S2000\_SL-2C\*  
▲ ■ E  
10" x 6'8" ↓  
12" x 6'8" ↓ (7'0")  
14" x 6'8" ↓ (7'0")



**Smooth**  
S2000\_SL-4C\*  
▲ ■ E  
10" x 6'8" ↓  
12" x 6'8" ↓  
14" x 6'8" ↓

**Smooth**  
S5700  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S85700  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Smooth**  
S5710  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S85710  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Smooth**  
S5720  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S85720  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Smooth**  
S691  
▲ ■ E  
26" x 6'8" ↓  
28" x 6'8" ↓  
2'10" x 6'8" ↓  
3'0" x 6'8" ↓

**Smooth**  
S8691  
▲ ■ E  
26" x 8'0"  
28" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continues on next page.*

**Key**

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)

- Simulated Divided Lites (SDLF2)
- Vented Sidelite Options
- WBDOR Options
- E Elevated 10" Bottom Rail Options

↓ 6'6" Height Available



**Smooth**  
 S3400L  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S3400R    S83400R  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S3300    S83300  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S3500L    S83500L  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S3500R    S83500R  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S685L    S8685L  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S685R    S8685R  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S3600L    S83600L  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S3600R    S83600R  
 26" x 68"    26" x 80"  
 28" x 68"    28" x 80"  
 210" x 68"    210" x 80"  
 30" x 68"    30" x 80"



**Smooth**  
 S5700\_SL    S85227\_SL  
 10" x 68"    12" x 80"  
 12" x 68"    14" x 80"  
 14" x 68"    14" x 80"



**Smooth**  
 S5710\_SL  
 10" x 68"    12" x 80"  
 12" x 68"    14" x 80"  
 14" x 68"    14" x 80"



**Smooth**  
 S85228\_SL  
 12" x 80"  
 14" x 80"

S5720\_SL    S85229\_SL  
 10" x 68"    12" x 80"  
 12" x 68"    14" x 80"  
 14" x 68"    14" x 80"

S5720\_SL    S85229\_SL  
 10" x 68"    12" x 80"  
 12" x 68"    14" x 80"  
 14" x 68"    14" x 80"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XX = Reeded    XC = Chord    XR = Rainglass  
 XE = Satin Etch    XJ = Chinchilla    XN = Granite

## PRIVACY & TEXTURED GLASS

							
<b>Oak</b>		<b>Oak</b>		<b>Smooth</b>		<b>Smooth</b>	
2000_	8000_	2000_SL		S2000_	S8000_	S2000_SL	S85225_SL
▲ E	▲ E	▲ E		▲ E G	▲ E G	▲ E G	▲ E
2'6" x 6'8"	2'6" x 8'0"	12" x 6'8"		2'6" x 6'8" ↓	2'6" x 8'0"	10" x 6'8" ↓	12" x 8'0"
2'8" x 6'8"	2'8" x 8'0"	14" x 6'8"		2'8" x 6'8" ↓	2'8" x 8'0"	12" x 6'8" ↓ (7'0")	14" x 8'0"
3'0" x 6'8"	2'10" x 8'0"			2'10" x 6'8" ↓	2'10" x 8'0"	14" x 6'8" ↓ (7'0")	
	3'0" x 8'0"			3'0" x 6'8" ↓	3'0" x 8'0"		

## INTERNAL BLINDS

	
<b>Smooth</b>	
S2600	S82600
▲ E	▲ E
2'6" x 6'8" ↓	2'6" x 8'0"
2'8" x 6'8" ↓	2'8" x 8'0"
2'10" x 6'8" ↓	2'10" x 8'0"
3'0" x 6'8" ↓	3'0" x 8'0"

## CLEAR GLASS WITH DIVIDED LITES

							
<b>Mahogany</b>		<b>Mahogany</b>		<b>Oak</b>		<b>Oak</b>	
FCM1205SL	FCM1206SL	FCM1204SL	FCM2009SL	FC1205	FC1206	FC1207	
▲ ▲ ▲ ▲ ▲ E	▲ ▲ ▲ ▲ ▲ E	▲ ▲ ▲ ▲ ▲ E	▲ ▲ ▲ ▲ ▲ E	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	
12" x 6'8" (7'0")	12" x 6'8" (7'0")	12" x 6'8" (7'0")	12" x 6'8" (7'0")	2'6" x 6'8"	2'6" x 6'8"	2'6" x 6'8"	
14" x 6'8" (7'0")	14" x 6'8" (7'0")	14" x 6'6" (7'0")	14" x 6'8" (7'0")	2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	
				3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	








  







							
<b>Oak</b>		<b>Oak</b>		<b>Oak</b>		<b>Oak</b>	
2010	FC1204	2050	8000-12	8000-18	FC1205SL	FC1206SL	
▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	▲ ▲ ▲ ▲ ▲	
2'6" x 6'8"	2'6" x 6'8"	2'6" x 6'8"	2'6" x 8'0"	2'6" x 8'0"	12" x 6'8"	12" x 6'8"	
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	14" x 6'8"	14" x 6'8"	
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	2'10" x 8'0"	2'10" x 8'0"			
			3'0" x 8'0"	3'0" x 8'0"			

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

### Key

- |  |   |   |   |   |
|--|---|---|---|---|
| <ul style="list-style-type: none"> <li>▲ Flush-Glazed Glass with Detailed Sticking (FG)</li> <li>▲ Flush-Glazed Glass with Square Sticking (FG)</li> <li>● Low-E Glass (LE)</li> </ul> | <ul style="list-style-type: none"> <li>■ Simulated Divided Lites (SDL)</li> <li>■ Simulated Divided Lites (SDLF1)</li> <li>■ Simulated Divided Lites (SDLF2)</li> </ul> | <ul style="list-style-type: none"> <li>♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)</li> <li>♦ Flat Almond Grilles Between Glass (GBGF)</li> </ul> | <ul style="list-style-type: none"> <li>♦ Flat Bronze Grilles Between Glass (GBGF)</li> <li>● Vented Sidelite Options</li> <li>⚙️ WDR Options</li> </ul> | <ul style="list-style-type: none"> <li>E Elevated 10" Bottom Rail Options</li> <li>⚡ 6" Height Available</li> </ul> |
|--|---|---|---|---|

								
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>		
FC1204SL ▲▲▲ 12" x 6'8" 14" x 6'8"	2050SL ▲▲▲ 12" x 6'8" 14" x 6'8"	2009 ▲▲▲ 2'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	8000-9 ▲▲▲ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2009SL ▲▲▲ 12" x 6'8" 14" x 6'8"	FCS700 ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85700 ▲▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCS710 ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85710 ▲▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
FCS720 ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC85720 ▲▲▲ 2'0" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC891 ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC885L ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"	FC868SL ▲▲▲ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC868SR ▲▲▲ 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

						
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FCS720SL ▲▲▲ 12" x 6'8" 14" x 6'8"	S1205 ▲▲▲ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S1206 ▲▲▲ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S1207 ▲▲▲ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S2010 ▲▲▲ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S1204 ▲▲▲ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S2050 ▲▲▲ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓



<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S8000-12 ▲▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S8000-18 ▲▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5705 ▲▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S85705 ▲▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5715 ▲▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S85715 ▲▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5725 ▲▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S85725 ▲▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S1206SL ▲▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S1206SL ▲▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")	S1204SL ▲▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")	S2010SL ▲▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")	S85226SL ▲▲▲▲ E 12" x 8'0" 14" x 8'0"	S2000SL-2C ▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")	S2000SL-4C ▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")	S2009 ▲▲▲▲▲ E 2'0" x 6'8" ↓ 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S8000-9 ▲▲▲▲▲ E 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2009SL ▲▲▲▲▲ E 10" x 6'8" ↓ 12" x 6'8" ↓ (7'0") 14" x 6'8" ↓ (7'0")

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S5700 ▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S85700 ▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5710 ▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S85710 ▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S5720 ▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S85720 ▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S691 ▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S8691 ▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S3400L ▲▲▲▲ E 2'6" x 6'8" ↓ 2'8" x 6'8" ↓ 2'10" x 6'8" ↓ 3'0" x 6'8" ↓	S83400L ▲▲▲▲ E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

**Key**

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF)

- Simulated Divided Lites (SDLF2)
- ▲ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ▲ Flat Almond Grilles Between Glass (GBGF)

- ▲ Flat Bronze Grilles Between Glass (GBGF)
- ▲ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options

- WDR Options
- E Elevated 10" Bottom Rail Options
- ▲ 6" Height Available

**CLEAR GLASS WITH DIVIDED LITES** *Continued*



**Smooth**  
**S3400R**   **S83400R**  
 ▲▲ E E  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 210" x 68"   210" x 80"  
 30" x 68"   30" x 80"



**Smooth**  
**S3300**   **S83300**  
 ▲▲ E E  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 210" x 68"   210" x 80"  
 30" x 68"   30" x 80"



**Smooth**  
**S3500L**   **S83500L**  
 ▲▲ E E  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 210" x 68"   210" x 80"  
 30" x 68"   30" x 80"



**Smooth**  
**S3500R**   **S83500R**  
 ▲▲ E E  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 210" x 68"   210" x 80"  
 30" x 68"   30" x 80"



**Smooth**  
**S685L**   **S885L**  
 ▲▲ E E  
 26" x 68" ↓   26" x 80"  
 28" x 68" ↓   28" x 80"  
 210" x 68" ↓   210" x 80"  
 30" x 68" ↓   30" x 80"



**Smooth**  
**S685R**   **S885R**  
 ▲▲ E E  
 26" x 68" ↓   26" x 80"  
 28" x 68" ↓   28" x 80"  
 210" x 68" ↓   210" x 80"  
 30" x 68" ↓   30" x 80"



**Smooth**  
**S3600L**   **S83600L**  
 ▲▲ E E  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 210" x 68"   210" x 80"  
 30" x 68"   30" x 80"



**Smooth**  
**S3600R**   **S83600R**  
 ▲▲ E E  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 210" x 68"   210" x 80"  
 30" x 68"   30" x 80"



**Smooth**  
**S5700SL**   **S85227SL**  
 ▲▲ E E  
 10" x 68" ↓   12" x 80"  
 12" x 68" ↓ (70")   14" x 80"  
 14" x 68" ↓ (70")



**Smooth**  
**S5710SL**   **S85228SL**  
 ▲▲ E E  
 10" x 68" ↓   12" x 80"  
 12" x 68" ↓ (70")   14" x 80"  
 14" x 68" ↓ (70")

**CLEAR GLASS**



**Smooth**  
**S5720SL**   **S85229SL**  
 ▲▲ E E  
 10" x 68" ↓   12" x 80"  
 12" x 68" ↓ (70")   14" x 80"  
 14" x 68" ↓ (70")



**Oak**  
**2000**   **8000**  
 ▲▲  
 20" x 68"   20" x 80"  
 26" x 68"   26" x 80"  
 28" x 68"   28" x 80"  
 30" x 68"   210" x 80"  
                   30" x 80"



**Oak**  
**2000SL**  
 ▲▲  
 12" x 68"   14" x 68"



**Smooth**  
**S2000**   **S8000**  
 ▲▲ E E  
 20" x 68" ↓   20" x 80"  
 26" x 68" ↓   26" x 80"  
 28" x 68" ↓   28" x 80"  
 210" x 68" ↓   210" x 80"  
 30" x 68" ↓   30" x 80"



**Smooth**  
**S2000SL**   **S85225SL**  
 ▲▲ E E  
 10" x 68" ↓   12" x 80"  
 12" x 68" ↓ (70")   14" x 80"  
 14" x 68" ↓ (70")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded   XC = Chord   XR = Rainglass  
 XE = Satin Etch   XJ = Chinchilla   XN = Granite

Note: See page 285 for important product details that may help with your purchase decision.

# EnLiten™ Flush-Glazed 3/4 Lites



## TRANSOMS

For transoms, see page 209.



Fiber-Classic & Smooth-Star.

### PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_	S82103_	S2104_	S82105_	S02106_	S2250_	S02107_	S84896_SL
▲	▲	▲	▲	▲	▲	▲	▲
2'6" x 6'8"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 6'8"	2'6" x 8'0"	12" x 8'0"
2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	14" x 8'0"
2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	
3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	

### PRIVACY & TEXTURED GLASS

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2103_SL	S2104_SL	S2250_SL	S2200_	S82200_	S8000_SL	S2200_SL
▲	▲	▲	▲	▲	▲	▲
12" x 6'8"	12" x 6'8"	12" x 6'8"	2'6" x 6'8"	2'6" x 8'0"	12" x 8'0"	12" x 6'8"
14" x 6'8"	14" x 6'8"	14" x 6'8"	2'8" x 6'8"	2'8" x 8'0"	14" x 8'0"	14" x 6'8"
			2'10" x 6'8"	2'10" x 8'0"		
			3'0" x 6'8"	3'0" x 8'0"		

#### Key

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- Vented Sidelite Options
- Low-E Glass (LE)
- WDR Options
- Simulated Divided Lites (SDL)
- Elevated 10" Bottom Rail Options
- Simulated Divided Lites (SDLF1)
- Simulated Divided Lites (SDLF2)
- ▲ 6'6" Height Available

## CLEAR GLASS WITH DIVIDED LITES



## CLEAR GLASS



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch    XJ = Chinchilla    XN = Granite  
XC = Chord        XR = Rainglass

Note: See page 285 for important product details that may help with your purchase decision.

# EnLiten™ Flush-Glazed 1/2 Lites



## TRANSOMS

For transoms, see page 209.



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



NEW

NEW

Smooth

S4200\_ ▲ R E  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")



NEW

NEW

Smooth

S6200\_ ▲ R E  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")



NEW

NEW

Smooth

S9200\_ ▲ R E  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")



NEW

NEW

Smooth

S4200\_SL ▲ R E  
12" x 68" (7'0")  
14" x 68" (7'0")



NEW

NEW

Smooth

S6200\_SL ▲ R E  
12" x 68" (7'0")  
14" x 68" (7'0")

## PRIVACY & TEXTURED GLASS



NEW

NEW

Smooth

S3200\_ ▲ E  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")



NEW

NEW

Smooth

S3200\_SL ▲ E  
12" x 68" (7'0")  
14" x 68" (7'0")

## CLEAR GLASS WITH DIVIDED LITES



Smooth

S1350  
▲ R E  
26" x 68"  
28" x 68"  
30" x 68"



Smooth

S2150  
▲ R E  
26" x 68"  
28" x 68"  
30" x 68"



Smooth

S1409  
▲ R E  
26" x 68"  
28" x 68"  
30" x 68"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

### Key

- Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- Simulated Divided Lites (SDLF1)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)

- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Elevated 10" Bottom Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

## CLEAR GLASS



## Privacy &amp; Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 111.

XK = Reeded    XC = Chord    XR = Rainglass  
XE = Satin Etch    XJ = Chinchilla    XN = Granite

\*Not available with Reeded (XK) glass.

\*\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Low-E Glass with SDLs, Door - S4200, Sidelite - S3200SL, Finish - Canyon

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM6240, Sidelites - FCM6201SL, Transom - 19750T, Finish - Sweet Date

# EnLiten™ Flush-Glazed Craftsman Lites



## TRANSOMS

For transoms, see page 209.

## OPTIONAL DENTIL SHELVES\*\*



**4-Block Dentil Shelf**  
Available for all Craftsman-lite  
Fiber-Classic Mahogany Collection doors.



**4-Block Dentil Shelf**  
Available for all Craftsman-lite  
Smooth-Star doors.

## SARATOGA.

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FCM6240 ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM86240 ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6201SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM86201SL ▲ 12" x 8'0" 14" x 8'0"	FCM6240SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM86240SL ▲ 12" x 8'0" 14" x 8'0"
S6240 ▲ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86240 ▲ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6201SL ▲ 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86201SL ▲ 12" x 8'0" 14" x 8'0"	S6240SL ▲ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S86240SL ▲ 12" x 8'0" 14" x 8'0"

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

				
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
FCM4812_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84812_* ▲ R E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4813_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84813_* ▲ R E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4814_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
FCM84814_* ▲ R E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4816_* ▲ R E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84816_* ▲ R E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2050_SL ▲ R E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84886_SL ▲ R E 12" x 8'0" 14" x 8'0"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES *Continues on next page.*

### Key

-  Flush-Glazed Glass with Detailed Sticking (FG)
-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Black Nickel Caming (10)
-  Brushed Nickel Caming (1C)
-  Simulated Divided Lites (SDL)
-  Simulated Divided Lites (SDLFT)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat Almond Grilles Between Glass (GBGF)
-  Flat Bronze Grilles Between Glass (GBGF)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  Vented Sidelite Options
-  Elevated 10" Bottom Rail Options

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES** *Continued*

<b>Mahogany</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FCM4812_SL* ▲ ■ ■ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84812_SL* ▲ ■ ■ 12" x 8'0" 14" x 8'0"	S4812_* ▲ ■ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84812_* ▲ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4813_* ▲ ■ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
S4814_* ▲ ■ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84814_* ▲ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4816_* ▲ ■ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84816_* ▲ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	

**PRIVACY & TEXTURED GLASS**

<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
S2010_SL ▲ ■ ■ ■ ■ 10" x 6'8" 1 12" x 6'8" 1 (7'0") 14" x 6'8" 1 (7'0")	S84886_SL ▲ ■ ■ 12" x 8'0" 14" x 8'0"	S4812_SL* ▲ ■ ■ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84812_SL* ▲ ■ ■ 12" x 8'0" 14" x 8'0"	FCM4810_* ▲ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
FCM84810_* ▲ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2000_SL ▲ ■ ■ ■ ■ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM8000_SL ▲ ■ ■ ■ ■ 12" x 8'0" 14" x 8'0"	FCM4810_SL* ▲ ■ ■ 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84810_SL* ▲ ■ ■ 12" x 8'0" 14" x 8'0"

**CLEAR GLASS WITH DIVIDED LITES**

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
S4810_* ▲ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84810_* ▲ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2000_SL ▲ ■ ■ ■ ■ 10" x 6'8" 1 12" x 6'8" 1 (7'0") 14" x 6'8" 1 (7'0")	S8000_SL ▲ ■ ■ ■ ■ 12" x 8'0" 14" x 8'0"	S4810_SL* ▲ ■ ■ 12" x 6'8" (7'0") 14" x 6'8" (7'0")
S84810_SL* ▲ ■ ■ 12" x 8'0" 14" x 8'0"	FCM4812 ▲ ■ ■ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84812 ▲ ■ ■ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM4813 ▲ ■ ■ ■ E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84813 ▲ ■ ■ ■ ■ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XX = Reeded  
XE = Soft Etch


XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

\*Not available with Reeded (XX) glass.

Note: See page 266 for important product details that may help with your purchase decision.



				
<b>Mahogany</b>		<b>Mahogany</b>		<b>Smooth</b>
FCM4814 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84814 ▲ ● E 2'8" x 8'0" 2'10" x 8'0"	FCM4816 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84816 ▲ ● E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM2050SL ▲ ● E 12" x 6'8" (7'0") 14" x 6'8" (7'0")
FCM4812SL ▲ ● E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84812SL ▲ ● E 12" x 8'0" 14" x 8'0"	FCM84886SL ▲ ● E 12" x 8'0" 14" x 8'0"		S4812 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
S84812 ▲ ● E 2'8" x 8'0" 2'10" x 8'0"				

				
<b>Smooth</b>		<b>Smooth</b>		<b>Smooth</b>
S4813 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84813 ▲ ● E 2'8" x 8'0" 2'10" x 8'0"	S4814 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S84814 ▲ ● E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4816 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
S84816 ▲ ● E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2010SL ▲ ● E 10" x 6'8" (7'0") 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84886SL ▲ ● E 12" x 8'0" 14" x 8'0"	S4812SL ▲ ● E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S84812SL ▲ ● E 12" x 8'0" 14" x 8'0"

**CLEAR GLASS**

					
<b>Mahogany</b>		<b>Mahogany</b>	<b>Smooth</b>		<b>Smooth</b>
FCM4810 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM84810 ▲ ● E 2'8" x 8'0" 2'10" x 8'0"	FCM2000SL ▲ ● E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM8000SL ▲ ● E 12" x 8'0" 14" x 8'0"	FCM4810SL ▲ ● E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM84810SL ▲ ● E 12" x 8'0" 14" x 8'0"
S4810 ▲ ● E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")		S84810 ▲ ● E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"		S2000SL ▲ ● E 10" x 6'8" (7'0") 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S8000SL ▲ ● E 12" x 8'0" 14" x 8'0"
S4810SL ▲ ● E 12" x 6'8" (7'0") 14" x 6'8" (7'0")		S84810SL ▲ ● E 12" x 8'0" 14" x 8'0"			

**Key**

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- ▲ Simulated Divided Lites (SDLF1)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ▲ 6'6" Height Available

# Lite Frames

Therma-Tru doors and sidelites are available with select lite frame options to complement the door's overall aesthetic.



For Impact-rated lite frame, see page 27.



The Advanta lite frame is a patented design, U.S. Patent No. 10,655,382.







## Advanta Lite Frame\*

With a patented design, Advanta lite frames deliver a clean look with no unsightly screw plugs to detract from the entry's overall aesthetic.

Look for the (   ) symbols.

## Standard Lite Frame


With a variety of sizes and shapes to choose from, our standard lite frame features a weather-resistant material and plugs designed to cover the screws.

	Advanta Lite Frame	Standard Lite Frame
<b>Flat Option</b>		
<b>Scrolled Option</b>		
<b>Plugless Design</b>	■	
<b>Buff Option</b>	■	■
<b>White Option</b> (Alpine Color-Matched)	■	■
<b>Durable Weather-Resistant Material</b>	■	■

\*See your Therma-Tru seller for details on product availability.

Note: See page 285 for important product details that may help with your purchase decision.

# Full Lites



## TRANSOMS

For transoms, see page 209.



Fiber-Classic & Smooth-Star.







## BLACKSTONE. ♦ ::





 <b>Mahogany</b>		 <b>Mahogany</b>		 <b>Mahogany</b>		 <b>Oak</b>		 <b>Oak</b>			
FCM108 J J G 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM871 J J G 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM310 J J G E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM816 J J G E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM871SL J J G 12" x 8'0" 14" x 8'0"	FCM808SL J J G E 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81918SL J J G E 12" x 8'0" 14" x 8'0"	FC108 J J G E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81918P J J G 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC310 J J G E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FC816 J J G 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	
 <b>Oak</b>		 <b>Oak</b>		 <b>Smooth</b>		 <b>Smooth</b>		 <b>Smooth</b>		 <b>Smooth</b>	
FC108SL J J G 10" x 6'8" 12" x 6'8" 14" x 6'8"	81918PSL J J G 12" x 8'0" 14" x 8'0"	FC808SL J J G E 12" x 6'8" (7'0") 14" x 6'8" (7'0")	81918SL J J G E 12" x 8'0" 14" x 8'0"	S6002 J J G E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85892 J J G 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S310 J J G E 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0") 3'6" x 6'8"	S816 J J G E 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S6002SL J J G 12" x 6'8" 14" x 6'8"	S85892SL J J G 12" x 8'0" 14" x 8'0"	S45705L J J G E 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	S85827SL J J G 12" x 8'0" 14" x 8'0"

### Key

- No Sill Lines
- ♦ Black Nickel Caming (10)
- :: Brushed Nickel Caming (1C)
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
-  Flat Lite Frame
-  Verted Sidelite Options
-  WBOR Options
-  WBOR / HWHZ Options
- E Elevated 10" Bottom Rail Options
-  6'6" Height Available

## CRYSTALLINE ♦ ♦

					
<b>Mahogany</b>		<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	
FCM16 28" x 68" 210" x 68" 30" x 68"	FCM8114 28" x 80" 210" x 80" 30" x 80"	FCM668 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	FCM814 28" x 80" 210" x 80" 30" x 80"	FCM8114SL 12" x 80" 14" x 80"	FCM18101SL 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")
FCM81800SL 12" x 80" 14" x 80"	FC16 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	B1800P 28" x 80" 210" x 80" 30" x 80"	FC668 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	FC814 28" x 80" 210" x 80" 30" x 80"	

					
<b>Oak</b>		<b>Oak</b>	<b>Smooth</b>		<b>Smooth</b>
FC68SL 10" x 68" 12" x 68" 14" x 68"	B1800PSL 12" x 80" 14" x 80"	18101SL 12" x 68" (7'0") 14" x 68" (7'0")	B1800SL 12" x 80" 14" x 80"	S916 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	S814 28" x 80" 210" x 80" 30" x 80"
S668 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0") 36" x 68"	S815 28" x 80" 210" x 80" 30" x 80" 36" x 80"	S916SL 12" x 68" 14" x 68"	S814SL 12" x 80" 14" x 80"	S6130SL 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	S84586SL 12" x 80" 14" x 80"

## SEDONA ♦ ♦

					
<b>Mahogany</b>		<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	
FCM100 28" x 68" 210" x 68" 30" x 68"	FCM872 28" x 80" 210" x 80" 30" x 80"	FCM241 26" x 68" (7'0") 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	FCM822 28" x 80" 210" x 80" 30" x 80"	FCM872SL 12" x 80" 14" x 80"	FCM816SL 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")
FCM81968SL 12" x 80" 14" x 80"	FC100 26" x 68" 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	B1968P 28" x 80" 210" x 80" 30" x 80"	FC241 26" x 68" (7'0") 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	FC822 28" x 80" 210" x 80" 30" x 80"	

						
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	
FC100SL 10" x 6'8" 12" x 8'0" 12" x 6'8" 14" x 6'8"	81968PSL 12" x 8'0" 14" x 8'0"	FC816SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81968SL 12" x 8'0" 14" x 8'0"	S139 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S241 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S139SL 12" x 6'8" 14" x 6'8"
				S604SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")		

**SALINAS. X**

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
FCM113 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM873 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM369 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM814SL 10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM81919SL 12" x 8'0" 14" x 8'0"
				FCM873SL 12" x 8'0" 14" x 8'0"	FC113 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
				81919P 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC369 2'6" x 6'8" Δ (7'0") 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0")
					FC817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FC113SL 10" x 6'8" 12" x 6'8" 14" x 6'8"	81919PSL 12" x 8'0" 14" x 8'0"	FC814SL 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	81919SL 12" x 8'0" 14" x 8'0"	S6008 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S85893 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S369 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"	S817 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"
				S6008SL 12" x 6'8" 14" x 6'8"	S85893SL 12" x 8'0" 14" x 8'0"
				S6134SL 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85931SL 12" x 8'0" 14" x 8'0"

**Key**

- No Sill Lines
- ◆ Black Nickel Caming (10)
- ◆ Brushed Nickel Caming (1C)
- X Wrought Iron (1W)
- ⌋ Flat Lite Frame
- ⌋ Vented Sillite Options
- ⌋ WBDR Options
- ⌋ WBDR / HWZ Options
- E Elevated 10" Bottom Rail Options
- Δ 6" Height Available



**Mahogany**  
FCM900  
28" x 68"  
2'10" x 68"  
30" x 68"



**Mahogany**  
FCM1006  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Mahogany**  
FCM8125L  
10" x 68"  
12" x 68" (7'0")  
14" x 68" (7'0")



**Oak**  
FC900  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC1006  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC900SL  
10" x 68"  
12" x 68"  
14" x 68"



**Oak**  
FC8125L  
12" x 68" (7'0")  
14" x 68" (7'0")



**Smooth**  
S6100  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")

SARATOGA. ♦ ♦



**Smooth**  
S1006  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")  
36" x 68"



**Smooth**  
S6100SL  
12" x 68"  
14" x 68"



**Smooth**  
S6131SL  
10" x 68"  
12" x 68" (7'0")  
14" x 68" (7'0")



**Mahogany**  
FCM905  
28" x 68"  
2'10" x 68"  
30" x 68"



**Mahogany**  
FCM6093  
26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Mahogany**  
FCM8155L  
10" x 68"  
12" x 68" (7'0")  
14" x 68" (7'0")



**Mahogany**  
FCM81986SL  
12" x 80"  
14" x 80"  
FCM8933L  
12" x 80"  
14" x 80"



**Oak**  
FC905  
26" x 68"  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC6093  
26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC905SL  
10" x 68"  
12" x 68"  
14" x 68"



**Oak**  
FC8155L  
12" x 68" (7'0")  
14" x 68" (7'0")



**Oak**  
81986SL  
12" x 80"  
14" x 80"



**Smooth**  
S154  
26" x 68"  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")



**Smooth**  
S6093  
26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
30" x 68" (7'0")  
36" x 68"



**Smooth**  
S154SL  
12" x 68"  
14" x 68"  
S8602SL  
12" x 80"  
14" x 80"

TEXAS STAR ♦ ♦



Smooth

S602SL



10" x 6'8"  
12" x 6'8" ⚡ (7'0")  
14" x 6'8" ⚡ (7'0")

S85932SL



12" x 8'0"  
14" x 8'0"



Mahogany

FCM142



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1029



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM817SL



10" x 6'8"  
12" x 6'8" (7'0")  
14" x 6'8" (7'0")



Oak

FC142



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC1029



2'8" x 6'8" ⚡ (7'0")  
2'10" x 6'8" ⚡ (7'0")  
3'0" x 6'8" ⚡ (7'0")



Oak

FC142SL



10" x 6'8"  
12" x 6'8"  
14" x 6'8"



Oak

FC817SL



12" x 6'8" ⚡ (7'0")  
14" x 6'8" ⚡ (7'0")



Smooth

S6070



2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S1029



2'8" x 6'8" ⚡ (7'0")  
2'10" x 6'8" ⚡ (7'0")  
3'0" x 6'8" ⚡ (7'0")  
3'8" x 6'8"



Smooth

S6070SL



12" x 6'8"  
14" x 6'8"



Smooth

S6135SL



10" x 6'8"  
12" x 6'8" ⚡ (7'0")  
14" x 6'8" ⚡ (7'0")

WELLESLEY ♦ ♦ ♦



Mahogany

FCM104



2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

FCM874



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM6094



2'8" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

FCM821



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM818SL



10" x 6'8"  
12" x 6'8" (7'0")  
14" x 6'8" (7'0")

FCM81921SL



12" x 8'0"  
14" x 8'0"



Mahogany

FCM874SL



12" x 8'0"  
14" x 8'0"



Oak

FC104



2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

S1921P



2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC6094



2'6" x 6'8" ⚡ (7'0")  
2'8" x 6'8" ⚡ (7'0")  
2'10" x 6'8" ⚡ (7'0")  
3'0" x 6'8" ⚡ (7'0")

FC821



2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

WELLESLEY *Continues on next page.*

Key

■ No Sill Lines

◆ Black Nickel Caming (10)

⚡ Brushed Nickel Caming (1C)

◆ Brass Caming (1A)

▾ Flat Lite Frame

▾ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sillsides.

● Vented Sillside Options

○ WDR Options

○ WDR / HWZ Options

E Elevated 10" Bottom Rail Options

⚡ 6'6" Height Available


									
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>					
FC104SL  10" x 68" 12" x 68" 14" x 68"	B1921PSL  12" x 80" 14" x 80"	FC181SL  12" x 68" $\Delta$ (7'0") 14" x 68" $\Delta$ (7'0")	B1921SL  12" x 80" 14" x 80"	S155  26" x 68" 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	S85896  26" x 80" 28" x 80" 210" x 80" 30" x 80"	S6094  26" x 68" $\Delta$ 28" x 68" $\Delta$ (7'0") 210" x 68" $\Delta$ (7'0") 30" x 68" $\Delta$ (7'0") 36" x 68"	S821  26" x 80" 28" x 80" 210" x 80" 30" x 80" 36" x 80"	S155SL  12" x 68" 14" x 68"	S85896SL  12" x 80" 14" x 80"

**RISERVA. X**

									
<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>					
S5870SL  10" x 68" 12" x 68" $\Delta$ (7'0") 14" x 68" $\Delta$ (7'0")	S85834SL  12" x 80" 14" x 80"	FCM574  26" x 68" 210" x 68" 30" x 68"	FCM6574  26" x 80" 210" x 80" 30" x 80"	FCM571  26" x 68" (7'0") 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	FCM6571  26" x 80" 28" x 80" 210" x 80" 30" x 80"	FCM572SL  10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	FCM6572SL  12" x 80" 14" x 80"	FCM6573SL  12" x 80" 14" x 80"	
									
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>					
FC574  26" x 68" 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	FC8574  28" x 80" 210" x 80" 30" x 80"	FC571  26" x 68" $\Delta$ (7'0") 28" x 68" $\Delta$ (7'0") 210" x 68" $\Delta$ (7'0") 30" x 68" $\Delta$ (7'0")	FC8571  26" x 80" 28" x 80" 210" x 80" 30" x 80"	FC573SL  10" x 68" 12" x 68" 14" x 68"	FC8573SL  12" x 80" 14" x 80"	FC572SL  12" x 68" $\Delta$ (7'0") 14" x 68" $\Delta$ (7'0")	FC8572SL  12" x 80" 14" x 80"	S574  26" x 68" 28" x 68" (7'0") 210" x 68" (7'0") 30" x 68" (7'0")	S8574  26" x 80" 28" x 80" 210" x 80" 30" x 80"




CONCORDE



Smooth

9571

26" x 68"  $\Delta$   
 28" x 68"  $\Delta$  (7'0")  
 210" x 68"  $\Delta$  (7'0")  
 30" x 68"  $\Delta$  (7'0")  
 36" x 68"



Smooth

S8571

26" x 80"  
 28" x 80"  
 210" x 80"  
 30" x 80"  
 36" x 80"



Smooth

S573SL

12" x 68"  
 14" x 68"

S8573SL

12" x 80"  
 14" x 80"



Smooth

S572SL

10" x 68"  
 12" x 68"  $\Delta$  (7'0")  
 14" x 68"  $\Delta$  (7'0")

S8572SL

12" x 80"  
 14" x 80"



Mahogany

FCM910

28" x 68"  
 210" x 68"  
 30" x 68"

FCM890

26" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

FCM6095

26" x 68" (7'0")  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

FCM820

26" x 80"  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

FCM809SL

10" x 68"  
 12" x 68"  $\Delta$  (7'0")  
 14" x 68"  $\Delta$  (7'0")

FCM81928SL

12" x 80"  
 14" x 80"



Mahogany

FCM890SL

12" x 80"  
 14" x 80"



Oak

FC910

26" x 68"  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

81928P

28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC6095

26" x 68"  $\Delta$  (7'0")  
 28" x 68"  $\Delta$  (7'0")  
 210" x 68"  $\Delta$  (7'0")  
 30" x 68"  $\Delta$  (7'0")

FC820

26" x 80"  
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC910SL

10" x 68"  
 12" x 68"  $\Delta$  (7'0")  
 14" x 68"

81928PSL

12" x 80"  
 14" x 80"



Oak

FC809SL

12" x 68"  $\Delta$  (7'0")  
 14" x 68"  $\Delta$  (7'0")

81928SL

12" x 80"  
 14" x 80"



Smooth

S6090

26" x 68"  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

S85895

26" x 80"  
 28" x 80"  
 210" x 80"  
 30" x 80"



Smooth

S6095

26" x 68"  $\Delta$   
 28" x 68"  $\Delta$  (7'0")  
 210" x 68"  $\Delta$  (7'0")  
 30" x 68"  $\Delta$  (7'0")  
 36" x 68"

S820

26" x 80"  
 28" x 80"  
 210" x 80"  
 30" x 80"  
 36" x 80"



Smooth

S416SL

12" x 68"  
 14" x 68"

S85895SL

12" x 80"  
 14" x 80"



Smooth

S4070SL

10" x 68"  
 12" x 68"  $\Delta$  (7'0")  
 14" x 68"  $\Delta$  (7'0")

S85930SL

12" x 80"  
 14" x 80"

Key

■ No Sill Lines

◆ Black Nickel Casing (10)

⦿ Brushed Nickel Casing (1C)

⦿ Brass Casing (1A)

✕ Wrought Iron (1W)

⌄ Flat Lite Frame

⌄ Scrolled & Flat  
 Advanta Lite Frame  
 Not available for 24" and  
 26" doors or 10" sashes.

● Vented Sill/Lite Options

⦿ WSDR Options

⦿ WSDR / MVHZ Options

E Elevated 10" Bottom  
 Rail Options

$\Delta$  66" Height Available



**Mahogany**  
FCM148  
28" x 68"  
210" x 68"  
30" x 68"



**Mahogany**  
FCM626  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")



**Mahogany**  
FCM813SL  
10" x 68"  
12" x 68" (7'0")  
14" x 68" (7'0")



**Oak**  
FC148  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC626  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC148SL  
10" x 68"  
12" x 68"  
14" x 68"



**Oak**  
FC813SL  
12" x 68" (7'0")  
14" x 68" (7'0")



**Smooth**  
S160  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")

PEMBRIDGE. ◆ ◆ ◆ ◆



**Smooth**  
S626  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")  
36" x 68"



**Smooth**  
S160SL  
12" x 68"  
14" x 68"



**Smooth**  
S6132SL  
10" x 68"  
12" x 68" (7'0")  
14" x 68" (7'0")



**Mahogany**  
FCM6550  
28" x 68"  
210" x 68"  
30" x 68"



**Mahogany**  
FCM86550  
28" x 80"  
210" x 80"  
30" x 80"



**Mahogany**  
FCM6500  
24" x 68"  
26" x 68" (7'0")  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")




**Mahogany**  
FCM86500SL  
26" x 80"  
28" x 80"  
210" x 80"  
30" x 80"



**Mahogany**  
FCM6500SL  
10" x 68"  
12" x 68" (7'0")  
14" x 68" (7'0")



**Mahogany**  
FCM86500SL  
12" x 80"  
14" x 80"



**Oak**  
FC6550  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC86550  
28" x 80"  
210" x 80"  
30" x 80"



**Oak**  
FC6500  
24" x 68"  
26" x 68" (7'0")  
28" x 68" (7'0")  
210" x 68" (7'0")  
30" x 68" (7'0")



**Oak**  
FC86500  
26" x 80"  
28" x 80"  
210" x 80"  
30" x 80"




**Oak**  
FC6500SL  
10" x 68"  
12" x 68"  
14" x 68"



**Oak**  
FC86500SL  
12" x 80"  
14" x 80"

AXIS. ♦



Smooth

S6550  
 JGE  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

S86500  
 JGE  
 2'4" x 6'8" ↓  
 2'6" x 6'8" ↓  
 2'8" x 6'8" ↓ (7'0")  
 2'10" x 6'8" ↓ (7'0")  
 3'0" x 6'8" ↓ (7'0")  
 3'6" x 6'8"



Smooth

S6550SL  
 JGE  
 12" x 6'8"  
 14" x 6'8"



Smooth

S86500SL  
 JGE  
 10" x 6'8"  
 12" x 6'8" ↓ (7'0")  
 14" x 6'8" ↓ (7'0")



Mahogany

FCM1652  
 JGE  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

FCM1652  
 JGE  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Mahogany

FCM1651  
 JGE  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Mahogany

FCM1651SL  
 JGE  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



Mahogany

FCM1652SL  
 JGE  
 12" x 8'0"  
 14" x 8'0"



Oak

FC1652  
 JGE  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC1651  
 JGE  
 2'4" x 6'8" ↓  
 2'6" x 6'8" ↓ (7'0")  
 2'8" x 6'8" ↓ (7'0")  
 2'10" x 6'8" ↓ (7'0")  
 3'0" x 6'8" ↓ (7'0")



Oak

FC1652SL  
 JGE  
 12" x 8'0"  
 14" x 8'0"



Oak

FC1651SL  
 JGE  
 12" x 6'8" ↓ (7'0")  
 14" x 6'8" ↓ (7'0")



Smooth

S1652  
 JGE  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

S1651  
 JGE  
 2'4" x 6'8" ↓  
 2'6" x 6'8" ↓  
 2'8" x 6'8" ↓ (7'0")  
 2'10" x 6'8" ↓ (7'0")  
 3'0" x 6'8" ↓ (7'0")  
 3'6" x 6'8"



Smooth

S1652SL  
 JGE  
 12" x 6'8"  
 14" x 6'8"



Smooth

S81651  
 JGE  
 10" x 6'8"  
 12" x 6'8" ↓ (7'0")  
 14" x 6'8" ↓ (7'0")

Key


- No Stile Lines
- ♦ Black Nickel Caming (10)
- ⊞ Brushed Nickel Caming (10)
- ⊞ Brass Caming (1A)

- ⌋ Flat Lite Frame
- ⌋ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.

- Vented Sidelite Options
- ⊞ WBDOR Options
- ⊞ WBDOR / HWHZ Options

- E Elevated 10" Bottom Rail Options
- ⌋ 6" Height Available

## CALIX



Mahogany

FCM2223  
 28" x 68"  
 210" x 68"  
 30" x 68"

FCM82223  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

FCM2389  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

FCM82389  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany


FCM2389SL  
 10" x 68"  
 12" x 68" (70")  
 14" x 68" (70")

FCM82389SL  
 12" x 80"  
 14" x 80"



Mahogany

FCM82223SL  
 12" x 80"  
 14" x 80"



Oak

FC2223  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

FC82223  
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC2389  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

FC82389  
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC2223SL  
 10" x 68"  
 12" x 68" (70")  
 14" x 68"


FC82223SL  
 12" x 80"  
 14" x 80"



Oak

FC2389SL  
 12" x 68" (70")  
 14" x 68" (70")


FC82389SL  
 12" x 80"  
 14" x 80"



Smooth

S2223  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

S82223  
 28" x 80"  
 210" x 80"  
 30" x 80"



Smooth

S2389  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")

S82389  
 28" x 80"  
 210" x 80"  
 30" x 80"

## LATITUDE



Smooth

S2223SL  
 12" x 68"  
 14" x 68"

S82223SL  
 12" x 80"  
 14" x 80"



Smooth

S2389SL  
 10" x 68"  
 12" x 68" (70")  
 14" x 68" (70")

S82389SL  
 12" x 80"  
 14" x 80"



Mahogany

FCM2213  
 28" x 68"  
 210" x 68"  
 30" x 68"

FCM82213  
 28" x 80"  
 210" x 80"  
 30" x 80"



Mahogany

FCM2382  
 28" x 68" (70")  
 210" x 68" (70")  
 30" x 68" (70")






FCM82382  
 28" x 80"  
 210" x 80"  
 30" x 80"








Mahogany






FCM2382SL  
 10" x 68"  
 12" x 68" (70")  
 14" x 68" (70")

FCM82382SL  
 12" x 80"  
 14" x 80"

				
<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
FCM82213SL 12" x 80" 14" x 80"	FC2213 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	FC82213 28" x 80" 2'10" x 80" 30" x 80"	FC2382 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	FC2213SL 10" x 68" 12" x 68" 14" x 68"
	FC82213SL 12" x 80" 14" x 80"	FC82382 28" x 80" 2'10" x 80" 30" x 80"	FC82213SL 12" x 80" 14" x 80"	FC2382SL 12" x 68" (7'0") 14" x 68" (7'0")

				
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>
S2213 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	S82213 28" x 80" 2'10" x 80" 30" x 80"	S2382 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0") 36" x 68"	S82382 28" x 80" 2'10" x 80" 30" x 80" 36" x 80"	S2213SL 12" x 68" 14" x 68"
	S82213SL 12" x 80" 14" x 80"	S2382SL 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	S82382SL 12" x 80" 14" x 80"	S2213SL 12" x 80" 14" x 80"

**ECHOLON** ◆ ◆ ◆




				
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
FCM2385 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	FCM2385SL 28" x 80" 2'10" x 80" 30" x 80"	FCM2385SL 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	FCM2385SL 12" x 80" 14" x 80"	FC2233 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")
	FC2233 28" x 80" 2'10" x 80" 30" x 80"	FC2233 12" x 80" 14" x 80"	FC2233 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	FC2233 28" x 80" 2'10" x 80" 30" x 80"

**ECHOLON** Continues on next page.

**Key**

- No Stile Lines
- ◆ Black Nickel Caming (10)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆◆ Brass Caming (1A)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'-4" and 2'-6" doors or 10" sidelites.
- Vented Sidelite Options
- E Elevated 10" Bottom Rail Options
- Ⓞ WBDR Options
- Ⓞ WBDR / HWKZ Options
- Ⓜ 6" Height Available

**ECHELON**    *Continued*

									
<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>					
FC2233SL  10" x 6'8" 12" x 6'8" 1 14" x 6'8"	FC32233SL  12" x 8'0" 14" x 8'0"	FC2385SL  12" x 6'8" 1 (7'0") 14" x 6'8" 1 (7'0")	FC32385SL  12" x 8'0" 14" x 8'0"	S2233  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S82233  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2385  2'8" x 6'8" 1 (7'0") 2'10" x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0") 3'6" x 6'8"	S82385  2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S2233SL  12" x 6'8" 14" x 6'8"	S82233SL  12" x 8'0" 14" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**

						
<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	
S2385SL  10" x 6'8" 12" x 6'8" 1 (7'0") 14" x 6'8" 1 (7'0")	S82385SL  12" x 8'0" 14" x 8'0"	FCM138  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1285  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM18  2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM1284  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	FCM12102_SL  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")
						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>
FCM6124_SL*  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM6125_SL*  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FCM6126_SL*  10" x 6'8" 12" x 6'8" (7'0") 14" x 6'8" (7'0")	FC138  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1285  2'8" x 6'8" 1 (7'0") 2'10" x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0")	FC18  2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	1284  2'8" x 6'8" 1 (7'0") 2'10" x 6'8" 1 (7'0") 3'0" x 6'8" 1 (7'0")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

**XX** = Reeded

**XE** = Satin Etch

**XC** = Chord


**XJ** = Chinchilla

**XR** = Raininglass


**XN** = Granite

\*Not available with Reeded (XX) glass.

Note: See page 285 for important product details that may help with your purchase decision.



**PRIVACY & TEXTURED GLASS**



**PRIVACY & TEXTURED GLASS** *Continues on next page.*

**Key**

- No Sill Lines
- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- Wented Sidelite Options
- E Elevated 10" Bottom Rail Options
- ⊕ WBDR Options
- ⊕ WBDR / HVHZ Options
- ⊕ 6'6" Height Available

**PRIVACY & TEXTURED GLASS** *Continued*

<b>Mahogany</b>		<b>Mahogany</b>		<b>Oak</b>		<b>Oak</b>		<b>Oak</b>	
FCM870_SL JJE 12" x 80" 14" x 80"	FCM12101_SL EJJE 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	FCM81200_SL EJJE 12" x 80" 14" x 80"	FC10 EJE 26" x 68" (7'0") 2'10" x 68" (7'0") 3'0" x 68" (7'0")	81200P_ JE 26" x 80" 2'10" x 80"	1283 EJE 26" x 68" (7'0") 2'10" x 68" (7'0") 3'0" x 68" (7'0")	81200_ EJE 26" x 80" 2'10" x 80" 3'0" x 80"	FC47_SL JJE 10" x 68" 12" x 68" 14" x 68"	81200P_SL JJE 12" x 80" 14" x 80"	
<b>Oak</b>		<b>Smooth</b>		<b>Smooth</b>		<b>Smooth</b>		<b>Smooth</b>	
12101_SL EJJE 12" x 68" (7'0") 14" x 68" (7'0")	81200_SL EJJE 12" x 80" 14" x 80"	S118_ EJE 26" x 68" (7'0") 2'10" x 68" (7'0") 3'0" x 68" (7'0")	S818_ EJE 26" x 80" 2'10" x 80" 3'0" x 80"	S140 EJE 26" x 68" (7'0") 2'10" x 68" (7'0") 3'0" x 68" (7'0") 36" x 68"	S8140_ EJE 26" x 80" 2'10" x 80" 3'0" x 80" 36" x 80"	S100_SL EJE 12" x 68" 14" x 68"	S8601_SL EJJE 12" x 80" 14" x 80"	S601_SL EJJE 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	S81006_SL EJJE 12" x 80" 14" x 80"

**INTERNAL BLINDS**

<b>Mahogany</b>		<b>Mahogany</b>		<b>Mahogany</b>	<b>Mahogany</b>		<b>Oak</b>	
FCM141 EJE 26" x 68" 2'10" x 68" 3'0" x 68"	FCM8115 EJE 26" x 80" 2'10" x 80" 3'0" x 80"	FCM1286 EJE 24" x 68" 26" x 68" (7'0") 28" x 68" (7'0") 2'10" x 68" (7'0") 3'0" x 68" (7'0")	FCM81225 EJE 26" x 80" 28" x 80" 2'10" x 80" 3'0" x 80"	FCM8115SL EJE 12" x 80" 14" x 80"	FCM1286SL EJJE 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	FCM81225SL EJJE 12" x 80" 14" x 80"	FC141 EJE 26" x 68" 28" x 68" (7'0") 2'10" x 68" (7'0") 3'0" x 68" (7'0")	81225P EJE 26" x 80" 2'10" x 80" 3'0" x 80"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XX = Reeded      XC = Chord      XR = Rainglass  
XE = Satin Etch      XJ = Chinchilla      XN = Granite





Oak

1286

- 6 E
- 2'4" x 6'8" ⚡
- 2'6" x 6'8" ⚡ (7'0")
- 2'8" x 6'8" ⚡ (7'0")
- 2'10" x 6'8" ⚡ (7'0")
- 3'0" x 6'8" ⚡ (7'0")

81225

- 6
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"

FC141SL

- 6
- 10" x 6'8"
- 12" x 6'8"
- 14" x 6'8"

81225PSL

- 6
- 12" x 8'0"
- 14" x 8'0"



Oak

1286SL

- 6
- 12" x 6'8" ⚡ (7'0")
- 14" x 6'8" ⚡ (7'0")

81225SL

- 6
- 12" x 8'0"
- 14" x 8'0"



Smooth

5130

- 6 E
- 2'6" x 6'8"
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")

5829

- 6
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"



Smooth

58061

- 6 E
- 2'4" x 6'8" ⚡
- 2'6" x 6'8" ⚡
- 2'8" x 6'8" ⚡ (7'0")
- 2'10" x 6'8" ⚡ (7'0")
- 3'0" x 6'8" ⚡ (7'0")
- 3'6" x 6'8"

581225

- 6
- 2'6" x 8'0"
- 2'8" x 8'0"
- 2'10" x 8'0"
- 3'0" x 8'0"
- 3'6" x 8'0"



Smooth

S130SL

- 6
- 12" x 6'8"
- 14" x 6'8"

S829SL

- 6
- 12" x 8'0"
- 14" x 8'0"



Smooth

S6128SL

- 6
- 10" x 6'8"
- 12" x 6'8" ⚡ (7'0")
- 14" x 6'8" ⚡ (7'0")

S85828SL

- 6
- 12" x 8'0"
- 14" x 8'0"

### CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM1209

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM1201

- 6 E
- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



Mahogany

FCM1211

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM1202

- 6 E
- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



Mahogany

FCM1212

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM1203

- 6 E
- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



Mahogany

FCM138

- 6
- 2'6" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM1285

- 6 E
- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



Mahogany

FCM1208

- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"



Mahogany

FCM1200

- 6 E
- 2'6" x 6'8" (7'0")
- 2'8" x 6'8" (7'0")
- 2'10" x 6'8" (7'0")
- 3'0" x 6'8" (7'0")



Mahogany

FCM18




- 6
- 2'8" x 6'8"
- 2'10" x 6'8"
- 3'0" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

### Key

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'10" doors or 10" sidelites.
- Vented Sidelite Options
- WDR Options
- WDR / HWKZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

CLEAR GLASS WITH DIVIDED LITES *Continued*

						
<b>Mahogany</b> FCM1264 26" x 68" (7'0") 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	<b>Mahogany</b> FCM828 26" x 8'0" 2'10" x 8'0" 30" x 8'0"	<b>Mahogany</b> FCM81828 26" x 8'0" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	<b>Mahogany</b> FCM81208P 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	<b>Mahogany</b> FCM81829 26" x 8'0" 28" x 8'0" 2'10" x 8'0" 30" x 8'0"	<b>Mahogany</b> FCM1201SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")	<b>Mahogany</b> FCM1202SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")
						
<b>Mahogany</b> FCM1200SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")	<b>Mahogany</b> FCM12102SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")	<b>Mahogany</b> FCM81208PSL 12" x 8'0" 14" x 8'0"	<b>Mahogany</b> FCM81208SL 12" x 8'0" 14" x 8'0"	<b>Mahogany</b> FCM6124SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")	<b>Mahogany</b> FCM6125SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")	<b>Mahogany</b> FCM6126SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")
						
<b>Mahogany</b> FCM198 28" x 68" 2'10" x 68" 30" x 68"	<b>Mahogany</b> FCM1289 26" x 68" (7'0") 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	<b>Mahogany</b> FCM1289SL 10" x 68" 12" x 68" Δ (7'0") 14" x 68" Δ (7'0")	<b>Oak</b> FC1209 26" x 68" 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	<b>Oak</b> FC1201 26" x 68" Δ (7'0") 28" x 68" Δ (7'0") 2'10" x 68" Δ (7'0") 30" x 68" Δ (7'0")	<b>Oak</b> FC1211 26" x 68" 28" x 68" (7'0") 2'10" x 68" (7'0") 30" x 68" (7'0")	<b>Oak</b> FC1202 26" x 68" Δ (7'0") 28" x 68" Δ (7'0") 2'10" x 68" Δ (7'0") 30" x 68" Δ (7'0")



Oak

FC1212  
 •••••E  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC1203  
 •••••E  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC138  
 •••••E  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

1285  
 •••••E  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC1208  
 •••••E  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC1200  
 •••••E  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




Oak

FC18  
 •••••E  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

1284  
 •••••E  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC828  
 •••••E  
 2'6" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

81828  
 •••••E  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

81208P  
 •••••E  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

81208  
 •••••E  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC1209SL  
 •••••E  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

FC1201SL  
 •••••E  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



Oak

FC1211SL  
 •••••E  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

FC1202SL  
 •••••E  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



Oak

FC1208SL  
 •••••E  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

FC1200SL  
 •••••E  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



Oak

FC18SL  
 •••••E  
 10" x 6'8"  
 12" x 6'8"  
 14" x 6'8"



Oak

12102SL  
 •••••E  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



Oak

81208PSL  
 •••••E  
 12" x 8'0"  
 14" x 8'0"











Oak




81208SL  
 •••••E  
 12" x 8'0"  
 14" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*





























**Key**

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sidelites.
- Vented Sidelite Options
- WBDR Options
- WBDR / HWZ Options
- Elevated 10" Bottom Rail Options
- 6" Height Available

							
Oak	Oak	Oak	Oak	Oak	Oak	Oak	Oak
FC06188SL 10" x 68" 12" x 68" 14" x 68"	FC06184SL 12" x 68" (70") 14" x 68" (70")	FC06189SL 10" x 68" 12" x 68" 14" x 68"	FC06185SL 12" x 68" (70") 14" x 68" (70")	FC06190SL 10" x 68" 12" x 68" 14" x 68"	FC06186SL 12" x 68" (70") 14" x 68" (70")	FC198 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	1289 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")

						
Oak	Oak	Smooth	Smooth	Smooth	Smooth	Smooth
FC198SL 10" x 68" 12" x 68" 14" x 68"	FC1289SL 12" x 68" (70") 14" x 68" (70")	S1209 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S1201 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	S1211 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S1202 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	S1212 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")

						
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1203 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	S128 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S141 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	S1208 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S1200 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"	S108 26" x 68" 28" x 68" (70") 210" x 68" (70") 30" x 68" (70")	S6063 26" x 68" (70") 28" x 68" (70") 210" x 68" (70") 30" x 68" (70") 36" x 68"

									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth		
S828 ●●●●●●●● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81828 ●●●●●●●● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S808 ●●●●●●●● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S81208 ●●●●●●●● 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	S1209SL ●●●●●● 12" x 6'8" 14" x 6'8"	S1201SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S1211SL ●●●●●●●● 12" x 6'8" 14" x 6'8"	S1202SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")		
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1208SL ●●●●●● 12" x 6'8" 14" x 6'8"	S1200SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S308SL ●●●●●●●● 12" x 6'8" 14" x 6'8"	S1170SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S808SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S81186SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S605SL ●●●●●● 12" x 6'8" 14" x 6'8"	S8605SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S6124SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85024SL ●●●●●●●● 12" x 8'0" 14" x 8'0"
									
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S606SL ●●●●●● 12" x 6'8" 14" x 6'8"	S8606SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S6125SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85925SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S607SL ●●●●●●●● 12" x 6'8" 14" x 6'8"	S8607SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S6126SL ●●●●●●●● 10" x 6'8" 12" x 6'8" Δ (7'0") 14" x 6'8" Δ (7'0")	S85926SL ●●●●●●●● 12" x 8'0" 14" x 8'0"	S198 ●●●●●●●● 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S6062 ●●●●●●●● 2'6" x 6'8" Δ 2'8" x 6'8" Δ (7'0") 2'10" x 6'8" Δ (7'0") 3'0" x 6'8" Δ (7'0") 3'6" x 6'8"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

**Key**

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'-4" and 2'-6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'-4" and 2'-6" doors or 10" sidelites.
- Vented Sidelite Options
- 6 WBDL Options
- 6 WBDL / HWZ Options
- Δ 6'6" Height Available
- E Elevated 10" Bottom Rail Options

## CLEAR GLASS WITH DIVIDED LITES *Continued*

## CLEAR GLASS

 <p><b>Smooth</b></p> <p>S198SL                    12" x 6'8"                  14" x 6'8"</p>		 <p><b>Smooth</b></p> <p>S8662SL                    10" x 6'8"                  12" x 6'8" Δ (7'0")                  14" x 6'8" Δ (7'0")</p>		 <p><b>Mahogany</b></p> <p>FCM10                    2'8" x 6'8"                  2'10" x 6'8"                  3'0" x 6'8"</p>		 <p><b>Mahogany</b></p> <p>FCM1283                    2'4" x 6'8"                  2'6" x 6'8" (7'0")                  2'8" x 6'8" (7'0")                  2'10" x 6'8" (7'0")                  3'0" x 6'8" (7'0")</p>		 <p><b>Mahogany</b></p> <p>FCM81200                    2'0" x 8'0"                  2'4" x 8'0"                  2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>		 <p><b>Mahogany</b></p> <p>FCM12101SL                    10" x 6'8"                  12" x 6'8" (7'0")                  14" x 6'8" (7'0")</p>		 <p><b>Mahogany</b></p> <p>FCM81200SL                    12" x 8'0"                  14" x 8'0"</p>							
 <p><b>Mahogany</b></p> <p>FCM870SL                    12" x 8'0"                  14" x 8'0"</p>		 <p><b>Oak</b></p> <p>FC10                    2'6" x 6'8"                  2'8" x 6'8" (7'0")                  2'10" x 6'8" (7'0")                  3'0" x 6'8" (7'0")</p>		 <p><b>Oak</b></p> <p>1283                    2'4" x 6'8" Δ                  2'6" x 6'8" Δ (7'0")                  2'8" x 6'8" Δ (7'0")                  2'10" x 6'8" Δ (7'0")                  3'0" x 6'8" Δ (7'0")</p>		 <p><b>Oak</b></p> <p>81200                    2'0" x 8'0"                  2'4" x 8'0"                  2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>		 <p><b>Oak</b></p> <p>FC47SL                    10" x 6'8"                  12" x 6'8"                  14" x 6'8"</p>		 <p><b>Oak</b></p> <p>81200PSL                    12" x 8'0"                  14" x 8'0"</p>		 <p><b>Oak</b></p> <p>12101SL                    12" x 6'8" Δ (7'0")                  14" x 6'8" Δ (7'0")</p>		 <p><b>Oak</b></p> <p>81200SL                    12" x 8'0"                  14" x 8'0"</p>					
 <p><b>Smooth</b></p> <p>S118                    2'6" x 6'8"                  2'8" x 6'8" (7'0")                  2'10" x 6'8" (7'0")                  3'0" x 6'8" (7'0")</p>		 <p><b>Smooth</b></p> <p>S818                    2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"</p>		 <p><b>Smooth</b></p> <p>S140                    2'0" x 6'8"                  2'4" x 6'8" Δ                  2'6" x 6'8" Δ                  2'8" x 6'8" Δ (7'0")                  2'10" x 6'8" Δ (7'0")                  3'0" x 6'8" Δ (7'0")                  3'6" x 6'8"</p>		 <p><b>Smooth</b></p> <p>S8140                    2'0" x 8'0"                  2'4" x 8'0"                  2'6" x 8'0"                  2'8" x 8'0"                  2'10" x 8'0"                  3'0" x 8'0"                  3'6" x 8'0"</p>		 <p><b>Smooth</b></p> <p>S1005L                    12" x 6'8"                  14" x 6'8"</p>		 <p><b>Smooth</b></p> <p>S86015L                    12" x 8'0"                  14" x 8'0"</p>		 <p><b>Smooth</b></p> <p>S6015L                    10" x 6'8"                  12" x 6'8" Δ (7'0")                  14" x 6'8" Δ (7'0")</p>		 <p><b>Smooth</b></p> <p>S81086SL                    12" x 8'0"                  14" x 8'0"</p>		 <p><b>Direct Set</b></p> <p>DRS21315L                    12" x 6'8" (7'0")                  14" x 6'8" (7'0")</p>		 <p><b>Direct Set</b></p> <p>DRS821315L                    12" x 8'0"                  14" x 8'0"</p>	

\*Available with Impact-rated lite frame only.


Note: See page 285 for important product details that may help with your purchase decision.

# 3/4 Lites



## TRANSOMS

For transoms, see page 209.



Fiber-Classic & Smooth-Star.

## BLACKSTONE. ♦ ♦

<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM765</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM765SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM882SL</b> 12" x 8'0" 14" x 8'0"	<b>FC765</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC770</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>81952P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				<b>FC765SL</b> 12" x 6'8" 14" x 6'8"	<b>81952PSL</b> 12" x 8'0" 14" x 8'0"
					<b>S975</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

## CRYSTALLINE. ♦ ♦

<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>S979</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S894</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM38</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM38SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8106SL</b> 12" x 8'0" 14" x 8'0"	<b>FC38</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>FC772</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
					<b>81953P</b> 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

CRYSTALLINE Continues on next page.

### Key

- |                          |   |   |   |                                  |
|--------------------------|---|---|---|----------------------------------|
| No Stile Lines           | Brushed Nickel Caming (1C)                                | Flat Bronze Grilles Between Glass (GBGF)                  | Scrolled & Flat Advanta Lite Frame<br>Not available for 2'4" and 2'6" doors or 10" sidelites. | WSDR / HWZ Options               |
| Low-E Glass (LE)         | Flat or Contour White Grilles Between Glass (GBGF / GBGC) | Flat or Contour Black Grilles Between Glass (GBGF / GBGC) | Vented Sidelite Options   | Elevated 10" Bottom Rail Options |
| Turtle Glass             | Flat Almond Grilles Between Glass (GBGF)                  | Flat Lite Frame   | WSDR Options  | 6'6" Height Available            |
| Black Nickel Caming (1D) |   |   |   |                                  |

**CRYSTALLINE.** ♦ :: Continued

**SEDONA** ♦ ::

			
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FC38SL 81953PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S977 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S981 S888 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S758SL S888SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

	
<b>Mahogany</b>	<b>Mahogany</b>
FCM131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM131SL FCM883SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FC131 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC773 81954P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	FC131SL 81954PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S95 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S91 S887 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	S91SL S887SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"

**SALINAS.** X

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
FCM115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM115SL FCM884SL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	FC115 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC775 81955P 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"	FC115SL 81955PSL 12" x 6'8" 12" x 8'0" 14" x 6'8" 14" x 8'0"	S6009 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



MAPLE PARK. ♦ ::



Smooth

S6010  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S895  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

S6009SL  
 12" x 6'8"  
 14" x 6'8"

S895SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM902  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM902SL  
 12" x 6'8"  
 14" x 6'8"

FCM887SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC902  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC777  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81957P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

SARATOGA. ♦ ::



Oak

FC902SL  
 12" x 6'8"  
 14" x 6'8"



Smooth

S6102  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S6103  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S85898  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6102SL  
 12" x 6'8"  
 14" x 6'8"

S85898SL  
 12" x 8'0"  
 14" x 8'0"



Mahogany

FCM907  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FCM907SL  
 12" x 6'8"  
 14" x 6'8"

FCM889SL  
 12" x 8'0"  
 14" x 8'0"



Oak

FC907  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FC776  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

81956P  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak

FC907SL  
 12" x 6'8"  
 14" x 6'8"

81956PSL  
 12" x 8'0"  
 14" x 8'0"



Smooth

S6092  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S982  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

S891  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Smooth

S6092SL  
 12" x 6'8"  
 14" x 6'8"

S891SL  
 12" x 8'0"  
 14" x 8'0"

Key

- ♦ Black Nickel Caming (1D)
- :: Brushed Nickel Caming (1C)
- X Wrought Iron (1W)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDR Options
- WBDR / HWKZ Options

## TEXAS STAR ♦ ♦

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
<b>FCM143</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM143SL</b> 12" x 68" 14" x 68"	<b>FCM8103SL</b> 12" x 80" 14" x 80"	<b>FC143</b> 28" x 68" 210" x 68" 30" x 68"	<b>FC778</b> 28" x 68" 210" x 68" 30" x 68"	<b>81958P</b> 28" x 80" 210" x 80" 30" x 80"
<b>FC143SL</b> 12" x 68" 14" x 68"	<b>81958PSL</b> 12" x 80" 14" x 80"	<b>S6071</b> 28" x 68" 210" x 68" 30" x 68"			

## WELLESLEY. ♦ ♦ ♦

					
<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
<b>S6072</b> 28" x 68" 210" x 68" 30" x 68"	<b>S85001</b> 28" x 80" 210" x 80" 30" x 80"	<b>S6071SL</b> 12" x 68" 14" x 68"	<b>S85001SL</b> 12" x 80" 14" x 80"	<b>FCM147</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM147SL</b> 12" x 68" 14" x 68"
<b>FCM895SL</b> 12" x 80" 14" x 80"	<b>FC147</b> 28" x 68" 210" x 68" 30" x 68"	<b>FC779</b> 28" x 68" 210" x 68" 30" x 68"	<b>81958P</b> 28" x 80" 210" x 80" 30" x 80"		

## RISERVA. X

					
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FC147SL</b> 12" x 68" 14" x 68"	<b>81958PSL</b> 12" x 80" 14" x 80"	<b>S6091</b> 28" x 68" 210" x 68" 30" x 68"	<b>S892</b> 28" x 80" 210" x 80" 30" x 80"	<b>S6091SL</b> 12" x 68" 14" x 68"	<b>S892SL</b> 12" x 80" 14" x 80"
<b>FCM543</b> 28" x 68" 210" x 68" 30" x 68"	<b>FCM545SL</b> 12" x 68" 14" x 68"	<b>FCM8545SL</b> 12" x 80" 14" x 80"			



**CONCORDE.** ◆ ◆ ◆



**KENSINGTON.** ◆ ◆



**KENSINGTON** Continues on next page.

**Key**

- ◆ Black Nickel Caming (10)
- ◆◆ Brushed Nickel Caming (10)
- ◆◆ Brass Caming (1A)
- ✗ Wrought Iron (1W)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WSDR Options
- WSDR / HWZ Options

**KENSINGTON** ♦ ♦ ♦ Continued



**Oak**

FC1442SL 81961PSL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"



**Smooth**

S20042 5902  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



**Smooth**

S156  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Smooth**

S1442SL S802SL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"

**PEMBRIDGE** ♦ ♦ ♦



**Mahogany**

FCM6582  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Mahogany**

FCM6580SL FCM6580SL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"



**Oak**

FC6582  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Oak**

FC6580 FC6580  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



**Oak**

FC6580SL FC6580SL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"



**Smooth**

S6582  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Smooth**

S6580 S86580  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



**Smooth**

S6580SL S86580SL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"

**AXIS** ♦



**Mahogany**

FCM1647  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Mahogany**

FCM1646SL FCM1646SL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"



**Oak**

FC1647  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**Oak**

FC1646 FC21646  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



**Oak**

FC1646SL FC21646SL  
 12" x 6'8" 12" x 8'0"  
 14" x 6'8" 14" x 8'0"



**Smooth**

S1647  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

CALIX ♦ ♦ ♦



Smooth

S1646 S81646  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S1646SL S81646SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"



Mahogany

FCM389  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8"



Mahogany

FCM4521SL FCM84521SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"



Oak

FC389  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8"



Oak

FC4521 FC84521  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"




Oak

FC4521SL FC84521SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"



Smooth

S389  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8"



Smooth

S4521 S84521  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S4521SL S84521SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"



Mahogany

FCM476  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8"



Mahogany

FCM4525SL FCM84525SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"



Oak

FC476  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8"



Oak

FC4525 FC84525  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



Oak

FC4525SL FC84525SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"



Smooth

S476  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8"



Smooth

S4525 S84525  
 2" x 6" 2" x 8"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



Smooth

S4525SL S84525SL  
 12" x 6" 12" x 8"  
 14" x 6" 14" x 8"

LATITUDE ♦ ♦ ♦

- Key**
- ♦ Black Nickel Caming (1D)
  - ♦♦ Brushed Nickel Caming (1C)
  - ♦♦♦ Brass Caming (1A)
  - ▽ Flat Lite Frame

- ▽ Scrolled & Flat Adventa Lite Frame  
 Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◊ WBDOR Options

- ◊ WBDOR / HWKZ Options

## ECHELON ♦ ♦ ♦



## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

**XK = Reeded**

**XE = Satin Etch**

**XC = Chord**

**XJ = Chinchilla**

**XR = Rainglass**

**XN = Granite**

## PRIVACY & TEXTURED GLASS

					
<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>
S82_SL 12" x 6'8" 14" x 6'8"	S881_SL 12" x 8'0" 14" x 8'0"	FCM32_... 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM32_SL   FCM881_SL 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"	FC32_... 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC766_...   81943P_... 2'8" x 6'8"   2'8" x 8'0" 2'10" x 6'8"   2'10" x 8'0" 3'0" x 6'8"   3'0" x 8'0"

## INTERNAL BLINDS

					
<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>
FC32_SL   81943P_SL 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"	S80_... 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S90_...   S880_... 2'8" x 6'8"   2'8" x 8'0" 2'10" x 6'8"   2'10" x 8'0" 3'0" x 6'8"   3'0" x 8'0"	S751_SL   S880_SL 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"	FCM5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM5425SL   FCM8110SL 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"

					
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
FC5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1964P   81964P 2'8" x 6'8"   2'8" x 8'0" 2'10" x 6'8"   2'10" x 8'0" 3'0" x 6'8"   3'0" x 8'0"	FC5425SL   81964PSL 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"	S5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S682   S882 2'8" x 6'8"   2'8" x 8'0" 2'10" x 6'8"   2'10" x 8'0" 3'0" x 6'8"   3'0" x 8'0"	S5425SL   S882SL 12" x 6'8"   12" x 8'0" 14" x 6'8"   14" x 8'0"

### Key

-  Low-E Glass (LE)
-  Simulated Divided Lites (SDL)
-  Flat Lite Frame
-  Scrolled & Flat Advanta Lite Frame  
Not available for 2'-4" and 2'-6" doors or 10" sidelites.
-  Scrolled Advanta Lite Frame  
Not available for 2'-4" and 2'-6" doors or 10" sidelites.
-  WBDR Options
-  WBDR / HWKZ Options

# CLEAR GLASS WITH DIVIDED LITES

Fiber-Classic. & Smooth-Star.

								
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>			
<b>FCM2106</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM2107</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM2108</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM82</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1089SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8311SL</b> 12" x 8'0" 14" x 8'0"			
								
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>		
<b>FCM82SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM8310SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM8101SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM81900SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM81947SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM81949SL</b> 12" x 8'0" 14" x 8'0"	<b>FCM1402</b> 28" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM1400SL</b> 12" x 6'8" 14" x 6'8"	<b>FCM81944SL</b> 12" x 8'0" 14" x 8'0"
								
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>			
<b>FC2106</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FC2107</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FC2108</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FC82</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FC1089</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8311</b> 28" x 8'0" 2'10" x 8'0" 3'0" x 8'0"			
								
<b>FC2101</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FC8313</b> 28" x 8'0" 2'10" x 8'0" 3'0" x 8'0"							





Oak  
 FC2102 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 FC8316 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak  
 81945P 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak  
 FC92 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 FC8310 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak  
 81946P 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak  
 FC1089SL 12" x 6'8"  
 14" x 6'8"  
 FC8311SL 12" x 8'0"  
 14" x 8'0"



Oak  
 FC2101SL 12" x 6'8"  
 14" x 6'8"  
 FC8313SL 12" x 8'0"  
 14" x 8'0"



Oak  
 FC92SL 12" x 6'8"  
 14" x 6'8"  
 FC8310SL 12" x 8'0"  
 14" x 8'0"



Oak  
 81946PSL 12" x 8'0"  
 14" x 8'0"



Oak  
 81900PSL 12" x 8'0"  
 14" x 8'0"



Oak  
 81947PSL 12" x 8'0"  
 14" x 8'0"



Oak  
 81949PSL 12" x 8'0"  
 14" x 8'0"



Oak  
 FC1402 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak  
 FC1400 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 81944P 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"



Oak  
 FC1400SL 12" x 6'8"  
 14" x 6'8"  
 81944PSL 12" x 8'0"  
 14" x 8'0"



Smooth  
 S2106 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth  
 S2107 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth  
 S2108 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth  
 S82 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth  
 S1069 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 S8311 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

**Key**

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Scrolled & Flat Advanta Lite Frame Not available for 2'-4" and 2'-6" doors or 10" sidelites.
- Scrolled Advanta Lite Frame Not available for 2'-4" and 2'-6" doors or 10" sidelites.
- WDR Options
- WDR / HWZ Options

**CLEAR GLASS WITH DIVIDED LITES** *Continued*

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S2101 28" x 68" 210" x 68" 30" x 68"	S8313 28" x 80" 210" x 80" 30" x 80"	S2102 28" x 68" 210" x 68" 30" x 68"	S8316 28" x 80" 210" x 80" 30" x 80"	S881 28" x 80" 210" x 80" 30" x 80"	S92 28" x 68" 210" x 68" 30" x 68"	S8310 28" x 80" 210" x 80" 30" x 80"	S882 28" x 80" 210" x 80" 30" x 80"

Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S1089SL 12" x 68" 14" x 68"	S8311SL 12" x 80" 14" x 80"	S2101SL 12" x 68" 14" x 68"	S8313SL 12" x 80" 14" x 80"	S825L 12" x 68" 14" x 68"	S8310SL 12" x 80" 14" x 80"	S881SL 12" x 80" 14" x 80"	S82075L 12" x 80" 14" x 80"	S82025L 12" x 80" 14" x 80"	S82045L 12" x 80" 14" x 80"

Smooth	Smooth	Smooth	Smooth	Smooth
S1402 28" x 68" 210" x 68" 30" x 68"	S1400 28" x 68" 210" x 68" 30" x 68"	S898 28" x 80" 210" x 80" 30" x 80"	S1400GL 12" x 68" 14" x 68"	S898SL 12" x 80" 14" x 80"

**CLEAR GLASS**

Mahogany	Mahogany	Mahogany
FCM32 28" x 68" 210" x 68" 30" x 68"	FCM32SL 12" x 68" 14" x 68"	FCM801SL 12" x 80" 14" x 80"

Note: See page 285 for important product details that may help with your purchase decision.



**Key**


- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Flat Lite Frame
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" widths.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" widths.
- WBOR Options
- WBOR / WHWZ Options

# Oval Lites



## TRANSOMS

For transoms, see page 209.



## BLACKSTONE. ♦ ::



**Mahogany**  
FCM110  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Mahogany**  
FCM164  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Oak**  
FC714  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Oak**  
FC164  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Oak**  
FC794  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S771  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S6085  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

## WELLESLEY. ♦ :: ♦



**Smooth**  
S997  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Mahogany**  
FCM106  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Mahogany**  
FCM163  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Oak**  
FC713  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Oak**  
FC163  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Oak**  
FC796  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Note: See page 285 for important product details that may help with your purchase decision.

CONCORDE. ◆ ◆ ◆



Smooth

S774

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S6062

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S999

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM916

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM915

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

FC916

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

FC915

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

FC797

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S773

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S6084

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S1000

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

KENSINGTON. ◆ ◆



Mahogany

FCM151

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM789

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

FC709

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

FC151

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Oak

FC798

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S709

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S163

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S1001

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

PEMBRIDGE. ◆ ◆ ◆



Mahogany

FCM6577

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6575

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

PEMBRIDGE *Continues on next page.*

Key

- ◆ Black Nickel Caming (10)
- ◆ ◆ Brushed Nickel Caming (10)
- ◆ ◆ ◆ Brass Caming (1A)

◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sills.

**PEMBRIDGE** ♦ ♦ ♦ *Continued*



**CLEAR GLASS**




Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Smooth-Star, Pembridge Glass, Door S6576

Right Page: Fiber-Classic Mahogany Collection, Salinas Glass, Door – FCM114, Sidelites – FCM814SL, Transom – SART, Finish – Raven

# 1/2 Lites



## TRANSOMS

For transoms, see page 209.



## BLACKSTONE. ♦ ♦

 <b>Mahogany</b>		 <b>Mahogany</b>		 <b>Mahogany</b>		 <b>Mahogany</b>		 <b>Oak</b>		 <b>Oak</b>		 <b>Oak</b>	
FCM109 LE 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM863 LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FCM6032 LE 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM6052 LE 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM109SL LE 12" x 6'8" 14" x 6'8"	FCM863SL LE 12" x 8'0" 14" x 8'0"	FC109 LE 2'6" x 6'8" 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81933P LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81975P LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC109SL LE 12" x 6'8" 14" x 6'8"	81933PSL LE 12" x 8'0" 14" x 8'0"			
 <b>Smooth</b>		 <b>Smooth</b>		 <b>Smooth</b>		 <b>Smooth</b>		 <b>Smooth</b>		 <b>Smooth</b>			
S6000 LE 2'6" x 6'8" 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81933P LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6032 LE 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86032 LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S4314 LE 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84314 LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6052 LE 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S972 LE 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S85905 LE 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6000SL LE 12" x 6'8" 14" x 6'8"	S85912SL LE 12" x 8'0" 14" x 8'0"			

### Key

- Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ♦♦ Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBDOR Options
- 6 WBDOR / HWQZ Options

- E Elevated 10" Bottom Rail Options

## CRYSTALLINE ♦ ♦



**Mahogany**

FCM898

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Mahogany**

FCM898SL

12" x 8'0"  
14" x 8'0"



**Oak**

81935P

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Oak**

81977P

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Oak**

81935PSL

12" x 8'0"  
14" x 8'0"



**Smooth**

S81935P

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Smooth**

S86027

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

## SEDONA ♦ ♦



**Smooth**

S84319

2'6" x 6'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Smooth**

S85907

2'6" x 6'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Smooth**

S85914SL

12" x 8'0"  
14" x 8'0"



**Mahogany**

FCM101

2'6" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



FCM864

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Mahogany**

FCM6025

2'6" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Mahogany**

FCM6045

2'6" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Mahogany**

FCM101SL

12" x 6'8"  
14" x 6'8"



**Mahogany**

FCM864SL

12" x 8'0"  
14" x 8'0"



**Oak**

FC101

2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



**Oak**

81936P

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Oak**

81978P

2'6" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



**Oak**

FC101SL

12" x 6'8"  
14" x 6'8"



**Oak**

81936PSL

12" x 8'0"  
14" x 8'0"



**Smooth**

S211

2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



**Smooth**

S81936P

2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"





**SALINAS. X**



**SALINAS** Continues on next page.

**Key**

- ◆ Black Nickel Caming (10)
- ⦿ Scrolled & Flat Advanta Life Frame  
Not available for 2'4" and 2'10" doors or 10" sidelites.
- ⦿ WSDR / HVNZ Options
- ⦿ Brushed Nickel Caming (1C)
- ⦿ WSDR Options
- ⦿ Elevated 10" Bottom Rail Options
- ✗ Wrought Iron (1W)

### SALINAS. ✕ Continued

	
<b>Smooth</b>	<b>Smooth</b>
<b>S873</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>S893</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"
	
<b>S6000SL</b> 12" x 68" 14" x 6'8"	<b>S85916SL</b> 12" x 80" 14" x 8'0"

### MAPLE PARK. ♦ ::

					
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>FCM901</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM886</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6107</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6108</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM901SL</b> 12" x 68" 14" x 6'8"	<b>FCM886SL</b> 12" x 80" 14" x 8'0"

										
<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	
<b>FC901</b> 28" x 68" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>81939P</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>81982P</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>FC901SL</b> 12" x 68" 14" x 6'8"	<b>81939PSL</b> 12" x 80" 14" x 8'0"	<b>S6101</b> 28" x 68" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81939P</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>S6107</b> 28" x 68" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86107</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>S4324</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>S84324</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"

### SARATOGA. ♦ ::

								
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>
<b>S6108</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>S6106</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>S85897</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>S6101SL</b> 12" x 68" 14" x 6'8"	<b>S85918SL</b> 12" x 80" 14" x 8'0"	<b>FCM906</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM888</b> 28" x 80" 2'10" x 8'0" 3'0" x 8'0"	<b>FCM6029</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM6049</b> 28" x 68" 2'10" x 6'8" 3'0" x 6'8"

					
<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
FCM906SL 2 6 12" x 6'8" 14" x 6'8"	FCM888SL 2 6 12" x 8'0" 14" x 8'0"	FC906 2 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81938P 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81981P 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC906SL 2 6 12" x 6'8" 14" x 6'8"
			81938PSL 2 6 12" x 8'0" 14" x 8'0"	S213 2 6 E 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S81938P 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
				S6029 2 6 E 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	S86029 2 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

			
<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S4327 2 6 E 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S84327 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S6049 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S41 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
		S85908 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S2915L 2 6 12" x 6'8" 14" x 6'8"
			S85917SL 2 6 12" x 8'0" 14" x 8'0"

**TEXAS STAR** ♦ ♦

	
<b>Mahogany</b>	<b>Mahogany</b>
FCM144 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM399 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
FCM6074 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	

						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
FCM6075 2 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FCM899SL 2 6 12" x 8'0" 14" x 8'0"	FC144 2 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	81940P 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81983P 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	81940PSL 2 6 12" x 8'0" 14" x 8'0"	S6073 2 6 E 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						S81940P 2 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
						S6074 2 6 E 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")
						S86074 2 6 E 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

TEXAS STAR Continues on next page.

**Key**

- ♦ Black Nickel Caming (10)
- ♦♦ Brushed Nickel Caming (1C)
- X Wrought Iron (1W)

- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sillecks.
- Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sillecks.

- 6 WBDR Options
- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

**TEXAS STAR** ♦ ♦ ♦ *Continued*

**WELLESLEY** ♦ ♦ ♦



**Smooth**  
 NEW  
 54329 584329  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



**Smooth**  
 56075  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Smooth**  
 56076 581963  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



**Smooth**  
 85919SL  
 12" x 80"  
 14" x 80"



**Mahogany**  
 FCM105 FCM866  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



**Mahogany**  
 FCM6030  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Mahogany**  
 FCM6050  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Mahogany**  
 FCM105SL FCM866SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



**Oak**  
 FC105 81941P  
 26" x 68" 28" x 80"  
 28" x 68" (70") 210" x 80"  
 210" x 68" (70") 30" x 80"  
 30" x 68" (70")



**Oak**  
 81984P  
 28" x 80"  
 210" x 80"  
 30" x 80"



**Oak**  
 FC105SL 81941PSL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



**Smooth**  
 S214 581941P  
 28" x 68" 28" x 80"  
 28" x 68" (70") 210" x 80"  
 210" x 68" (70") 30" x 80"  
 30" x 68" (70")



**Smooth**  
 56030 586030  
 28" x 68" (70") 28" x 80"  
 210" x 68" (70") 210" x 80"  
 30" x 68" (70") 30" x 80"



**Smooth**  
 NEW  
 54330 584330  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



**Smooth**  
 56050  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Smooth**  
 542 585909  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



**Smooth**  
 S292SL 585922SL  
 14" x 68" 12" x 80"  
 14" x 68" 14" x 80"

## RISERVA X



## CONCORDE



CONCORDE Continues on next page.

### Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)

- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.

- ◆ WBDOR Options

- ◆ WBDOR / MHZ Options
- ◆ Elevated 10" Bottom Rail Options

CONCORDE. ♦ :: ♦ Continued

Fiber-Classic. & Smooth-Star.



Oak

FC911 81942P  
 26" x 68" 28" x 80"  
 28" x 68" (7'0") 210" x 80"  
 210" x 68" (7'0") 30" x 80"  
 30" x 68" (7'0")



Oak

81905P  
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC911SL 81942PSL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



Smooth

S426 S81942P  
 26" x 68" 28" x 80"  
 28" x 68" (7'0") 210" x 80"  
 210" x 68" (7'0") 30" x 80"  
 30" x 68" (7'0")



Smooth

S6026 S86026  
 28" x 68" (7'0") 28" x 80"  
 210" x 68" (7'0") 210" x 80"  
 30" x 68" (7'0") 30" x 80"



NEW

NEW

Smooth

S4316 S84316  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Smooth

S6046  
 28" x 68"  
 210" x 68"  
 30" x 68"



Smooth

S37 S837  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Smooth

S4305L S859205L  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"

KENSINGTON. ♦ ::



Mahogany

FCM149 FCM8149  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Mahogany

FCM0036  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

FCM0056  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

FCM149SL FCM867SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



Oak

FC149 FC8149  
 28" x 68" (7'0") 28" x 80"  
 210" x 68" (7'0") 210" x 80"  
 30" x 68" (7'0") 30" x 80"



Oak

FC89701  
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC149SL FC8867SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



Smooth

S161 S8149  
 28" x 68" (7'0") 28" x 80"  
 210" x 68" (7'0") 210" x 80"  
 30" x 68" (7'0") 30" x 80"



PEMBRIDGE. ♦ :: ♦



PEMBRIDGE *Continues on next page.*

Key

- ♦ Black Nickel Caming (1D)
- :: Brushed Nickel Caming (1C)
- ♦ Brass Caming (1A)
- X Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- WBDL Options
- WBDL / HWZ Options
- E Elevated 10" Bottom Rail Options

PEMBRIDGE. ♦ ♦ ♦ Continued



Smooth

S6536 S86536  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Smooth

S6555SL S86560SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"

AXIS. ♦



Mahogany

FCM1654 FCM1654  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Mahogany

FCM1656  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

FCM1658  
 28" x 68"  
 210" x 68"  
 30" x 68"



Mahogany

FCM1656SL FCM1654SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



Oak

FC1654 FC1654  
 26" x 68" 28" x 80"  
 28" x 68" (7'0") 210" x 80"  
 210" x 68" (7'0") 30" x 80"  
 30" x 68" (7'0")



Oak

FC1653  
 28" x 80"  
 210" x 80"  
 30" x 80"



Oak

FC1656SL FC1654SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"



Smooth

S1654 S81654  
 26" x 68" 28" x 80"  
 28" x 68" (7'0") 210" x 80"  
 210" x 68" (7'0") 30" x 80"  
 30" x 68" (7'0")



Smooth

S1656 S81656  
 28" x 68" (7'0") 28" x 80"  
 210" x 68" (7'0") 210" x 80"  
 30" x 68" (7'0") 30" x 80"

CALIX. ♦ ♦ ♦



Mahogany

FCM386 FCM386  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Mahogany

FCM387  
 28" x 68"  
 210" x 68"  
 30" x 68"



Smooth

S4311 S84311  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Smooth

S1658  
 28" x 68"  
 210" x 68"  
 30" x 68"



Smooth

S1653 S81653  
 28" x 68" 28" x 80"  
 210" x 68" 210" x 80"  
 30" x 68" 30" x 80"



Smooth

S1656SL S81654SL  
 12" x 68" 12" x 80"  
 14" x 68" 14" x 80"





**LATITUDE** ◆ ◆ ◆



LATITUDE Continues on next page.

**Key**

- ◆ Black Nickel Caming (10)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sills.
- ◆ WBDK Options
- ◆ WBDK / HWKZ Options
- ◆ E Elevated 10" Bottom Rail Options

**LATITUDE** ♦ ♦ ♦ *Continued*



**Smooth**  
**NEW**  
 S84322  
 28" x 68"  
 210" x 80"  
 30" x 80"



**Smooth**  
 S8489  
 28" x 68"  
 210" x 80"  
 30" x 80"



**Smooth**  
 S8498SL  
 12" x 80"  
 14" x 80"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**Mahogany**  
 FCM65\_  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Mahogany**  
 FCM6022\_  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Mahogany**  
 FCM6042\_  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Mahogany**  
 FCM8321\_  
 28" x 80"  
 210" x 80"  
 30" x 80"



**Mahogany**  
 FCM65\_SL  
 12" x 68"  
 14" x 68"



**Mahogany**  
 FCM3487\_SL  
 12" x 80"  
 14" x 80"



**Oak**  
 FC65\_  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")



**Oak**  
 FC8321\_  
 28" x 80"  
 210" x 80"  
 30" x 80"



**Oak**  
 FC832\_  
 28" x 80"  
 210" x 80"  
 30" x 80"



**Oak**  
 FC63\_SL  
 12" x 68"  
 14" x 68"



**Oak**  
 FC3487\_SL  
 12" x 80"  
 14" x 80"



**Smooth**  
 S262  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")



**Smooth**  
 S6022\_  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")



**Smooth**  
 S6042\_  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Smooth**  
 S32\_  
 28" x 68"  
 210" x 68"  
 30" x 68"



**Smooth**  
 S8321\_  
 28" x 80"  
 210" x 80"  
 30" x 80"



**Smooth**  
 S86022\_  
 28" x 80"  
 210" x 80"  
 30" x 80"



**Smooth**  
 S832\_  
 28" x 80"  
 210" x 80"  
 30" x 80"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded  
 XE = Satin Etch

XC = Chord  
 XJ = Chinchilla

XR = Rainglass  
 XN = Granite

PRIVACY & TEXTURED GLASS

<b>Smooth</b> S263_SL 12" x 6'8" 14" x 6'8"	<b>Smooth</b> S3487_SL 12" x 8'0" 14" x 8'0"

<b>Mahogany</b> FCM62_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Mahogany</b> FCM6021_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Mahogany</b> FCM6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Mahogany</b> FCM104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

<b>Mahogany</b> FCM62_SL 12" x 6'8" 14" x 6'8"	<b>Mahogany</b> FCM6021_SL 12" x 8'0" 14" x 8'0"

<b>Oak</b> FC62_ 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>Oak</b> S1929P_ 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Oak</b> FC104_ 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

<b>Oak</b> S1971P_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Oak</b> FC48_SL 12" x 6'8" 14" x 6'8"	<b>Oak</b> S1929P_SL 12" x 8'0" 14" x 8'0"

<b>Smooth</b> S206_ 2'6" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>Smooth</b> S81929P_ 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Smooth</b> S6021_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>Smooth</b> S86021_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Smooth</b> S4305_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S84305_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Smooth</b> S6041_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

<b>Smooth</b> S104_ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")

<b>Smooth</b> S30_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>Smooth</b> S830_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

<b>Smooth</b> S210_SL 14" x 6'8"	<b>Smooth</b> S85910_SL 12" x 8'0" 14" x 8'0"

Key

- Black Nickel Caming (10)
- Brushed Nickel Caming (10)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.
- WBDR Options
- WBDR / HWZ Options
- Elevated 10" Bottom Rail Options

## INTERNAL BLINDS



Mahogany

FCM678  
 28" x 68"  
 2'10" x 6'8"  
 30" x 68"

FCM8678  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



Mahogany

FCM6035  
 28" x 68"  
 2'10" x 6'8"  
 30" x 68"



Mahogany

FCM6055  
 28" x 68"  
 2'10" x 6'8"  
 30" x 68"



Mahogany

FCM116  
 26" x 68" (7'0")  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")



Mahogany

FCM678SL  
 12" x 68"  
 14" x 68"

FCM8678SL  
 12" x 80"  
 14" x 80"



Oak

FC678  
 26" x 68"  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")

FC8678  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



Oak

FC116  
 26" x 68" (7'0")  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")



Oak

FC8971  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



Oak

FC678SL  
 12" x 68"  
 14" x 68"

FC8678SL  
 12" x 80"  
 14" x 80"



Smooth

S132  
 26" x 68"  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")

S8132  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



Smooth

S6035  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")

S86035  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



NEW

NEW

Smooth

S4308  
 28" x 68"  
 2'10" x 6'8"  
 30" x 68"

S84308  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



Smooth

S6055  
 28" x 68"  
 2'10" x 6'8"  
 30" x 68"



Smooth

S131  
 26" x 68"  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")



Smooth

S971  
 28" x 68"  
 2'10" x 6'8"  
 30" x 68"

S8971  
 28" x 80"  
 2'10" x 8'0"  
 30" x 80"



Smooth

S132SL  
 12" x 68"  
 14" x 68"

S8132SL  
 12" x 80"  
 14" x 80"

## SCREEN VENTED LITES\*



Smooth

S243  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")



Smooth

S6034  
 28" x 68" (7'0")  
 2'10" x 6'8" (7'0")  
 30" x 68" (7'0")

\*Features a gliding operation and sash locking system.

Note: See page 285 for important product details that may help with your purchase decision.

## CLEAR GLASS WITH DIVIDED LITES



Smooth

S6054  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Smooth

S137  
E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Mahogany

FCM8322  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8323  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8324  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM655  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6022  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM6042  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM8321  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany

FCM8675SL  
12" x 8'0"  
14" x 8'0"



Mahogany

FCM655L FCM7125SL  
12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"



Mahogany

FCM3487SL  
12" x 8'0"  
14" x 8'0"



Mahogany

FCM1408 FCM8145  
2'8" x 6'8" 2'8" x 8'0"  
2'10" x 6'8" 2'10" x 8'0"  
3'0" x 6'8" 3'0" x 8'0"



Mahogany

FCM1405  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1406  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



Mahogany

FCM1405SL FCM8145SL  
12" x 6'8" 12" x 8'0"  
14" x 6'8" 14" x 8'0"



Oak

FC8322  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8323  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8324  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC85  
2'6" x 6'8"  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC8321  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

### Key

■ No Sill Lines

● Low-E Glass (LE)

🌀 Scrolled & Flat  
Advanta Lite Frame  
Not available for 2'4" and  
2'6" doors or 10" sills.

🌀 WBDR Options

🌀 WBDR / HWKZ Options

E Elevated 10" Bottom  
Rail Options

CLEAR GLASS WITH DIVIDED LITES *Continued*

Fiber-Classic. & Smooth-Star.



Oak

FC8318

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8319

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8320

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC832

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC8675SL

12" x 80"  
14" x 8'0"



Oak

FDS3SL

12" x 6'8"  
14" x 6'8"

FC7125SL

12" x 80"  
14" x 8'0"



Oak

FC3487SL

12" x 80"  
14" x 8'0"



Oak

FC1408

28" x 6'8"  
28" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC8145

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Oak

FC1408SL

12" x 6'8"  
14" x 6'8"

FC8145SL

12" x 80"  
14" x 8'0"



Smooth

S8322

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8326

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



NEW

Smooth

S84318

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8323

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8327

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



NEW

Smooth

S84313

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8324

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S8328

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



NEW

Smooth

S84309

28" x 80"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth

S262

26" x 6'8"  
28" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S8022

28" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



**Key**

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frames  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- 6 WSDR Options

- 6 WSDR / HWZ Options
- E Elevated 10" Bottom Rail Options

## CLEAR GLASS



Mahogany

FCM62



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")

FCM862



28" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")



Mahogany

FCM6021



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")



Mahogany

FCM6041



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")



Mahogany

FCM670



26" x 68" (7'0")  
28" x 68" (7'0")  
30" x 68" (7'0")



Mahogany

FCM62SL



12" x 68"  
14" x 68"

FCM852SL



12" x 80"  
14" x 80"



Oak

FC62



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")

S1929P



28" x 80"  
28" x 80" (7'0")  
30" x 80" (7'0")



Oak

FC670



26" x 68" (7'0")  
28" x 68" (7'0")  
30" x 68" (7'0")



Oak

S1971P



28" x 80"  
28" x 80" (7'0")  
30" x 80" (7'0")



Oak

FC68SL



12" x 68"  
14" x 68"

S1929PSL



12" x 80"  
14" x 80"



Smooth

S206



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")

S81929P



28" x 80"  
28" x 80" (7'0")  
30" x 80" (7'0")



Smooth

S6021



28" x 68" (7'0")  
28" x 68" (7'0")  
30" x 68" (7'0")

S86021



28" x 80"  
28" x 80" (7'0")  
30" x 80" (7'0")



Smooth

S4315



28" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")

S84315



28" x 80"  
28" x 80" (7'0")  
30" x 80" (7'0")



Smooth

S6041



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")



Smooth

S104



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")



Smooth

S105



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")



Smooth

S30



26" x 68"  
28" x 68" (7'0")  
30" x 68" (7'0")

S830



28" x 80"  
28" x 80" (7'0")  
30" x 80" (7'0")



Smooth

S210SL



12" x 68"  
14" x 68"

S85910SL



12" x 80"  
14" x 80"

Note: See page 265 for important product details that may help with your purchase decision.



# Twin 1/2 Lites



## TRANSOMS

For transoms, see page 209.



### BLACKSTONE. ♦ ::



Smooth

S6013

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SEDONA. ♦ ::



Smooth

S294

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SALINAS. ✕



Smooth

S6014

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### MAPLE PARK. ♦ ::



Smooth

S6104

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### SARATOGA. ♦ ::



Smooth

S291

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### WELLESLEY. ♦ :: ♦



Smooth

S292

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### RISERVA. ✕



Smooth

S585

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

### CONCORDE. ♦ :: ♦



Smooth

S430

2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

## Key

■ No Sill Lines

● Low-E Glass (LE)

■ Simulated Divided Lites (SDL)

♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)

♦ Flat Almond Grilles Between Glass (GBGF)

♦ Flat Bronze Grilles Between Glass (GBGF)

♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

♦ Fixed Grilles (FXG)

♦ Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sills.

6 WBDL Options

6 WBDL / RHVZ Options

E Elevated 10" Bottom Rail Options

**KENSINGTON** ◆ ◆ ◆



Smooth

S162  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**PEMBRIDGE** ◆ ◆ ◆



Smooth

S6572  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**AXIS** ◆



Smooth

S1661  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CALIX** ◆ ◆ ◆



Smooth

S398  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Smooth

S807  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**PRIVACY & TEXTURED GLASS**



Smooth

S289  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS WITH DIVIDED LITES**



Smooth

S807  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S1411  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**CLEAR GLASS**



Smooth

S289  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

Note: See page 285 for important product details that may help with your purchase decision.


Right Page: Smooth-Star, Salinas Glass, Door - S9353, Sidelites - S6008SL, Finish - Canyon

# Center Lites



## TRANSOMS

For transoms, see page 209.



Fiber-Classic & Smooth-Star.

### BLACKSTONE. ♦ ::

<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
FC80943 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80243 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9343 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83143 2'8" x 6'0" 2'10" x 8'0" 3'0" x 6'0"

### SEDONA. ♦ ::

<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>
FC80952 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80252 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9352 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

### SALINAS. X

<b>Smooth</b>	<b>Oak</b>	<b>Oak</b>	<b>Smooth</b>	<b>Smooth</b>
S83152 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80253 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	S9353 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S83153 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

### MAPLE PARK. ♦ ::

<b>Oak</b>	<b>Oak</b>
FC80955 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	FC80255 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

#### Key

- ♦ Low-E Glass (LE)
- ♦ Black Nickel Caming (10)
- :: Brushed Nickel Caming (1C)
- ♦ Brass Caming (1A)
- X Wrought Iron (IW)
- ♦ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ♦ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ♦ Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ♦ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ♦ Fixed Grilles (FXG)

### MAPLE PARK. ♦ ♦



### SARATOGA. ♦ ♦



### WELLESLEY. ♦ ♦ ♦



### RISERVA. X



### CONCORDE. ♦ ♦ ♦



### KENSINGTON. ♦ ♦



#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XX = Reeded

XE = Satin Etch

XC = Chord

XJ = Chinchilla

XR = Rainglass

XN = Granite

PEMBRIDGE. ◆ :: ◆



Smooth  
S9342  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Smooth  
S83142  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Oak  
FC8534  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Oak  
FC86533  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Smooth  
S6534  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Smooth  
S86533  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

AXIS. ◆



Oak  
FC1655  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Oak  
FC81649  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Smooth  
S1655  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Smooth  
S81649  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

CALIX. ◆ :: ◆



Oak  
FC393  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Oak  
FC8390  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Smooth  
S393  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



Smooth  
S6390  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Oak  
FC809203  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Oak  
FC862203  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Smooth  
S93203  
◆ ◆  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"

Smooth  
S831203  
◆ ◆  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

Key

- ◆ Black Nickel Caming (1D)
- ◆◆ Brushed Nickel Caming (1C)
- ◆◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- ◆◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- ◆ WBDOR / HWKZ Options

## PRIVACY & TEXTURED GLASS



## INTERNAL BLINDS



## CLEAR GLASS WITH DIVIDED LITES



## CLEAR GLASS



### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch

XJ = Chinchilla

XN = Granite

XC = Chord

XR = Rainglass

\*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

\*\*Available with flat lite frame or Advanta flat lite frame only.

\*\*\*Available with flat lite frame, Advanta flat lite frame or Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

# Craftsman Lites




## TRANSOMS

For transoms, see page 209.

## OPTIONAL DENTIL SHELVES\*



4-Block Dentil Shelf  
Available for all Craftsman-lite  
Fiber-Classic Mahogany Collection doors.



4-Block Dentil Shelf  
Available for all Craftsman-lite  
Smooth-Star doors.

Fiber-Classic & Smooth-Star.

## SEDONA ♦ ♦



## MAPLE PARK. ♦ ♦



## SARATOGA. ♦ ♦



## RISERVA. ✕



RISERVA Continues on next page.

## Key

- Low-E Glass (LE)
- ◆ Black Nickel Caming (10)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'10" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'10" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame  
Not available for 2'4" and 2'10" doors or 10" sidelites.
- ◆ Flat Lite Frame
- ◆ WBDP / HWHZ Options

**RISERVA** ✕ Continued



Smooth

S508	S8508
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

**PEMBRIDGE** ◆ ◆ ◆



Mahogany

FCM6520
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2640*	S82640*
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S6520	S86520
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

**AXIS** ◆



Mahogany

FCM1650
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S2620*	S82620*
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S1650	S81650
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

**CALIX** ◆ ◆ ◆



Mahogany

FCM9975
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S3540*	S83540*
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S6975	S86975
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



Mahogany

FCM905_
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM906_
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM907_
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Mahogany

FCM908_
28" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

S605_	S8605_
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

S806_	S8806_
28" x 6'8"	28" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch    XJ = Chinchilla    XN = Granite  
 XC = Chord        XR = Rainglass

\*Available with flat lite frame, Advanta flat lite frame or impact-rated lite frame only.  
 Note: See page 285 for important product details that may help with your purchase decision.



## PRIVACY & TEXTURED GLASS



Smooth

S607

28" x 68"  
210" x 68"  
30" x 68"

S8607

28" x 80"  
210" x 80"  
30" x 80"



Smooth

S608

28" x 68"  
210" x 68"  
30" x 68"

S8608

28" x 80"  
210" x 80"  
30" x 80"



Mahogany

FCM601

28" x 68"  
210" x 68"  
30" x 68"



Smooth

S2610 \*

28" x 68"  
210" x 68"  
30" x 68"

S82610 \*

28" x 80"  
210" x 80"  
30" x 80"



Smooth

S601

28" x 68"  
210" x 68"  
30" x 68"

S8601

28" x 80"  
210" x 80"  
30" x 80"

## CLEAR GLASS WITH DIVIDED LITES



Mahogany

FCM605

28" x 68"  
210" x 68"  
30" x 68"



Mahogany

FCM606

28" x 68"  
210" x 68"  
30" x 68"



Mahogany

FCM607

28" x 68"  
210" x 68"  
30" x 68"



Mahogany

FCM608

28" x 68"  
210" x 68"  
30" x 68"



Smooth

S605

28" x 68"  
210" x 68"  
30" x 68"

S8605

28" x 80"  
210" x 80"  
30" x 80"



Smooth

S606

28" x 68"  
210" x 68"  
30" x 68"

S8606

28" x 80"  
210" x 80"  
30" x 80"

## CLEAR GLASS



Smooth

S607

28" x 68"  
210" x 68"  
30" x 68"

S8607

28" x 80"  
210" x 80"  
30" x 80"



Smooth

S608

28" x 68"  
210" x 68"  
30" x 68"

S8608

28" x 80"  
210" x 80"  
30" x 80"



Mahogany

FCM601

28" x 68"  
210" x 68"  
30" x 68"



Smooth

S2610 \*

28" x 68"  
210" x 68"  
30" x 68"

S82610 \*

28" x 80"  
210" x 80"  
30" x 80"



Smooth

S601

28" x 68"  
210" x 68"  
30" x 68"

S8601

28" x 80"  
210" x 80"  
30" x 80"

### Key

- ◆ Black Nickel Caming (10)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Wrought Iron (1W)

- ◆ Simulated Divided Lites (SDL)
- ◆ Flat Lite Frame
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- ◆ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.
- ◆ Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sidelites.

- ◆ WBDOR Options
- ◆ WBDOR / HWZ Options
- ◆ Elevated 10" Bottom Rail Options

# Minimal Lites



## TRANSOMS

For transoms, see page 209.



### MAPLE PARK. ♦ ♦



Mahogany

FCM736	FCM8736
28" x 68"	28" x 80"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC736	FC8736
28" x 68" (7'0")	28" x 80"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S736	S8736
<b>E</b>	28" x 80"
28" x 68" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

### SARATOGA. ♦ ♦



Mahogany

FCM707	FCM8707
28" x 68"	28" x 80"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC707	FC8707
28" x 68" (7'0")	28" x 80"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

### WELLESLEY. ♦ ♦ ♦



Smooth

S707	S8707
<b>E</b>	28" x 80"
28" x 68" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Mahogany

FCM721	FCM8721
28" x 68"	28" x 80"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC721	FC8721
28" x 68" (7'0")	28" x 80"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

S721	S8721
<b>E</b>	28" x 80"
28" x 68" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	

Note: See page 285 for important product details that may help with your purchase decision.

Top: Smooth-Star, Wellesley Glass, Door - S721

## CONCORDE. ♦ ♦ ♦



Mahogany

FCM735	FCM8735
28" x 68"	28" x 80"
210" x 68"	210" x 80"
30" x 68"	30" x 80"



Oak

FC735	FC8735
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Smooth

S735	S8735
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"

## PEMBRIDGE. ♦ ♦ ♦



Mahogany

FCM745	FCM8745
28" x 68"	28" x 80"
210" x 68"	210" x 80"
30" x 68"	30" x 80"



Oak

FC745	FC8745
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"

## CLEAR GLASS WITH DIVIDED LITES



Smooth

S745	S8745
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Mahogany

FCM752	FCM8752
28" x 68"	28" x 80"
210" x 68"	210" x 80"
30" x 68"	30" x 80"



Oak

FC752	FC8752
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Smooth

S752	S8752
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Mahogany

FCM704	FCM8704
28" x 68"	28" x 80"
210" x 68"	210" x 80"
30" x 68"	30" x 80"

## CLEAR GLASS



Oak

FC704	FC8704
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Smooth

S704	S8704
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Mahogany

FCM708	FCM8708
28" x 68"	28" x 80"
210" x 68"	210" x 80"
30" x 68"	30" x 80"



Oak

FC708	FC8708
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"



Smooth

S708	S8708
28" x 68" (7'0")	28" x 80"
210" x 68" (7'0")	210" x 80"
30" x 68" (7'0")	30" x 80"

### Key

- Low-E Glass (LE)
- ◆ Black Nickel Caming (10)
- ⋮ Brushed Nickel Caming (1C)

- ◆ Brass Caming (1A)
- Simulated Divided Lites (SOL)
- ▬ Flat Lite Frame

- ▬ Scrolled & Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sashes.

- ▬ Scrolled Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sashes.
- ▬ Flat Advanta Lite Frame  
Not available for 24" and 26" doors or 10" sashes.

- 6 WBDR Options
- 6 WBDR / HWZ Options
- E Elevated 10" Bottom Rail Options

### CONCORDE. ♦ ♦ ♦



<b>FC917</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S454</b> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	---

### CLEAR GLASS WITH DIVIDED LITES




<b>FC23</b> ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S255</b> ♦ ♦ ♦ ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
--	--

### CLEAR GLASS



<b>FC803</b> ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S256</b> ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
---	--

### CLEAR GLASS WITH DIVIDED LITES



<b>S236</b> ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>S8317</b> ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S237</b> ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" <small>(Scalloped Lite Frame)</small>
--	---	---

### PEMBRIDGE. ♦ ♦ ♦



<b>FCM6570</b> ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM86570</b> ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC6570</b> ♦ ♦ ♦ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC86570</b> ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S6570</b> ♦ ♦ ♦ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S86570</b> ♦ ♦ ♦ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	--	---

### AXIS. ♦



<b>FCM1645</b> ♦ ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM81645</b> ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC1645</b> ♦ ♦ ♦ 2'8" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC81645</b> ♦ ♦ ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>S1645</b> ♦ ♦ ♦ 2'6" x 6'8" 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>S81645</b> ♦ ♦ ♦ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"
---	--	---	---	---	---

#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XK = Reeded  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

Note: See page 285 for important product details that may help with your purchase decision.

## PRIVACY & TEXTURED GLASS



Mahogany

FCM61	FCM61
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Oak

FC61	FC61
2'6" x 6'8" (7'0")	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Smooth

S296	S896
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"

## CLEAR GLASS



Mahogany

FCM61	FCM61
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"




Oak

FC61	FC61
2'6" x 6'8" (7'0")	2'8" x 8'0"
2'8" x 6'8" (7'0")	2'10" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Smooth

S296	S896
2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



## Noise Reduction Doors

Therma-Tru. Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.



Smooth

S1405TC	S81405TC
2'6" x 6'8" (7'0")	2'6" x 8'0"
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	3'0" x 8'0"
3'0" x 6'8" (7'0")	



Smooth

S1411TC
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")



Smooth

S6663TC
2'6" x 6'8" (7'0")
2'8" x 6'8" (7'0")
2'10" x 6'8" (7'0")
3'0" x 6'8" (7'0")

### Key

- No Sill Lines
- Low-E Glass (LE)
- ◆ Black Nickel Caming (10)
- ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat White Grilles Between Glass Only (GBGFW)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'6" doors or 10" sills/lites.
- E Elevated 10" Bottom Rail Options

# Solid Panel



## TRANSOMS

For transoms, see page 209.



						
<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	<b>Mahogany</b>	
<b>FCM31</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM220</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM205</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM755</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM600</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM60</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FCM360</b> 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

							
<b>Mahogany</b>	<b>Mahogany</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	<b>Oak</b>	
<b>FCM1000</b> 2'0" x 6'8" 2'4" x 6'8" 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FCM21000</b> 2'0" x 8'0" 2'4" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC31</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC809</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC755</b> 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>FC862</b> 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	<b>FC60</b> 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>FC860</b> 2'6" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Note: See page 285 for important product details that may help with your purchase decision.

Top: Smooth-Star Door - S1100; Clear Glass, Sidelites - S2000SL, Finish - Granite



Oak

<b>1000</b> ■ <b>E</b>	<b>81000</b> ■ <b>E</b>
2'0" x 6'8"	2'0" x 8'0"
2'4" x 6'8" <b>Δ</b>	2'4" x 8'0"
2'6" x 6'8" <b>Δ</b> (7'0")	2'6" x 8'0"
2'8" x 6'8" <b>Δ</b> (7'0")	2'8" x 8'0"
2'10" x 6'8" <b>Δ</b> (7'0")	2'10" x 8'0"
3'0" x 6'8" <b>Δ</b> (7'0")	3'0" x 8'0"



Smooth

<b>593</b> Ⓞ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

<b>545</b> Ⓞ
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



Smooth

<b>5220</b> Ⓞ <b>E</b>	<b>58200</b> Ⓞ <b>E</b>
2'8" x 6'8" (7'0")	2'8" x 8'0"
2'10" x 6'8" (7'0")	2'10" x 8'0"
3'0" x 6'8" (7'0")	3'0" x 8'0"



Smooth

<b>51100</b> Ⓞ <b>E</b>	<b>581100</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53301</b> Ⓞ <b>E</b>	<b>583301</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53401L</b> Ⓞ <b>E</b>	<b>583401L</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53401R</b> Ⓞ <b>E</b>	<b>583401R</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53501L</b> Ⓞ <b>E</b>	<b>583501L</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53501R</b> Ⓞ <b>E</b>	<b>583501R</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53601L</b> Ⓞ <b>E</b>	<b>583601L</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>53601R</b> Ⓞ <b>E</b>	<b>583601R</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth

<b>55701</b> Ⓞ <b>E</b>	<b>585701</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"



Smooth


<b>55721</b> Ⓞ <b>E</b>	<b>585721</b> Ⓞ
2'8" x 6'8"	2'8" x 8'0"
2'10" x 6'8"	2'10" x 8'0"
3'0" x 6'8"	3'0" x 8'0"

SOLID PANEL *Continues on next page.*


**Key**

- No Sill Lines
- Ⓞ WBDP / HWKZ Options
- Ⓞ Door Divider Bars (DOBDF2)
- Ⓞ 6'6" Height Available
- Ⓞ WBDP Options
- Ⓞ Elevated 10" Bottom Rail Options

**SOLID PANEL** *Continued*



Pair full-lite Shaker flush-glazed sidelites with solid-panel doors for natural light in the entry.



**Privacy & Textured Glass Options**  
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XX = Reeded	XC = Chord	XR = Rainsglass
XE = Satin Etch	XJ = Chinchilla	XN = Granite



# Transoms

Transoms can be stained or painted to match a Fiber-Classic, or Smooth-Star, door system.

## BLACKSTONE. ♦ ::



**BSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ::



**19055T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



**19520T**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. ✕



**SART**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ::



**FWRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA. ♦ ::



**19750T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19740T**  
3'0" Door Only

## WELLESLEY. ♦ :: ♦



**19730T**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



**19720T**  
3'0" Door Only

## RISERVA. ✕



**RSRT**  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## CONCORDE. ♦ :: ♦



**CNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON. ♦ ::



**KNRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE. ♦ :: ♦



**PBRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## AXIS. ♦



**AXRT**  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems

## CALIX. ♦ :: ♦



**CXRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**CX30T**  
3'0" Door Only

## LATITUDE. ♦ :: ♦



**LRRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**LT30T**  
3'0" Door Only

## ECHELON. ♦ :: ♦



**ECRT**  
3'0" door + (2) 12" sidelites  
Continuous / Boxed Sill Systems



**EC30T**  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



**19020T**  
♦  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19220T**  
♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boxed Sill Systems



Grille Sticks Applied



**19200T**  
♦  
3'0" Door Only



**19210T**  
♦  
12" & 14" Sidelite Only

### Key

■ No Sill Lines

🔥 Flush-Glazed Glass with Detailed Sticking (FG)

🌞 Low-E Glass (LE)

🏠 Simulated Divided Lites (SDLFZ)

♦ Black Nickel Caming (1B)

::: Brushed Nickel Caming (1C)

✦ Brass Caming (1A)

✕ Wrought Iron (1W)

🌀 WBDOR Options

🌀 WBDOR / HWHZ Options

👤 6'6" Height Available

📏 Elevated 10" Bottom Rail Options

# Hinged Patio Doors

Fiber-Classic®, Smooth-Star®, Profiles™ & Traditions

Hinged Patio Doors



## Flexible options for any home.

Our Fiber-Classic, Smooth-Star, Profiles and Traditions product lines extend to the patio with a wide assortment of options that combine form and function. Explore convenient options to control natural light and privacy, complement window grid patterns and more, all backed by Therma-Tru's outstanding warranties.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Doors - S85715, Finish - Alpine, Onyx  
Bottom: Smooth-Star, Clear Glass, Doors - S118

## DOOR SELECTIONS



**Fiber-Classic.  
Mahogany  
Collection.**



**Fiber-Classic.  
Oak Collection.**



**Smooth-Star.**



**Profiles.  
& Traditions**

(Wood-grained images shown in Driftwood stain.)


## Retractable Screen Doors

With a discreet, hidden design, retractable screen doors allow fresh air and natural light inside while keeping debris and insects out. Available for single and french inswing configurations. See pages 30-31 for details.

## GLASS SELECTIONS



**Internal Blinds**



**Low-E / Clear**

### Divided Lites

For details on divided lite options, see pages 120-121.



**Simulated  
Divided  
Lites**



**Grilles  
Between  
Glass**



**Fixed  
Grilles**

## Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

## EnLiten. Flush-Glazed Warranty Riders

See page 123 for details on the EnLiten Flush-Glazed Rider for Construction & Installation, and the EnLiten Flush-Glazed Rider for Homeowners.

■ = Available	Fiber-Classic.	Smooth-Star.	Profiles.	Traditions
<b>Door Selections</b>				
Material	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	10 Years	Door: 5 Years Glass: 10 Years
Finish Options	Stain or Paint	Paint	Paint	Paint
<b>Flush-Glazed Glass Selections</b>				
Internal Blinds ▲	■	■		
Low-E Glass with and without Divided Lites ▲	■	■		
Clear Glass with and without Divided Lites ▲	■	■		
Privacy & Textured Glass with and without Divided Lites ▲	■	■		
<b>Lip-Lite Glass Selections</b>				
Internal Blinds	■	■	■	■
Low-E Glass with and without Divided Lites	■	■	■	■
Clear Glass with and without Divided Lites	■	■	■	■
Privacy & Textured Glass with and without Divided Lites	■	■	■	■
<b>Available Sizes</b>				
Heights	66", 68", 70", 80"	66", 68", 70", 80"	66", 68", 70"	66", 68", 80"
Single Widths	20"-30"	20"-30"	20"-30"	20"-30"
Double Widths	40"-60"	40"-60"	40"-60"	40"-60"
Triple Widths	60"-90"	60"-90"	60"-90"	60"-90"
Retrofit Openings	50", 60"	50", 60"	50", 60"	50", 60"
<b>Additional Options</b>				
Vented Sidelites (Single / Double Widths)	66", 68", 80" Heights in 24"-60" Widths	60", 68", 80" Heights in 24"-60" Widths		
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	■	■	■	■
Tru-Defense Eligible	■	■		

## EnLiten™ Flush-Glazed Internal Blinds



### AVAILABLE COLLECTIONS

- Smooth-Star.

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## Internal Blinds




### AVAILABLE COLLECTIONS

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star.
- Profiles-
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



# EnLiten™ Flush-Glazed Low-E / Clear Glass with Divided Lites 🔥


## Colonial Style




### AVAILABLE COLLECTIONS

- Fiber-Classic, Oak
- Smooth-Star

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS




## Prairie Style



### AVAILABLE COLLECTIONS

- Fiber-Classic, Oak
- Smooth-Star

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## EnLiten™ Flush-Glazed Low-E / Clear Glass 🔥



### AVAILABLE COLLECTIONS

- Fiber-Classic, Oak
- Smooth-Star,

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## Low-E / Clear Glass with Divided Lites

### Colonial Style



### AVAILABLE COLLECTIONS

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star,
- Profiles...
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## Prairie Style



### AVAILABLE COLLECTIONS

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star,
- Profiles,
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



## Low-E / Clear Glass




### AVAILABLE COLLECTIONS

- Fiber-Classic, Mahogany
- Fiber-Classic, Oak
- Smooth-Star,
- Profiles,
- Traditions

### AVAILABLE DOOR STYLES



### AVAILABLE CONFIGURATIONS



# Profiles™ Steel Doors



## Versatile, affordable options.

Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Sedona Glass, Door - 996HD, Sidelite - 139SL  
Bottom: Profiles, Screen Vented Glass, Door - 1004HD



# Traditions Steel Doors



## Back to basics.

It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions Door - TS210  
Bottom: Traditions, Satin Etch Glass, Doors - TS289XE



# Profiles™ & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-¼" lock stiles.
- 12-½" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.


**6** WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.\*

**🔥** 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 240-243.



## Profiles Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.



## Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



	Profiles	Traditions
■ = Available - = Not Applicable P = Paint		
<b>Door Widths</b>		
2'0"	■	■
2'4"	■	■
2'6"	■	■
2'8"	■	■
2'10"	■	■
3'0"	■	■
3'6"	■	*
<b>Door Heights</b>		
6'6"	■	■
6'8"	■	■
7'0"	■	*
8'0"	-	■
<b>Glass Options</b>		
Decorative	16	16
Privacy & Textured	6	6
Internal Blinds	■	■
Screen Vented Lites	■	■
Simulated Divided Lites	■	■
Grilles Between Glass	■	■
Fixed Grilles	■	■
Low-E	■	■
Clear	■	■
<b>Frame Options</b>		
Advanta Lite Frame	■	■
Standard Lite Frame	■	■
Impact Lite Frame	■	■
<b>Additional Options</b>		
Finish	P	P

**RETROFIT HINGED PATIO DOORS**

Replacing common slider sizes? Find hinged patio door options on pages 210-215.

5'0" Patio Opening = (2) 2'4" Doors

6'0" Patio Opening = (2) 2'10" Doors


\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.

\*\*Decorative glass designs are shown in Profiles only.

\*\*\*Brass coming not available for Impact.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on glass privacy ratings and designs, limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

# Decorative & Specialty Glass Designs\*\*



**Blackstone.**  
Glass Privacy Rating: 7



**Crystalline™.**  
Glass Privacy Rating: 7




**Sedona**  
Glass Privacy Rating: 7




**Salinas.**  
Glass Privacy Rating: 10




**Maple Park.**  
Glass Privacy Rating: 6



**Saratoga™.**  
Glass Privacy Rating: 7



**Texas Star**  
Glass Privacy Rating: 5



**Wellesley™.**  
Glass Privacy Rating: 6




**Riserva.**  
Glass Privacy Rating: 10




**Concorde™.**  
Glass Privacy Rating: 8



**Kensington™.**  
Glass Privacy Rating: 8




**Pembroke™.**  
Glass Privacy Rating: 7



**Axis.**  
Glass Privacy Rating: 7



**Calix**  
Glass Privacy Rating: 1



**Latitude**  
Glass Privacy Rating: 2




**Echelon**  
Glass Privacy Rating: 1

Also Available:  
Internal Blinds  
Screen Vented


### Glass Privacy Rating Scale




# Privacy & Textured Glass



**Reeded (XK)**  
Glass Privacy Rating: 7




**Satin Etch (XE)**  
Glass Privacy Rating: 10



**Chord (XC)**  
Glass Privacy Rating: 10



**Chinchilla (XJ)**  
Glass Privacy Rating: 10




**Rainglass (XR)**  
Glass Privacy Rating: 8



**Granite (XN)**  
Glass Privacy Rating: 10

### Glass Privacy Rating Scale



Clear

Opaque

Also Available:

Divided Lites  
Clear Glass



Note: See page 285 for important product details that may help with your purchase decision.

Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

# Full Lites

## BLACKSTONE. ◆ ◆


**310**

 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**310SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## CRYSTALLINE. ◆ ◆


**916**

 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**916SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## SEDONA. ◆ ◆


**139**

 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**139SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## SALINAS. X


**369**

 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**369SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## MAPLE PARK. ◆ ◆


**1006**

 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**1006SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## SARATOGA. ◆ ◆


**610**

 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**610SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## TEXAS STAR. ◆ ◆


**1029**

 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**1029SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## WELLESLEY. ◆ ◆ ◆


**620**

 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**620SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

## RISERVA. X


**571**

 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**TSS72SL**

 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

### Key

- ◆ Black Nickel Caming (10)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ ◆ Brass Caming (1A)
- X Wrought Iron (1W)

Flat Lite Frame

 Scrolled & Flat Advanta Lite Frame  
 Not available for 2'4" and 2'10" doors or 10" sidelites.

WBDR / HVHZ Options

6'6" Height Available

**CONCORDE** ◆ ◆ ◆ ◆



**1028**  
 26" x 68" (7'0")  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**416SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**KENSINGTON** ◆ ◆ ◆ ◆



**626**  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**626SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**PEMBRIDGE** ◆ ◆ ◆ ◆



**6500HD**  
 24" x 68"  
 26" x 68" (7'0")  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**6500SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**AXIS** ◆ ◆ ◆ ◆



**1651HD**  
 24" x 68"  
 26" x 68" (7'0")  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**1651SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**CALIX** ◆ ◆ ◆ ◆



**2389HD**  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**2389SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**LATITUDE** ◆ ◆ ◆ ◆



**2382HD**  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**2382SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**ECHELON** ◆ ◆ ◆ ◆



**2385HD**  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**2385SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**128**  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**108**  
 28" x 68" (7'0")  
 2'10" x 68" (7'0")  
 3'0" x 68" (7'0")  
 3'6" x 68" (7'0")



**6184\_SL\***  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")



**6185\_SL\***  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")



**6186\_SL\***  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")



**632\_SL**  
 10" x 68"  
 12" x 68" (7'0")  
 14" x 68" (7'0")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

**XX = Reeded**

**XC = Chord**

**XR = Raininglass**

**XE = Satin Etch**

**XJ = Chinchilla**

**XN = Granite**

\*Not available with Reeded (XX) glass.

\*\*Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.

**PRIVACY & TEXTURED GLASS**



**118**  
 2'6" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**100\_SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**INTERNAL BLINDS**



**130**  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**130SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**CLEAR GLASS WITH DIVIDED LITES**



**1201**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**1202**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**1203**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**128**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**1200**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**108**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**1201SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**1202SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**1200SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**632SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**6184SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**CLEAR GLASS**



**6185SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**6186SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**198**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**198SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



**118**  
 2'0" x 6'8"\*\*\*  
 2'4" x 6'8"\*\*\*  
 2'6" x 6'8" (7'0")\*\*  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



**100SL**  
 10" x 6'8"  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**Key**

- Low-E Glass (LE)
- Turtle Glass
- ◆ Black Nickel Caming (10)
- ⋮ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Flat Lite Frame
- ◆ Scrolled & Flat Advanta Lite Frame Not available for 2'4" and 2'0" doors or 10" sashes.
- ◆ Scrolled Advanta Lite Frame Not available for 2'4" and 2'0" doors or 10" sashes.
- ◆ WBDR / HWYZ Options
- ◆ 6'6" Height Available

## 3/4 Lites

## BLACKSTONE. ◆ ::



1037HD  
 2'6" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

1037SLHD  
 12" x 6'8"  
 14" x 6'8"

## CRYSTALLINE. ◆ ::



1042HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

966SLHD  
 12" x 6'8"  
 14" x 6'8"

## SEDONA. ◆ ::



966HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

966SLHD  
 12" x 6'8"  
 14" x 6'8"

## SALINAS. X



969HD  
 2'6" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

971SLHD  
 12" x 6'8"  
 14" x 6'8"

## MAPLE PARK. ◆ ::



1009HD  
 2'6" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

1009SLHD  
 12" x 6'8"  
 14" x 6'8"

## SARATOGA. ◆ ::



1039HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

1039SLHD  
 12" x 6'8"  
 14" x 6'8"

## TEXAS STAR. ◆ ::



1040HD  
 2'6" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

1040SLHD  
 12" x 6'8"  
 14" x 6'8"


## WELLESLEY. ◆ :: ◆



1041HD  
 2'6" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

1041SLHD  
 12" x 6'8"  
 14" x 6'8"

## RISERVA. X



544HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

546SLHD  
 12" x 6'8"  
 14" x 6'8"

## CONCORDE. ◆ :: ◆



967HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

967SLHD  
 12" x 6'8"  
 14" x 6'8"

## KENSINGTON. ◆ ::



03142HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

966SLHD  
 12" x 6'8"  
 14" x 6'8"

## PEMBRIDGE. ◆ :: ◆



6582HD  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

6580SLHD  
 12" x 6'8"  
 14" x 6'8"

## Privacy &amp; Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XX = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite





## Oval Lites

## BLACKSTONE. ◆ ◆



1025HD

28" x 68"  
210" x 68"  
30" x 68"

## WELLESLEY. ◆ ◆ ◆



1022HD

28" x 68"  
210" x 68"  
30" x 68"

## CONCORDE. ◆ ◆ ◆



1024HD

28" x 68"  
210" x 68"  
30" x 68"

## KENSINGTON. ◆ ◆



630HD

28" x 68"  
210" x 68"  
30" x 68"

## PEMBRIDGE. ◆ ◆ ◆



6578HD

28" x 68"  
210" x 68"  
30" x 68"CLEAR  
GLASS

1020HD

28" x 68"  
210" x 68"  
30" x 68"

## 1/2 Lites

## BLACKSTONE. ◆ ◆



305HD

26" x 68" (70")  
28" x 68" (70")  
210" x 68" (70")  
30" x 68" (70")

1001HD

28" x 68"  
210" x 68"  
30" x 68"

1117HD

28" x 68"  
210" x 68"  
30" x 68"

311SLHD

12" x 68" (70")  
14" x 68" (70")

## SEDONA. ◆ ◆



211HD

26" x 68" (70")  
28" x 68" (70")  
210" x 68" (70")  
30" x 68" (70")

996HD

28" x 68"  
210" x 68"  
30" x 68"

1114HD

28" x 68"  
210" x 68"  
30" x 68"

294SLHD

12" x 68" (70")  
14" x 68" (70")

## SALINAS. ✕



374HD

26" x 68" (70")  
28" x 68" (70")  
210" x 68" (70")  
30" x 68" (70")

1002HD

28" x 68"  
210" x 68"  
30" x 68"

1115HD

28" x 68"  
210" x 68"  
30" x 68"

371SLHD

12" x 68" (70")  
14" x 68" (70")

## MAPLE PARK. ◆ ◆



1007HD

28" x 68" (70")  
210" x 68" (70")  
30" x 68" (70")

1011HD

28" x 68"  
210" x 68"  
30" x 68"

1116HD

28" x 68"  
210" x 68"  
30" x 68"

1007SLHD

12" x 68" (70")  
14" x 68" (70")

**SARATOGA** ◆ ◆

			
<b>613HD</b> ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>988HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1112HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>615SLHD</b> ◆ ◆ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

**TEXAS STAR** ◆ ◆

		
<b>1032HD</b> ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>1035HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1111HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

**WELLESLEY** ◆ ◆ ◆

			
<b>623HD</b> ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>989HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1120HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>625SLHD</b> ◆ ◆ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

**RISERVA** X

			
<b>582HD</b> ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>576HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>579HD</b> ◆ ◆ 2'6" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>584SLHD</b> ◆ ◆ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

**CONCORDE** ◆ ◆ ◆

			
<b>426HD</b> ◆ ◆ 2'6" x 6'8" (7'0") 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>999HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1118HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>430SLHD</b> ◆ ◆ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

**KENSINGTON** ◆ ◆

			
<b>627HD</b> ◆ ◆ 2'8" x 6'8" (7'0") 2'10" x 6'8" (7'0") 3'0" x 6'8" (7'0")	<b>631HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>1113HD</b> ◆ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	<b>628SLHD</b> ◆ ◆ 12" x 6'8" (7'0") 14" x 6'8" (7'0")

**Key**

- ◆ Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ◆ ◆ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- X Wrought Iron (1W)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sidelites.
- 6 WBD / HWZ Options

**PEMBRIDGE** ♦ ♦ ♦



**AXIS** ♦



**CALIX** ♦ ♦ ♦



**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**PRIVACY & TEXTURED GLASS**



**INTERNAL BLINDS**



**Privacy & Textured Glass Options**  
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XX = Reeded    XC = Chord    XR = Rainglass  
 XE = Satin Etch    XJ = Chinchilla    XN = Granite

SCREEN VENTED LITES\*



1121HD  
 ●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



131  
 ●●●●●●  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



132SLHD  
 ●●●●  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



243HD  
 ●●●●●●  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



1004HD  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1102HD  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"




137  
 ●●●●●●  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")


CLEAR GLASS WITH DIVIDED LITES




262HD  
 ●●●●●●●●  
 ●●●●  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



982HD  
 ●●●●●●●●  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1123HD  
 ●●●●●●●●  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



115HD  
 ●●●●●●  
 ●●●●●●  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



263SLHD  
 ●●●●●●●●  
 ●●●●●●  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



1408HD  
 ●●●●●●●●  
 ●●●●●●  
 2'8" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



1405HD  
 ●●●●●●●●  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1406HD  
 ●●●●●●●●  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

CLEAR GLASS



1405SLHD  
 ●●●●●●●●  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")



206HD  
 ●●●●●●  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



980HD  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



1101HD  
 ●●●●●●  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



104  
 ●●●●●●●●  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



105  
 ●●●●●●●●  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



210SLHD  
 ●●●●●●  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

Key

- Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat Almond Grilles Between Glass (GBGF)
- ◆ Flat Bronze Grilles Between Glass (GBGF)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.
- ◆ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.
- WDR / MHZ Options
- Elevated 10" Bottom Rail Options

# Twin 1/2 Lites

## BLACKSTONE.



311HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## SEDONA



294HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## SALINAS.



371HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## MAPLE PARK.



1008HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## SARATOGA.



615HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## WELLESLEY.



625HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## RISERVA.



588HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## CONCORDE.



430HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## KENSINGTON.



628HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## PEMBRIDGE.



657HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## AXIS.



1662HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## CALIX



396HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

## PRIVACY & TEXTURED GLASS



263HD

26" x 68" (7'0")  
28" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")



289HD

26" x 68" (7'0")  
2'10" x 68" (7'0")  
3'0" x 68" (7'0")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XX = Reeded

XC = Chord

XR = Rainglass

XE = Satin Etch

XJ = Chinchilla

XN = Granite

\*Not available with Reeded (XX) glass.

Note: See page 285 for important product details that may help with your purchase decision.



**PRIVACY & TEXTURED GLASS**



601\_HD\*  
 28" x 68"  
 210" x 68"  
 30" x 68"

**CLEAR GLASS WITH DIVIDED LITES**



605HD  
 28" x 68"  
 210" x 68"  
 30" x 68"



606HD  
 28" x 68"  
 210" x 68"  
 30" x 68"



607HD  
 28" x 68"  
 210" x 68"  
 30" x 68"



608HD  
 28" x 68"  
 210" x 68"  
 30" x 68"

**CLEAR GLASS**



601HD  
 28" x 68"  
 210" x 68"  
 30" x 68"

**Minimal Lites**

**MAPLE PARK.** ♦ ♦



736HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**SARATOGA.** ♦ ♦



707HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**WELLESLEY.** ♦ ♦ ♦



721HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**CONCORDE.** ♦ ♦ ♦



735HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**PEMBRIDGE.** ♦ ♦ ♦



745HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**CLEAR GLASS WITH DIVIDED LITES**



752HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")



704HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**CLEAR GLASS**



708HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**CONCORDE.** ♦ ♦ ♦



454HD  
 28" x 68" (7'0")  
 210" x 68" (7'0")  
 30" x 68" (7'0")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XX = Reeded    XC = Chord    XR = Rainglass  
 XE = Satin Etch    XJ = Chinchilla    XN = Granite

\*Not available with Reeded (XX) glass.

Note: See page 285 for important product details that may help with your purchase decision.



**CLEAR GLASS WITH DIVIDED LITES**



**255HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CLEAR GLASS**



**256HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**CLEAR GLASS WITH DIVIDED LITES**



**236HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**237HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'6" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
*(Scalloped Lite Frame)*

**PEMBRIDGE™**  
 ♦ ♦ ♦ ♦ ♦



**6570HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**6570SLHD**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**AXIS. ♦**



**1643HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**1643SLHD**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**PRIVACY & TEXTURED GLASS**



**296HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**296SLHD**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**CLEAR GLASS**



**296HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**296SLHD**  
 ♦ ♦ ♦ ♦ ♦  
 12" x 6'8" (7'0")  
 14" x 6'8" (7'0")

**Solid Panel**



**969HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**205HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**203HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**216HD**  
 ♦ ♦ ♦ ♦ ♦  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**100**  
 ♦ ♦ ♦ ♦ ♦  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

**Key**

- ♦ Low-E Glass (LE)
- ♦ Black Nickel Caming (1D)
- ♦ ♦ Brushed Nickel Caming (1C)
- ♦ ♦ Brass Caming (1A)
- ♦ Simulated Divided Lites (SDL)
- ♦ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ♦ Flat Almond Grilles Between Glass (GBGF)
- ♦ Flat Bronze Grilles Between Glass (GBGF)
- ♦ Fixed Grilles (FXG)
- ♦ Flat Lite Frame
- ♦ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.
- ♦ Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'6" doors or 10" sashes.
- ♦ WBDR / HVHZ Options
- ♦ Elevated 10" Bottom Rail Options

# Full Lites

## PRIVACY & TEXTURED GLASS WITH DIVIDED LITES

					
<b>TS128_</b> 28" x 68" 210" x 68" 30" x 68"	<b>TS108_</b> 28" x 68" 210" x 68" 30" x 68"	<b>6184_SL*</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>6185_SL*</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>6186_SL*</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>632_SL</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")

## PRIVACY & TEXTURED GLASS

	
<b>TS118_</b> 28" x 68" 210" x 68" 30" x 68"	<b>818_</b> 28" x 80" 210" x 80" 30" x 80"

## PRIVACY & TEXTURED GLASS

	
<b>100_SL</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>818_SL</b> 12" x 80" 14" x 80"

## INTERNAL BLINDS

			
<b>TS130</b> 24" x 68" 26" x 68" 28" x 68" 210" x 68" 30" x 68"	<b>829</b> 26" x 80" 28" x 80" 210" x 80" 30" x 80"	<b>130SL</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>829SL</b> 12" x 60" 14" x 60"

## CLEAR GLASS WITH DIVIDED LITES

		
<b>TS1201</b> 26" x 68" 28" x 68" 210" x 68" 30" x 68"	<b>TS1202</b> 26" x 68" 28" x 68" 210" x 68" 30" x 68"	<b>TS1203</b> 26" x 68" 28" x 68" 210" x 68" 30" x 68"

							
<b>TS128</b> 26" x 68" 28" x 68" 210" x 68" 30" x 68"	<b>TS1200</b> 26" x 68" 28" x 68" 210" x 68" 30" x 68"	<b>TS108</b> 26" x 68" 28" x 68" 210" x 68" 30" x 68"	<b>828</b> 26" x 80" 28" x 80" 210" x 80" 30" x 80"	<b>808</b> 26" x 80" 28" x 80" 210" x 80" 30" x 80"	<b>1201SL</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>1202SL</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")	<b>1200SL</b> 10" x 68" 12" x 68" (7'0") 14" x 68" (7'0")

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

**XX** = Reeded    **XC** = Chord    **XR** = Rainglass  
**XE** = Satin Etch    **XJ** = Chinchilla    **XN** = Granite

\*Not available with Reeded (XX) glass.

\*\*Available with Impact-rated lite frame only.

Note: See page 285 for important product details that may help with your purchase decision.



**CLEAR GLASS**



**1/2 Lites**

**PRIVACY & TEXTURED GLASS WITH DIVIDED LITES**



**PRIVACY & TEXTURED GLASS**



**Key**

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat Bronze Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- WBDR / HWKZ Options
- Elevated 10" Bottom Rail Options

### INTERNAL BLINDS



### SCREEN VENTED LITES\*



### CLEAR GLASS WITH DIVIDED LITES



### CLEAR GLASS



#### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 220.

XK = Reeded    XC = Chord    XR = Rainglass  
 XE = Satin Etch    XJ = Chinchilla    XN = Granite

\*Features a gliding operation and sash locking system.  
 Note: See page 285 for important product details that may help with your purchase decision.

## Twin 1/2 Lites

### PRIVACY & TEXTURED GLASS WITH DIVIDED LITES



TS263\_  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### PRIVACY & TEXTURED GLASS



TS289\_  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



TS263  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



TS1411  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

### CLEAR GLASS



TS289  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



## Minimal Lites

### PRIVACY & TEXTURED GLASS



TS296\_ 896\_ TS296\_SL  
 2'6" x 6'8" 2'8" x 8'0" 12" x 6'8"  
 2'8" x 6'8" 2'10" x 8'0" 14" x 6'8"  
 2'10" x 6'8" 3'0" x 8'0"  
 3'0" x 6'8"

### CLEAR GLASS WITH DIVIDED LITES



TS752 8752  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



TS704 8704  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"



TS255  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



TS236 8317  
 2'8" x 6'8" 2'8" x 8'0"  
 2'10" x 6'8" 2'10" x 8'0"  
 3'0" x 6'8" 3'0" x 8'0"

CLEAR GLASS WITH DIVIDED LITES *Continues on next page.*

### Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat Almond Grilles Between Glass (GBGF)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sashes.
- Scrolled Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sashes.
- WBDR / HWZ Options
- Elevated 10" Bottom Rail Options
- 6'6" Height Available

### CLEAR GLASS WITH DIVIDED LITES



**TS237**  
 28" x 68"  
 2'10" x 6'8"  
 3'0" x 6'8"  
 Scalloped Lite Frame

### CLEAR GLASS



**TS700** | **8700**  
 28" x 68" | 28" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



**TS256**  
 28" x 68"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS296** | **896**  
 26" x 68" | 28" x 8'0"  
 28" x 68" | 2'10" x 8'0"  
 2'10" x 6'8" | 3'0" x 8'0"  
 3'0" x 6'8"



**TS296SL**  
 12" x 6'8"  
 14" x 6'8"

### Solid Panel



**TS210** | **810**  
 26" x 68" | 26" x 8'0"  
 28" x 68" | 28" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"



**TS100** | **800**  
 20" x 68" | 2'0" x 8'0"  
 24" x 68" | 24" x 8'0"  
 26" x 68" | 26" x 8'0"  
 28" x 68" | 28" x 8'0"  
 2'10" x 6'8" | 2'10" x 8'0"  
 3'0" x 6'8" | 3'0" x 8'0"

# Transoms

Transoms can be painted to match a Profiles<sub>®</sub> or Traditions door system.

## BLACKSTONE. ♦ ::



BSRT  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## SEDONA ♦ ::



19055T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only



19520T  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SALINAS. X



SART  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only

## MAPLE PARK. ♦ ::



FWRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## SARATOGA. ♦ ::



19750T  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



19740T  
3'0" Door Only

## WELLESLEY. ♦ :: ♦




19730T  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only



19720T  
3'0" Door Only

## RISERVA. X



RSRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## CONCORDE. ♦ :: ♦



CNRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## KENSINGTON. ♦ ::



KNRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous Sill Systems Only

## PEMBRIDGE. ♦ :: ♦



PBRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boarded Sill Systems

## AXIS. ♦



AXRT  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boarded Sill Systems

## CALIX ♦ :: ♦



CRRT  
3'0" door + (2) 12" sidelites  
Continuous / Boarded Sill Systems



CR30T  
3'0" Door Only

## LATITUDE ♦ :: ♦



LRRT  
3'0" door + (2) 12" sidelites  
Continuous / Boarded Sill Systems



LT30T  
3'0" Door Only

## ECHELON ♦ :: ♦



ECRT  
3'0" door + (2) 12" sidelites  
Continuous / Boarded Sill Systems



EC30T  
3'0" Door Only

## CLEAR GLASS



Grille Sticks Applied



19020T  
♦  
3'0" door + (2) 12" sidelites  
Continuous Sill Systems Only  
3'0" door + (2) 14" sidelites  
Continuous / Boarded Sill Systems



Grille Sticks Applied



19020T  
♦  
3'0" door + (2) 12" sidelites  
3'0" door + (2) 14" sidelites  
Continuous / Boarded Sill Systems



Grille Sticks Applied



19200T  
♦  
3'0" Door Only



19210T  
♦  
12" & 14" Sidelite Only

### Key

- ♦ Low-E Glass (LE)
- ♦ Black Nickel Casing (1D)
- :: Brushed Nickel Casing (1C)
- ♦ Brass Casing (1A)
- X Wrought Iron (1W)
- ♦ Fixed Grilles (FXG)
- ♦ Scrolled & Flat Advanta Lite Frame  
Not available for 2'4" and 2'0" doors or 10" sidelites.
- ♦ WBR / HVHZ Options
- E Elevated 10" Bottom Rail Options

# Fire Doors

## Smooth-Star® & Steel



**Intertek**


Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark.



## Therma-Tru. Fire-Rated Doors

Therma-Tru offers products to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\* Explore a wide variety of 20-minute Fire-rated fiberglass and steel door styles.

- Smooth-Star, 20-minute Fire-rated fiberglass doors are constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.\*\*



## 20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features a wide lock stile to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.
- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.

### ADDITIONAL OPTIONS

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 243.

### For California Projects

Therma-Tru Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.



### For Florida Projects

Therma-Tru Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).



\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.  
 \*\*Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.  
 Note: To see the third-party Intertek (Warnock-Hersey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).  
 Left: Smooth-Star Door - SSF120




## 20-Minute Fire-Rated Wood Edge – Fiberglass



Note: See page 285 for important product details that may help with your purchase decision.

Top Left: Smooth-Star Door – SSF45, Finish – Alpine

Top Right: Smooth-Star Door – SSF220



## 20-Minute Fire-Rated Wood Edge – Steel

### PROFILES.





### TRADITIONS



### Key

- No Sill Lines
- WBDOR / HWZ Options
- Ⓞ WBDOR Options
- E Elevated 10" Bottom Rail Options





Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

\*Please verify that there is a Therma-Tru Impact-rated product approval for the configuration before buying.  
 Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

## It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse). Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.



## The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.



Fiberglass



Steel



WBDR / HVHZ Options:  
Look for this icon to find door  
styles that can be configured  
for WBDR or HVHZ.\*

**1 START WITH A STYLE**

Combine doors and sidelites to create an entrance that fits your vision.

**2 CHOOSE A MATERIAL**


Each style is available in any of these material choices.

**3 SELECT A GLASS**

Find an available glass design to complete the statement you want to make.

**Privacy & Textured Glass**


Available for all Pulse door styles.




Low-E also available.

**Decorative Glass**

Available for Línea.



Available for Ari.



- 1 Blackstone.
- 2 Crystalline.
- 3 Sedona
- 4 Salinas.
- 5 Saratoga.
- 6 Reserva.
- 7 Pembridge.
- 8 Axis.
- 9 Calix
- 10 Latitude
- 11 Echelon

Available for Echo.

**4 THEN SELECT A FRAME**

Choose the flat profile for modern appeal or scrolled profile for vintage style. Available in Advanta,\* and Standard lite frames.



Flat Profile Lite Frame

Scrolled Profile Lite Frame

\*See your Therma-Tru seller for details on product availability.

Right Page: Pulse Ari, Reeded Glass with Scrolled Lite Frame, Door - FCM83XX, Sidelites - FCM81200XXSL, Finish - Barley

### Pulse. Size Options


	Wood-Grained Fiberglass		Smooth Fiberglass		Steel	
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
Doors	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦	2'6" x 6'8" ◦	2'6" x 8'0" ◦
	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"	2'8" x 6'8"	2'8" x 8'0"
	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"	2'10" x 6'8"	2'10" x 8'0"
	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"	3'0" x 6'8"	3'0" x 8'0"
			3'6" x 6'8"	3'6" x 8'0"	3'6" x 6'8"	
Sidelites	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"	10" x 6'8" •	12" x 8'0"
	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"	12" x 6'8"	14" x 8'0"
	14" x 6'8"		14" x 6'8"		14" x 6'8"	

- Available in full-lite sidelites only.
- Available in Lines and Echo only.



## Ari

Note: Product images show exterior side of door.



## Línea

Note: Product images show exterior side of door.



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Driftwood stain.)



Smooth  
Fiberglass



Steel

## It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).

Note: See page 285 for important product details that may help with your purchase decision.

Top: Pulse Ari, Echelon Glass with Flat Lite Frame, Doors - S83EC, Finish - Canyon





LÍNEA *Continues on next page.*

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

- XK = Reeded
- XC = Chord
- XR = Rainglass
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite

**Key**

- Low-E Glass (LE)
- Black Nickel Caming (10)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- Scrolled & Flat Advanta Lite Frame
- WDR / HVHZ Options

## LÍNEA Continued




S1LAX  
SB1LAX




S1AX  
SB1AX




S1RAX  
SB1RAX




S1LCX  
SB1LCX



S1CX  
SB1CX



S1RCX  
SB1RCX



S1LLT  
SB1LLT



S1LT  
SB1LT



S1RLT  
SB1RLT



S1LEC  
SB1LEC



S1EC  
SB1EC



S1REC  
SB1REC




S1L  
SB1L




S1CL  
SB1CL



S1RL  
SB1RL



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Driftwood stain.)



Smooth  
Fiberglass



Steel

### It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note:** Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).

# Echo

Note: Product images show exterior side of door.

Pulse.



ECHO. Continues on next page.

## Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

## Key

- Low-E Glass (LE)
- Black Nickel Caming (10)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Scrolled & Flat Adverita Lite Frame
- WBDH / HVHZ Options
- Elevated 10" Bottom Rail Options



S811LPB



S811PB



S811RPB



S810LPB




S810PB




S810RPB



S4LAX | S84LAX



S4AX | S84AX



S4RAX | S84RAX



SSLAX | S8SLAX



S5AX | S85AX



S5RAX | S85RAX



S86LAX



S86AX





S86RAX



**It's your decision, by design.**

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).



ECHO. Continues on next page.

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.





XK = Reeded  
XE = Satin Etch

XC = Chord  
XJ = Chinchilla

XR = Rainglass  
XN = Granite

### Key


- Low-E Glass (LE)
- ◆ Black Nickel Caming (10)
- ⦿ Brushed Nickel Caming (10)
- ◆ Brass Caming (1A)
- ▢ Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options

ECHO *Continued*

Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Driftwood stain.)



Smooth  
Fiberglass



Steel

### It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).

**Note:** Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).

# Sidelites

Note: Product images show exterior side of door.

Pulse



**SIDELITES** Continue on next page.


### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded    XC = Chord    XR = Rainglass  
 XE = Satin Etch    XJ = Chinchilla    XN = Granite

### Key

- Low-E Glass (LE)
- ◆ Black Nickel Caming (1D)
- ⦿ Brushed Nickel Caming (1C)
- ◆ Brass Caming (1A)
- ✕ Wrought Iron (1W)
- Vented Sidelite Options
- ▭ Scrolled & Flat Advanta Lite Frame
- Ⓜ WSDR / HWHZ Options
- Ⓜ Elevated 10" Bottom Rail Options



**Privacy & Textured Glass Options**  
 Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 246.

XK = Reeded	XJ = Chinchilla
XE = Satin Etch	XR = Rainglass
XC = Chord	XN = Granite

- Key**
- Low-E Glass (LE)
  - Black Nickel Gaming (10)
  - Vented Sidelite Options
  - Scrolled & Flat Advanta Lite Frame



**It's your decision, by design.**  
 Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).




**Note: Door and sidelite styles shown in smooth fiberglass with flat lite frame. To see styles in other material choices, go to [thermatru.com/pulse](http://thermatru.com/pulse).**

Note: See page 285 for important product details that may help with your purchase decision.  
 Right Page, Top: Pulse Línea, Low-E Glass with Flat Lite Frame, Door - S81RCL, Direct Set Sidelite - DR582131SL, Finish - Chestnut  
 Right Page, Bottom: Pulse Echo, Satin Etch Glass with Flat Lite Frame, Door - S85XE, Sidelite - S85XE5L, Finish - Onyx





# Finishing Options



## ADD CURB APPEAL WITH COLOR

Stain and paint can make all the difference when it comes to a home's curb appeal. Find inspiration and explore professionally applied premium stains and paints, as well as options for in-field applications.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Thermo-Tru seller for details on the PrismaGuard limited warranty and exclusions.

Top: Smooth-Star, Clear Glass with SDLs, Doors - 52104, Finish - Cypress

Right Page: Pulse Ari, Reeded Glass with Flat Lite Frame, Door - FC830K, Finish - Acorn



## Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors and composite door frames.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 10-year limited finish warranty. For Classic Craft® doors, the balance of this warranty can transfer to a second owner.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.




Fiber-Classic, Smooth-Star, Pulse & Steel



Durable Topcoat




Professional Application




Finishing Options



# YELLOWSTONE FOREVER

Therma-Tru is proud to partner with Yellowstone Forever, the official nonprofit partner of Yellowstone National Park. Select colors in our PrismaGuard portfolio are inspired by the beauty found in Yellowstone National Park. Look for the (  ) symbol.





## Tested to meet tough expectations.

PrismaGuard premium finish is put through multiple rigorous tests in our engineering labs. This helps ensure that our PrismaGuard finish is built to last, just like the Therma-Tru® doors it was designed for.



### Lasting beauty and color.

Using specialized equipment, PrismaGuard stains and paints are tested to help deliver a consistent high-end appearance perfect for wood-grained or smooth door surfaces.



### Resistance against wear and tear.

PrismaGuard finish is subjected to a simulation of everyday use to provide a durable high-end, low-maintenance finish that protects the door from normal wear and tear.



### Protection from the elements.

Therma-Tru simulates exposure to harsh environments to help verify that PrismaGuard finish coating protects the door from the elements, preserving its color for years to come.



### Confidence on the coast.


Therma-Tru simulates a highly corrosive atmosphere to help ensure PrismaGuard finish can withstand the damaging effects of high-salt environments near the coast.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

# PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors and composite door frames.

- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.



Shown on Classic Craft Fir Grain.



Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](https://store.thermatru.com).


## PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors and composite door frames, and tailor the look of the entry to make a beautiful lasting impression.



- 1 It starts with the smooth or wood-grained surface of a Therma-Tru door or composite door frame.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Bottom Left: Smooth-Star, Calix Glass, Door - 52223, Finish - Golden Wheat  
 Bottom Right: Classic Craft Fir Grain, Low-E Glass with SDLs, Door - CCA2300, Sidelites - CCA2400SL, Finish - Alpine



**COLOR MATCHES AVAILABLE.**


Explore other products from Fortune Brands Outdoors designed to match select colors shown here. Look for the (🌿) symbol. See your Therma-Tru seller for details.



Alpine



Granite



Peregrine 🌿



Onyx



Obsidian 🌿



Indigo



Estuary 🌿



Arctic Ice 🌿



Cypress



Golden Wheat 🌿



Canyon 🌿



Ruby Red



Cabernet



Chestnut



Elk 🌿

Order 4" x 4" samples of select PrismaGuard finish colors at [store.thermatru.com](http://store.thermatru.com).

# SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass doors and composite door frames.



Shown on  
Classic Craft Fir Grain.

Light Oak

Natural Oak

Walnut

English Walnut

Mahogany

Cherry

Cedar

## All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\*

Visit [thermatru.com/samedaystain](http://thermatru.com/samedaystain) for ordering information and easy-to-follow instructions.



**5 YEAR**  
LIMITED  
WARRANTY

For complete details on the Same-Day Stain and topcoat limited warranty, go to [thermatru.com/finishing](http://thermatru.com/finishing) or ask your seller for more details.

\*Actual coverage may vary based on product selected, application method and desired appearance.  
Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.



# Door System Components



## Engineered to work together.

A Therma-Tru® door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system engineered with craftsman precision for durability and reliability through the years. And, a Therma-Tru fiberglass door system with genuine Therma-Tru components is backed by the industry's most comprehensive lifetime limited warranty.

Visit our online replacement parts page to maintain the integrity of a complete door system with genuine Therma-Tru components at [thermatru.com/parts](http://thermatru.com/parts).

## Composite Door Frame\* featuring Tru-Guard™ Composite Technology



### TRU GUARD™ COMPOSITE TECHNOLOGY

Composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru® doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free. Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.



### REINFORCED MULLIONS

Provide additional structural support and stability. All mullions are reinforced with a co-extruded **A** LVL core to provide additional structural support and stability and feature a **B** composite-capped bottom to eliminate the risk of water absorption and maintain a rot-free composite exterior.

Order composite door frame samples at [store.thermatru.com](http://store.thermatru.com).

\*See your Therma-Tru seller for details on product availability.

\*\*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

\*\*\*To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for details on available product sizes and options, limited warranties and exclusions, and Rider. Frame-only warranty option for customers without a Therma-Tru door system.

## AVAILABLE TEXTURES



Ready to finish.

### Buff Grained

- Features a universal wood grain to complement a wide range of grain species.
- Stain or paint to complement the entry – no sanding or priming required.



Ready to install.  
 Ready to finish.

### White Smooth

- Features a matte finish similar to painted wood and includes a protective layer with UV inhibitors to help resist yellowing and fading.
- Ready to install as-is – no painting required. Or finish with stain or paint to complement the entry – no sanding or priming required.

## THE ADVANTAGE IS CLEAR

### Performance

Resists Moisture & Humidity – Eliminates Risk of Swelling, Warping and Splitting

Resists Mold, Fungus & Rot – Does Not Absorb or Retain Moisture

Resists Insects – Help Protect from Wood-Ingesting Insects

Tested to be up to 50% stronger on average than standard wood door frames against kick-ins.\*\*

Impact and 20-Minute Fire Code Compliant\*\*\*

### Aesthetics

Ready to Finish – No Sanding or Priming Required

Ready-to-Install Option – No Finishing Required – White Smooth

Universal Grain Complements a Wide Range of Wood Species – Buff Grained

Screw Plugs Match Frame Material and Conceal External Fasteners

### Warranty

Therma-Tru Products & Applications	Warranty For First Homeowner	Warranty Riders Transferable to Second Homeowner
Composite Door Frame + Classic Craft® Door + Components		Lifetime Transferable Full-System Rider
Composite Door Frame + Fiber-Classic®, Smooth-Star®, Pulse®, Fiberglass Door + Components		10-Year Transferable Full-System Rider
Composite Door Frame Only		

# Composite Door Frame Parts

See your Thermo-Tru seller for a full list of available product sizes and options.

## Jambs



4-1/8"  
4-9/16"   
5-1/4"  
6-9/16"   
7-1/4"

## Mullions



2" Entry Narrow   
2-1/2" Entry Wide



2" Patio Narrow  
2-1/2" Patio Wide

Pre-inserted weatherstrip option available for select white smooth jambs and mullions.

## Trim



2" Brickmould WM180



1-5/8" Florida Brickmould WM176



3-1/2" x 1" Flat Casing

## Mull Casing



1-15/32" x 1-1/16"



1-7/32" x 7/32"  
2" x 7/32"



2-15/16" x 1-1/16" *Buff grained only*  
2-15/16" x 3/8" *Buff grained only.*

## Storm Door-Ready Mullion Adaptor



2" to 1-11/16"

## Storm Door Adaptor



4-9/16" Base Adaptor  
Face Adaptor  
(Use 1-15/32" x 1-1/16" Mull Casing)



6-9/16" Base Adaptor

## Screen Track Cap



1-13/32" x 9/16"

## Fasteners, Setting Tool & Screw Plug Covers



Screw plugs are available on a collated strip for ease of installation and finishing.

### Storm Door-Ready Mullions



4-9/16"  
6-9/16"



7/16" x 5/16" Cove Mould


### Transom Sills



4-9/16"  
6-9/16"

Engineered as part of Therma-Tru's complete entry door system, our composite door frame is **more reliable and up to 50% stronger on average than standard wood door frames\*** when withstanding a simulated forced entry attempt by kicking in the door.\*

### Pendulum Impact Test



## CODE-COMPLIANT OPTIONS

Therma-Tru, composite door frame delivers the durability and reliability you expect from Therma-Tru with options to meet select national and local building code requirements.\*\*



Impact-rated to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.\*\*



20-minute Fire-rated to meet most national and local code requirements for house-to-garage, multi-family residential and hotel / motel unit entries.\*\*

\*Comparison of pendulum impact test results for Therma-Tru composite door frame and standard finger-jointed Pine wood door frame, both with similar pre-hung doors.

\*\*To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: See your Therma-Tru seller or visit [thermatru.com](http://thermatru.com) for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof. To see the third-party Intertek (Warnock-Hershey) listing reports, visit [thermatru.com/performance](http://thermatru.com/performance).

## Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door and a solid stepping surface.

Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Thermo-Tru® seller for a complete list of options.

### INSWING OPTIONS



**Composite Adjustable Sill (Premium)** ✦

- Thick wood-grained composite cap and nosing.
- U-shaped weather seal.
- Adjustable flush screws.
- Solid extruded composite substrate.

Continuous length with spread mullion capability to fill 49"-75" rough openings.\*



**Hardwood Adjustable Sill**

- Durable hardwood cap and nosing can be stained to match door and trim.
- U-shaped weather seal.
- Adjustable flush screws.



**Basic Composite Adjustable Sill (Economy)**


- Wood-grained composite cap and nosing.
- Adjustable screws with removable screw caps.



**Value Composite Adjustable Sill (Economy)**

- Composite cap and nosing.
- Adjustable flush screws.
- Injection-molded composite substrate.

### Inswing Sill Extenders



### OUTSWING OPTIONS



**Composite Outswing Sill (Premium)** ✦

- Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.



**Aluminum Sill with Thermal Break**

- All-aluminum construction.
- Integrated weatherstrip.
- Also available without thermal break.



**Coastal Sill (For Coastal Regions)**

- All-aluminum construction.
- Extra-high cap profile.
- Integrated weatherstrip.
- Helps meet code requirements in HVHZ coastal regions.

### Public Access Sill



**Public Access Sill with Thermal Break\*\***

(For ADA Applications)

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

\*See the Thermo-Tru Architectural Details & Components manual for actual unit size specifications.

\*\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

\*\*\*For full details on the Tru-Defense Warranty Rider, visit [thermatru.com/trudefense](http://thermatru.com/trudefense).

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.


### Key



### SILL FINISHES



Mill



Bronze

### CAP COLORS



Lightwood (Premium)



Darkwood (Premium)



Lightwood (Economy)



Darkwood (Economy)



Hardwood

■ = Available  
- = Not Applicable

	Inswing Options	Composite Adjustable (Premium)	Hardwood Adjustable	Value Composite Adjustable (Economy)	Outswing Options	Composite Outswing (Premium)	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
<b>Sill Finishes</b>											
Mill	■	■	■			■	■	■	■		■
Bronze	■	■	■			■	■	■	-		■
<b>Cap Colors</b>											
Lightwood	■	-	■			■	-	-	-		-
Darkwood	■	-	■			■	-	-	-		-
Hardwood	-	■	-			-	-	-	-		-
<b>Sill Configurations</b>											
Single	■	■	■			■	■	■	■		■
French	■	■	-			■	■	■	■		■
Double Patio	■	■	-			■	-	-	-		-
Triple Patio	■	-	-			■	-	-	-		-
Lineal	■	■	-			-	-	-	-		-
<b>Sidelite Configurations</b>											
Boxed Sidelites	■	-	-			-	-	-	-		-
Single with Sidelites	■	■	-			■	-	-	-		-
French with Sidelites	■	-	-			-	-	-	-		-
Single Vented Sidelites	■	-	-			-	-	-	-		-
French Vented Sidelites	■	-	-			-	-	-	-		-
<b>Depths</b>											
4-3/4"	■	-	■			■	-	■	■		■
5-3/4"	■	■	■			■	■	-	-		-
6-3/4"	-	-	-			-	-	-	-		■
7-3/4"	■	■	■			-	■	-	-		-
<b>Substrates</b>											
Composite Extruded	■	-	-			■	-	-	-		-
Composite Injection Molded	■	-	■			-	-	-	-		-
Treated Pine	-	■	-			-	■	■	■		-
<b>Other Options</b>											
Integrated Thermal Break	■	■	■			■	■	-	-		■
Screen Rail Available	■	■	-			-	-	-	-		-
Sill Extenders Available	■	■	■			■	-	-	-		-
Sill Covers Available	■	■	■			■	-	-	-		-
Tru-Defense Eligible***	■	-	-			■	-	-	-		-
With Anchor Holes	-	-	-			-	■	■	■		■
Without Anchor Holes	■	■	■			■	■	-	-		-

Note: See your Thermo-Tru seller for details on available component and finish color combinations.

## Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill. Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

### INSWING OPTIONS



**Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep** ✦

**Sills:**  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable

**Colors:**  
Bronze  
White



Non-kerf-applied option available for replacement applications. Available in bronze only.



**Inactive Door Bottom** ✦

**Sills:**  
Composite Adjustable  
Hardwood Adjustable

**Colors:**  
Bronze

### OUTSWING OPTIONS



**Outswing Bottom Sweep**

**Sills:**  
Aluminum  
Coastal

**Color:**  
Bronze



**Inactive Door Bottom**

**Sills:**  
Composite Outswing

**Colors:**  
Bronze

### ADA / REPLACEMENT



**Bottom Sweep**

**Sills:**  
Public Access

**Color:**  
Bronze

## Sill Protection



**Sill Covers (Recommended)**

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 271 for availability.

Shown over composite adjustable sill.



**Sill Pan (Recommended)** ✦

- Fits between the sill and subfloor for an added layer of protection against moisture.
- Engineered with sloped channels to help collect and drain moisture away.



## Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through the corner and up the frame. (Not required for outswing sills.)

### Classic Craft. 7-Shape Pads



Colors:  
Bronze  
White

Sills:  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Fiber-Classic, / Smooth-Star, 7-Shape Pads



Colors:  
Bronze  
White

Sills:  
Composite Adjustable  
Hardwood Adjustable  
Value Composite Adjustable  
Public Access

### Basic Pads



Colors:  
Bronze

Sills:  
Inswing  
Applications Only

## Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible material protected by a durable jacket to resist moisture and wear.

### Medium-Reach Weatherstrip



Colors:  
Bronze  
White

### Long-Reach Weatherstrip



Colors:  
Bronze  
White

## Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly recommended for applications directly exposed to wind and rain.

### Rain Deflector (Inswing)



Colors:  
Bronze  
White

### Rain Guard (Outswing)



Colors:  
Bronze  
White



Bottom of door; exterior view.



Top of door; exterior view.

### Key

☒ Tru-Defense Eligible

## Hardware

### Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

#### GRIP-STYLE MPLS ❖

Grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Active option only. Not available for door systems with an astragal. Not recommended for steel doors or Impressions integrated storm and entry door systems. Strike plate package available.)




**Tongue**  
**Heights:** 6'3", 7'0", 8'0"  
**Configurations:** Inswing, Outswing

- ❶ Self-lubricating locks.
- ❷ T premium stainless steel deadbolt.
- ❸ Integrated mishandling device.

#### Key

❖ Tru-Defense Eligible



## LEVER-STYLE MPLS ✦

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)



### Tongue

Heights:  
6'6"  
6'8"  
7'0"  
8'0"

Configurations:  
Inswing  
Outswing



### Shootbolt

(For door systems with an astragal.)

Heights:  
6'6"  
6'8"  
7'0"  
8'0"

Configurations:  
Inswing  
Outswing




Side view of door.

Engages at three critical points.

Exterior view of door.



## Vented Sidelite MPLS




Tongue  
(Included in vented sidelite units.)

Heights:  
6'6"  
6'8"  
8'0"

## Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru® door styles from traditional to contemporary.



### FINISH OPTIONS



### FINISH OPTIONS



## Latch & Deadbolt Strike Plate



Standard vs. Adjustable Security Strike Plate

### ADJUSTABLE SECURITY STRIKE PLATE

(Recommended for standard lock and deadbolt handlesets only.)

#### Finish Options:

Brushed Nickel  
Black Nickel  
Polished Chrome  
Oil-Rubbed Bronze  
Stainless Steel  
Zinc Dichromate

A genuine Therma-Tru, adjustable security strike plate helps enhance the safety and security of a home, wrapping around the door jamb and fully engaging the frame of the house for added support and strength against forced entry.

- ❶ Wraps around the door jamb for added support and an exact fit.
- ❷ 2-½" screws fully engage with the frame of the house for added strength.

# Hinges

## Adjustable Hinge ❖

(Recommended for Classic Craft premium entryways.)  
 Allow the door to be moved horizontally and vertically in the frame, maintaining alignment and keeping the door performing beautifully.



## Self-Aligning Ball-Bearing ❖

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)  
 Contains locating tabs to assist in accurate alignment with specific door systems.



## Classic-Craft Ball-Bearing ❖

(Recommended for Classic Craft premium entryways.)  
 Ball bearings help protect each hinge pivot for added support and stability.



## Self-Aligning ❖

(Recommended for heavier Fiber-Classic, Smooth-Star and Steel doors.)  
 Contains locating tabs to provide accurate alignment with specific door systems. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Classic-Craft Ball-Bearing - Staggered Hole Pattern ❖

(Recommended for Classic Craft premium entryways.)  
 Ball bearings help protect each hinge pivot for added support and stability. Staggered hole pattern helps simplify assembly process. Note: Non-removable pin option available with fixed pins, providing security on outswing applications.



## Security Tab ❖

Security tabs prevent door from being taken off hinges, providing security on outswing applications.



## Spring-Loaded ❖

UL Listed with self-closing spring mechanism that helps pull the door closed for convenience or meets code requirements that may be applicable in Fire-door applications.\*



## HINGE FINISH OPTIONS



Hinge Finish Options	■ = Available - = Not Applicable								
	Adjustable	Classic Craft Ball-Bearing	Classic Craft Ball-Bearing - Staggered Hole Pattern	Classic Craft Ball-Bearing - Staggered Hole Pattern (Non-Removable Pin)	Self-Aligning Ball-Bearing	Self-Aligning	Self-Aligning NRP (Non-Removable Pin)	Security Tab	Spring-Loaded
Bright Brass	■	■	■	■	■	-	-	-	-
Brushed Nickel	■	■	■	■	■	■	■	■	■
Black Nickel	■	■	■	■	■	-	■	-	■
Polished Chrome	■	■	■	■	■	-	■	-	■
Oil-Rubbed Bronze	■	■	■	■	■	■	■	-	■
Stainless Steel	-	■	■	■	■	-	■	■	■
Zinc Dichromate	-	■	■	■	■	■	■	■	■

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

# Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or aluminum.



## STAINABLE ASTRAGAL



**Heights:** 6'6", 6'8", 7'0", 8'0"  
**Width:** 7/8"  
**Configurations:** Inswing, Outwing, Multi-Point Lock, Double Bore, Left-Handed, Right-Handed  
**Grain Options:** Oak, Fir  
**Weatherstrip:** Bronze

Shown in Oak grain with Driftwood stain.

## ALUMINUM ASTRAGAL



**Heights:** 6'6", 6'8", 7'0", 8'0"  
**Width:** 7/8"  
**Configurations:** Inswing, Outwing, Multi-Point Lock, Double Bore, Left-Handed, Right-Handed  
**Finish Colors:** Bronze, White  
**Weatherstrip:** Bronze

Coastal option also available.

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip and corner seal pad helps form a tight seal between the astragal and active door when closed.

Spring clips to engage and disengage the shootbolts.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

## TEXTURES AVAILABLE

Stainable (Shown in Driftwood stain.)



Oak Grain


Fir Grain

Aluminum



Bronze

White



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 285 for important product details that may help with your purchase decision.

Bottom: Classic Craft Mahogany Grain, Provincial Glass, Doors - CCR804028  
 Right Page, Top: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - 8000-12, Finish - Raven  
 Right Page, Bottom Left: Classic Craft Fir Grain, Homeward Glass, Doors - CCA211, Finish - Driftwood  
 Right Page, Bottom Right: Fiber-Classic Oak Collection, Clear Glass with GBGs, Doors - FC8313, Finish - Barley

## Key

☒ Tru-Defense Eligible



# Special Quote Program

In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.



Special Quote SDL Pattern Example



Special Quote  
GBG Color Options


## DIVIDED LITES

Match various window patterns and home styles with additional grid patterns and color options. Impact-rated options also available.




## PRIVACY & TEXTURED GLASS

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.



Axis. with Standard Black Nickel Caming



Axis. with Special Quote Brushed Nickel Caming

## CAMING COLORS


Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.



# 3/6" Width Door Style Options

## CLASSIC CRAFT.

8'0" Door Styles



Glass Designs

Homeward.	■		■			■	■
Arborwatch.	■		■			■	■
Augustine.	◆	◆	◆	◆	◆	◆	
Borrassa.	◆	◆	◆	◆	◆	◆	
Lucerna.	◆		◆			◆	
Rainglass							■
Low-E	◆		■			◆	■

### Key

- Classic Craft, Artissa Collection.
- ◆ Classic Craft, Founders Collection.
- ▲ Classic Craft, Visionary Collection.
- ★ Smooth-Star.
- ▶ Profiles- & Traditions

6'8" & 8'0" Solid-Panel Door Styles



## SMOOTH-STAR, PROFILES-, TRADITIONS & PULSE.

6'8" & 8'0" Door Styles

All Pulse Styles



Glass Designs

Blackstone.	★★	★			★★	★							
Crystalline.	★★	★			★★	★							
Sedona	★★		★★	★	★★	★							
Salinas.	★★	★			★★	★							
Maple Park.	★★												
Saratoga.	★★		★★	★	★★	★							
Texas Star	★★												
Wellesley.	★★	★											
Riserva.	★★	★	★★	★	★★	★							
Concorde.	★★	★											
Kensington.	★★												
Pembridge.	★★	★	★★	★	★★	★	★★	★	★★	★			
Axis.	★★	★	★★	★	★★	★	★★	★	★★	★			
Calix	★★	★	★★	★	★★	★							
Latitude	★★	★			★★	★							
Echelon	★★	★	★★	★	★★	★							
Privacy & Textured Glass	★★	★	★★	★	★★	★	★★	★	★★	★			
Internal Blinds	★★	★											
Divided Lites	★★	★											
Clear	★★	★	★★	★	★★	★	★★	★	★★	★			
Solid Panel											★★	★	

## 7'0" Height Door Style Options

Glass Designs	Door Styles										
Blackstone.	▼▲**	▲**	*		▶						
Crystalline.	▼▲**				▶						
Sedona	▼▲**	▲**	*		▶						
Salinas.	▼▲**	▲**	*		▶						
Maple Park.	▼▲**	▲**	*		▶			▲**			
Saratoga.	▼▲**	▲**	*		▶		▼*	▲**			
Texas Star	▼▲**	▲**	*		▶						
Wellesley.	▼▲**	▲**	*		▶			▲**			
Riserva.	▼▲**	▲**	*		▶						
Concorde.	▼▲**	▲**	*		▶			▲**	▶		
Kensington.	▼▲**	▲**	*		▶						
Pembridge.	▼▲**	▲**	*		▶			▶		▲▶	
Axis.	▼▲**	▲**	*		▶					▲**	
Calix	▼▲**	▲**	*								
Latitude	▼▲**										
Echelon	▼▲**										
Privacy & Textured Glass	▼▲**	▲**	*	▼▲**	▶		▼*			▲**	
Internal Blinds	▼▲**	▲**	*	▼▲**							
Screen Vented		*▶	*	*▶							
Divided Lites	▼▲**	▲**	*		▶	*▶	▼*	▲**	▶		▶
Clear	▼▲**	▲**	*	▼▲**	▶	*▶	▼*	▲**	▶	▲**	
Solid Panel											

## 6'6" Height Door Style Options

Glass Designs	Door Styles		
Blackstone.	▲**	▲**	
Crystalline.	▲**	▲**	
Sedona	▲**	▲**	
Salinas.	▲**	▲**	
Maple Park.	▲**	▲**	
Saratoga.	▲**	▲**	
Texas Star	▲**	▲**	
Wellesley.	▲**	▲**	
Riserva.	▲**	▲**	
Concorde.	▲**	▲**	
Kensington.	▲**	▲**	
Pembridge.	▲**	▲**	
Axis.	▲**	▲**	
Calix	▲**	▲**	
Latitude	▲**	▲**	
Echelon	▲**	▲**	
Privacy & Textured Glass	▲**	▲**	
Internal Blinds	▲**	▲**	
Screen Vented			
Divided Lites	▲**	▲**	
Clear	▲**	▲**	
Solid Panel			▲**

### Key

- ▲ Classic Craft, Visionary Collection.
- ▼ Fiber-Classic, Mahogany Collection.
- ▲ Fiber-Classic, Oak Collection.
- \* Smooth-Star.
- ▶ Profiles & Traditions

	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷	▽*						
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷							
	▽▲**	▷	▽*		▷				
	▽▲**	▷							
▷	▽▲**	▷	▽*						
	▽▲**	▷	▽*		▷				
						*	▲**	▼▲**	



Top: Smooth-Star, Maple Park Glass, Door – S6107  
 Bottom: Smooth-Star Door – S210; Clear Glass with GBGs, Sidelites – S3085L

# Entry & Patio Door Systems

Feature	Classic Craft.	Fiber-Classic. & Pulse. Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles. & Pulse. Steel (6'8")	Traditions & Pulse. Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Fir, Walnut, Mahogany, High-Detail Smooth	Mahogany, Oak Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel - Top Rail	Composite	Composite	Composite	Wood	Wood
Panel - Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-1/16" Full-Length Engineered Lumber	6'8": 1-1/4" Engineered Lumber 8'0": 3-1/16" Full-Length Engineered Lumber	1-1/4" Wood	1-1/4" Wood
Lock Block	4" Full-Length Engineered Lumber Stile	22-1/2" Wood	12-1/2" Wood	12-1/2" Wood	6'8": 12-1/2" Wood / 8'0": 22-1/2" Wood
Height Options	6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'8" & 8'0"
Width Options	2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Lite Frame Options	SMC Frame	Advanta Frame, Standard Frame, PVC Frame	Advanta Frame, Standard Frame, PVC Frame	Standard Frame, PVC Frame	Standard Frame, PVC Frame
Glass Options	Deco / Privacy & Textured / Low-E IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG	Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Composite Outswing	Inswing: Value Composite Adjustable Outswing: Aluminum	Inswing: Value Composite Adjustable Outswing: Aluminum
Weatherstrip - Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip - Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip - Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	-	-
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Composite Door Frame	Composite Door Frame	Composite Door Frame	Rot-Resistant	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, White	2" Frame	2" Frame	2" Frame	2" Frame	2" Frame
Residential Limited Warranty	Transferable Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Thermo-Tru seller or visit [thermatru.com](http://thermatru.com) for a copy of the Thermo-Tru Unit & Rough Opening Sizing Booklet.

# Therma-Tru® Door Systems

## Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWDDA 101/1.S.2, AAMA/WDMA 101/1.S.2/NAFS, AAMA/WDMA/CSA 101/1.S.2-A440, ASTM E330, ASTM E547, ASTM E263, ASTM E331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PAVAS 201, PAVAS 202, PAVAS 203, HUD UM99, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to [www.thermatru.com](http://www.thermatru.com) for design pressure and other performance ratings.

## Doors

**Recommended Door Overhang** – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 6'0" and double door applications.

## Doorlites

Doorlites are insulated, and exposed panes are tempered or laminated. Optional wood grilles available for clear doorlites and transoms.

**Inserts** – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

**Decorative Glass & Wrought Iron** – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the designs character.

**Direct Set Sidelites** – All Therma-Tru direct set sidelites shall utilize trim components secured and glazed in place in the door jamb.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

A common attribute of true wrought iron doorlites is that a rattle sound may be heard when closing the door. This is solely a function of having real wrought iron which is heavy and has the ability to flex, moving back and forth within a narrow airspace surrounded by glass that has very little flex. This characteristic is not considered a defect or warranty issue.

**NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.**

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.

## Components

**Adjustable Security Strike Plate** – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

**Hinges** – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 6'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, impact-rated doors and glass, and all Classic Craft doors.

Use of the multi-point locking system is highly recommended for 6'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

## Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit [www.thermatru.com](http://www.thermatru.com) for product approvals and full details on WBDP- (Wind-Borne Debris Region) / HVHZ- (High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

## Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

**MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.**

Test conducted by Intertek, Warnock-Hershey.

## Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Therma-Tru Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse, Door Systems; Steel – Pulse, Profiles, and Traditions Door Systems
- Therma-Tru, Tru-Defense, Door System Rider to Fiberglass Door Systems Limited Warranty: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse, Fiberglass Door Systems
- EnLiten® Flush-Glazed Construction & Installation Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star, Flush-Glazed Fiberglass Door Systems
- EnLiten® Flush-Glazed Homeowner Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, and Smooth-Star, Flush-Glazed Fiberglass Door Systems
- PrismaGuard® Limited Warranty Rider to Fiberglass and Steel Door Systems Limited Warranty for Residential and Multi-Resident Premises: Fiberglass – Classic Craft, Fiber-Classic, Smooth-Star, and Pulse, Door Systems; Steel – Pulse, Profiles, and Traditions
- Same-Day, Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru Fiberglass Door Systems and Fypon® Stainable Polyurethane Products
- Therma-Tru, Composite Door Frame featuring Tru-Guard® Composite Technology Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse, Fiberglass Door Systems
- Therma-Tru, Composite Door Frame featuring Tru-Guard® Composite Technology Limited Warranty Transferable Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic Craft, Fiber-Classic, Smooth-Star, and Pulse, Fiberglass Door Systems

## Installation, Finishing & Maintenance

Therma-Tru doors and sidelites come unfinished. Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at [www.thermatru.com](http://www.thermatru.com):

- Installation Instructions (Products that are approved for Coastal and / or high wind applications may require special installation. Always follow the installation instructions in the Product Approval for these products.)
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

**NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for more details.**

# Classic Craft.

19020T	102	CCA2320NSL	66	CCA3401SL	90	CCAB220XR	91	CCAB2360XN	65	CCAB4940XN	65
19200T	102	CCA2320XR	64	CCA3450SL	94	CCAB230	93	CCAB2360XR	65	CCAB4940XR	65
19210T	102	CCA2320XRSL	66	CCA3450XCSL	92	CCAB2300	66	CCAB2370	67	CCAB4945	97
19220T	102	CCA2330	67	CCA3450XJSL	92	CCAB2300SL	68	CCAB2370XC	65	CCAB7100	94
AB30T	102	CCA2330SL	68	CCA3450XNSL	92	CCAB2300XC	64	CCAB2370XE	65	CCAB7100XR	92
ABRT	102	CCA2330XC	64	CCA3450XRSL	92	CCAB2300XCSL	66	CCAB2370XJ	65	CCAB7111	91
CC040T	102	CCA2330XCSL	66	CCA3500SL	94	CCAB2300XE	64	CCAB2370XN	65	CCAB7112	90
CC400T	102	CCA2330XE	64	CCA3500XCSL	92	CCAB2300XESL	66	CCAB2370XR	65	CCAB7131	90
CC420T	102	CCA2330XESL	66	CCA3500XJSL	92	CCAB2300XJ	64	CCAB2380	67	CCAB7132	90
CCA1100	97	CCA2330XJ	64	CCA3500XNSL	92	CCAB2300XJSL	66	CCAB2380XC	64	CCAB7200	93
CCA1125	96	CCA2330XJSL	66	CCA3500XRSL	92	CCAB2300XK	64	CCAB2380XE	64	CCAB7200XR	91
CCA1127	96	CCA2330XK	64	CCA3501SL	90	CCAB2300XKSL	66	CCAB2380XJ	64	CCAB7300	93
CCA1133	97	CCA2330XKSL	66	CCA3560SL	94	CCAB2300XN	64	CCAB2380XK	64	CCAB7300XR	91
CCA1145	97	CCA2330XN	64	CCA3560XCSL	92	CCAB2300XNSL	66	CCAB2380XN	64	CCAB7400	93
CCA1147	97	CCA2330XNSL	66	CCA3560XJSL	92	CCAB2300XR	64	CCAB2380XR	64	CCAB7400XR	91
CCA1149	96	CCA2330XR	64	CCA3560XNSL	92	CCAB2300XRSL	66	CCAB240	93	CCAB7600	93
CCA1150	97	CCA2330XRSL	66	CCA3560XRSL	92	CCAB230XC	91	CCAB2400	68	CCAB7600XR	92
CCA1158	97	CCA2340	67	CCA4900	67	CCAB230XJ	91	CCAB2400SL	69	CCAB9100	91
CCA1166	97	CCA2340SL	69	CCA4900XC	65	CCAB230XN	91	CCAB2400XC	65	CCAB9300	90
CCA1423SL	91	CCA2340XC	64	CCA4900XE	65	CCAB230XR	91	CCAB2400XCSL	66	CCA9100	91
CCA210	94	CCA2340XCSL	66	CCA4900XJ	65	CCAB231	90	CCAB2400XE	65	CCA9100SL	91
CCA210SL	94	CCA2340XE	64	CCA4900XN	65	CCAB2310	66	CCAB2400XESL	66	CCAB9300	90
CCA210XC	92	CCA2340XESL	66	CCA4900XR	65	CCAB2310SL	68	CCAB2400XJ	65	CCM1419	70
CCA210XCSL	92	CCA2340XJ	64	CCA4905	96	CCAB2310XC	64	CCAB2400XJSL	66	CCM1424	88
CCA210XJ	92	CCA2340XJSL	66	CCA4910L	67	CCAB2310XCSL	66	CCAB2400XK	65	CCM1465	71
CCA210XJSL	92	CCA2340XK	64	CCA4910LXC	65	CCAB2310XE	64	CCAB2400XKSL	66	CCM1475	71
CCA210XN	92	CCA2340XKSL	66	CCA4910LXE	65	CCAB2310XESL	66	CCAB2400XN	65	CCM1485	71
CCA210XNSL	92	CCA2340XN	64	CCA4910LXJ	65	CCAB2310XJ	64	CCAB2400XNSL	66	CCM1495	71
CCA210XR	92	CCA2340XNSL	66	CCA4910LXN	65	CCAB2310XJSL	66	CCAB2400XR	65	CCM1842	73
CCA210XRSL	92	CCA2340XR	64	CCA4910LXR	65	CCAB2310XK	64	CCAB2400XRSL	66	CCM1843SL	73
CCA211	90	CCA2340XRSL	66	CCA4910R	67	CCAB2310XKSL	66	CCAB240XC	91	CCM1844	73
CCA211SL	90	CCA2350	67	CCA4910RXC	65	CCAB2310XN	64	CCAB240XJ	91	CCM200	75
CCA220	93	CCA2350XC	65	CCA4910RXC	65	CCAB2310XNSL	66	CCAB240XN	91	CCM200XC	74
CCA220SL	94	CCA2350XE	65	CCA4910RXJ	65	CCAB2310XR	64	CCAB240XR	91	CCM200XN	74
CCA220XC	91	CCA2350XJ	65	CCA4910RXN	65	CCAB2310XRSL	66	CCAB2410SL	97	CCM203	71
CCA220XCSL	92	CCA2350XN	65	CCA4910RXR	65	CCAB2320	66	CCAB2420SL	97	CCM204	72
CCA220XJ	91	CCA2350XR	65	CCA4915L	96	CCAB2320SL	68	CCAB260	93	CCM2800	75
CCA220XJSL	92	CCA2360	67	CCA4915R	96	CCAB2320XC	64	CCAB260XC	91	CCM2800XC	73
CCA220XN	91	CCA2360XC	65	CCA4920L	67	CCAB2320XCSL	66	CCAB260XJ	91	CCM2800XE	73
CCA220XNSL	92	CCA2360XE	65	CCA4920LXC	65	CCAB2320XE	64	CCAB260XN	91	CCM2800XK	73
CCA220XR	91	CCA2360XJ	65	CCA4920LXE	65	CCAB2320XESL	66	CCAB260XR	91	CCM2800XN	73
CCA220XRSL	92	CCA2360XN	65	CCA4920LXJ	65	CCAB2320XJ	64	CCAB4900	67	CCM2800XR	73
CCA230	93	CCA2360XR	65	CCA4920LXN	65	CCAB2320XJSL	66	CCAB4900XC	65	CCM2801	70
CCA2300	66	CCA2370	67	CCA4920LXR	65	CCAB2320XK	64	CCAB4900XCSL	66	CCM2802	72
CCA2300SL	68	CCA2370XC	65	CCA4920R	67	CCAB2320XKSL	66	CCAB4900XJ	65	CCM2803	73
CCA2300XC	64	CCA2370XE	65	CCA4920RXC	65	CCAB2320XN	64	CCAB4900XN	65	CCM2804	74
CCA2300XCSL	66	CCA2370XJ	65	CCA4920RXC	65	CCAB2320XNSL	66	CCAB4900XR	65	CCM2804XC	73
CCA2300XE	64	CCA2370XN	65	CCA4920RXJ	65	CCAB2320XR	64	CCAB4905	96	CCM2804XE	73
CCA2300XESL	66	CCA2370XR	65	CCA4920RXN	65	CCAB2320XRSL	66	CCAB4910L	67	CCM2804XK	73
CCA2300XJ	64	CCA2380	67	CCA4920RXN	65	CCAB2330	67	CCAB4910LXC	65	CCM2804XN	73
CCA2300XJSL	66	CCA2380XC	64	CCA4925L	96	CCAB2330SL	68	CCAB4910LXE	65	CCM2804XR	73
CCA2300XK	64	CCA2380XE	64	CCA4925R	96	CCAB2330XC	64	CCAB4910LXJ	65	CCM2806	74
CCA2300XKSL	66	CCA2380XJ	64	CCA4930	68	CCAB2330XCSL	66	CCAB4910LXN	65	CCM2806XC	73
CCA2300XN	64	CCA2380XK	64	CCA4930XC	65	CCAB2330XE	64	CCAB4910LXR	65	CCM2806XE	73
CCA2300XNSL	66	CCA2380XN	64	CCA4930XC	65	CCAB2330XESL	66	CCAB4910R	67	CCM2806XK	73
CCA2300XR	64	CCA2380XR	64	CCA4930XJ	65	CCAB2330XJ	64	CCAB4910RXC	65	CCM2806XN	73
CCA2300XRSL	66	CCA240	93	CCA4930XN	65	CCAB2330XJSL	66	CCAB4910RXE	65	CCM2806XR	73
CCA230XC	91	CCA2400	68	CCA4930XR	65	CCAB2330XK	64	CCAB4910RXC	65	CCM2812	75
CCA230XJ	91	CCA2400SL	69	CCA4935	97	CCAB2330XKSL	66	CCAB4910RXN	65	CCM2812XC	73
CCA230XN	91	CCA2400XC	65	CCA4940	68	CCAB2330XN	64	CCAB4910RXR	65	CCM2812XE	73
CCA230XR	91	CCA2400XCSL	66	CCA4940XC	65	CCAB2330XNSL	66	CCAB4915L	96	CCM2812XK	73
CCA231	90	CCA2400XE	65	CCA4940XE	65	CCAB2330XR	64	CCAB4915R	96	CCM2812XN	73
CCA2310	66	CCA2400XESL	66	CCA4940XJ	65	CCAB2330XRSL	66	CCAB4920L	68	CCM2812XR	73
CCA2310SL	68	CCA2400XJ	65	CCA4940XN	65	CCAB2340	67	CCAB4920LXC	65	CCM300	75
CCA2310XC	64	CCA2400XJSL	66	CCA4940XR	65	CCAB2340SL	69	CCAB4920LXE	65	CCM300XC	74
CCA2310XCSL	66	CCA2400XK	65	CCA4945	97	CCAB2340XC	64	CCAB4920LXJ	65	CCM300XN	74
CCA2310XE	64	CCA2400XKSL	66	CCAB1100	97	CCAB2340XCSL	66	CCAB4920LXN	65	CCM301CAL	87
CCA2310XESL	66	CCA2400XN	65	CCAB1125	96	CCAB2340XE	64	CCAB4920LXR	65	CCM301CALXC	84
CCA2310XJ	64	CCA2400XNSL	66	CCAB1127	96	CCAB2340XESL	66	CCAB4920R	68	CCM301CALXE	84
CCA2310XJSL	66	CCA2400XR	65	CCAB1133	97	CCAB2340XJ	64	CCAB4920RXC	65	CCM301CALXN	84
CCA2310XK	64	CCA2400XRSL	66	CCAB1145	97	CCAB2340XJSL	66	CCAB4920RXE	65	CCM301CALXR	84
CCA2310XKSL	66	CCA240XC	91	CCAB1147	97	CCAB2340XN	64	CCAB4920RXJ	65	CCM301CAR	87
CCA2310XN	64	CCA240XJ	91	CCAB1149	96	CCAB2340XNSL	66	CCAB4920RXN	65	CCM301CARXC	84
CCA2310XNSL	66	CCA240XN	91	CCAB1150	97	CCAB2340XR	64	CCAB4920RXR	65	CCM301CARXE	84
CCA2310XR	64	CCA240XR	91	CCAB1158	97	CCAB2340XRSL	66	CCAB4925L	97	CCM301CARXN	84
CCA2310XRSL	66	CCA2410SL	97	CCAB1166	97	CCAB2340XRSL	66	CCAB4925R	97	CCM301CARXR	84
CCA2320	68	CCA2420SL	97	CCAB1423SL	91	CCAB2340XSL	66	CCAB4930	68	CCM302	72
CCA2320SL	68	CCA260	93	CCAB210	94	CCAB2350	67	CCAB4930XC	65	CCM302L	86
CCA2320XC	64	CCA260XC	91	CCAB210XC	92	CCAB2350XC	65	CCAB4930XE	65	CCM302LXC	83
CCA2320XCSL	66	CCA260XJ	91	CCAB210XJ	92	CCAB2350XE	65	CCAB4930XJ	65	CCM302LXE	83
CCA2320XE	64	CCA260XN	91	CCAB210XN	92	CCAB2350XJ	65	CCAB4930XN	65	CCM302LXN	83
CCA2320XESL	66	CCA260XR	91	CCAB210XR	92	CCAB2350XN	65	CCAB4930XR	65	CCM302LXR	83
CCA2320XJ	64	CCA3400SL	94	CCAB211	90	CCAB2350XR	65	CCAB4935	97	CCM302R	86
CCA2320XJSL	66	CCA3400XCSL	92	CCAB220	93	CCAB2360	67	CCAB4940	68	CCM302RXC	83
CCA2320XK	64	CCA3400XJSL	92	CCAB220XC	91	CCAB2360XC	65	CCAB4940XC	65	CCM302RXE	83
CCA2320XKSL	66	CCA3400XNSL	92	CCAB220XJ	91	CCAB2360XE	65	CCAB4940XJ	65	CCM302RXN	83
CCA2320XN	64	CCA3400XRSL	92	CCAB220XN	91	CCAB2360XJ	65	CCAB4940XK	65	CCM302RXR	83



## Fiber-Classic® &amp; Smooth-Star®

CCV931	90	1000	207	2050XJSL	124	81938P	179	81983P	179	FC131SL	160
CCV940	94	1283	158	2050XK	124	81938PSL	179	81984P	180	FC138	155
CCV940XC	92	1284	155	2050XKSL	124	81939P	178	81985P	182	FC138XC	150
CCV940XJ	92	1285	155	2050XN	124	81939PSL	178	81986PSL	142	FC138XE	150
CCV940XN	92	1286	153	2050XNSL	124	81940P	179	81986SL	142	FC138XJ	150
CCV940XR	92	1289	156	2050XR	124	81940PSL	179	85901SL	162	FC138XK	150
CCV950SL	69	2000	130	2050XPSL	124	81941P	180	85919SL	180	FC138XN	150
CCV950SL	75	2009	128	8000-12	127	81941PSL	180	AKRT	209	FC138XR	150
CCV950SL	95	2010	127	8000-18	127	81942P	182	BSRT	209	FC1400	169
CCV950XCSL	74	2050	127	8000-9	128	81942PSL	182	CMRT	209	FC1400SL	169
CCV950XCSL	93	8000	130	8000XC	127	81943P	171	CK30T	209	FC1402	169
CCV950XESL	74	81000	207	8000XE	127	81943PSL	171	CKRT	209	FC1404	198
CCV950XESL	93	81200	158	8000XJ	127	81943PKC	167	DRS2131SL	158	FC1408	190
CCV950XESL	101	81208	155	8000XK	127	81943PKCSL	167	DRS2131SL	158	FC1408SL	190
CCV950XJSL	74	81225	153	8000XN	127	81943PKC	167	EC30T	209	FC141	152
CCV950XJSL	93	81828	155	8000XR	127	81943PKESL	167	ECRT	209	FC141SL	153
CCV950XNSL	74	12101SL	158	81200P	158	81943PKJ	167	FC10	158	FC142	143
CCV950XNSL	93	12101XCSL	152	81200PSL	158	81943PKJSL	167	FC100	140	FC142SL	143
CCV950XPSL	74	12101XESL	152	81200PKC	152	81943PKK	167	FC1006	142	FC143	162
CCV950XPSL	93	12101XJSL	152	81200PKCSL	152	81943PKKSL	167	FC100SL	141	FC143SL	162
CCV960	94	12101XKSL	152	81200PKE	152	81943PKN	167	FC101	176	FC144	179
CCV960XC	92	12101XNSL	152	81200PKESL	152	81943PKNSL	167	FC101SL	176	FC144ZSL	164
CCV960XJ	92	12101XPSL	152	81200PKJ	152	81943PKR	167	FC1029	143	FC147	162
CCV960XN	92	12102SL	155	81200PKJSL	152	81943PKRSL	167	FC104	143	FC147SL	162
CCV960XR	92	12102XCSL	151	81200PKK	152	81944P	169	FC104SL	144	FC148	146
CCV9618	76	12102XESL	151	81200PKKSL	152	81944PSL	169	FC104XC	187	FC148SL	146
CCV9619	76	12102XJSL	151	81200PKN	152	81945P	169	FC104XE	187	FC149	182
CCV9622	70	12102XKSL	151	81200PKNSL	152	81945PKC	166	FC104XJ	187	FC149SL	182
CCV9625	62	12102XNSL	151	81200PKR	152	81945PKE	166	FC104XK	187	FC151	173
CCV9626	88	12102XPSL	151	81200PKRSL	152	81945PKJ	166	FC104XN	187	FC156	163
CCW1000	98	1283XC	152	81200SL	158	81945PKK	166	FC104XR	187	FC16	140
CCW81000	98	1283XE	152	81200XC	152	81945PKN	166	FC105	180	FC160	174
CCW8900L	98	1283XJ	152	81200XCSL	152	81945PKR	166	FC105SL	180	FC163	172
CCW8900R	98	1283XK	152	81200XE	152	81946P	169	FC108	139	FC164	172
CCW8901L	98	1283XN	152	81200XESL	152	81946PSL	169	FC1089	168	FC1645	204
CCW8901R	98	1283XR	152	81200XJ	152	81946PKC	166	FC1089SL	169	FC1646	164
CCW8902L	98	1284XC	150	81200XJSL	152	81946PKCSL	166	FC108SL	139	FC1646SL	164
CCW8902R	99	1284XE	150	81200XK	152	81946PKESL	166	FC109	175	FC1647	164
CCW8903	99	1284XJ	150	81200XKSL	152	81946PKESL	166	FC109SL	175	FC1651	147
CCW8904L	99	1284XK	150	81200XN	152	81946PKJ	166	FC10XC	152	FC1651SL	147
CCW8904R	99	1284XN	150	81200XNSL	152	81946PKJSL	166	FC10XE	152	FC1652	147
CCW8905	99	1284XR	150	81200XR	152	81946PKK	166	FC10XJ	152	FC1652SL	147
CCW8906L	99	1285XC	150	81200XPSL	152	81946PKKSL	166	FC10XK	152	FC1654	184
CCW8906R	99	1285XE	150	81208P	155	81946PKN	166	FC10XN	152	FC1655	197
CCW8907L	99	1285XJ	150	81208PSL	155	81946PKNSL	166	FC10XR	152	FC1656SL	184
CCW8907R	99	1285XK	150	81208SL	155	81946PKR	166	FC113	141	FC18	155
CCW900L	98	1285XN	150	81225P	152	81946PKRSL	166	FC113SL	141	FC18SL	155
CCW900R	98	1285XR	150	81225PSL	153	81947PSL	169	FC114	177	FC18XC	150
CCW901L	98	1286SL	153	81225SL	153	81948PSL	169	FC114SL	177	FC18XCSL	151
CCW901R	98	18101SL	140	81800P	140	81952P	159	FC115	160	FC18XE	150
CCW902L	98	19020T	209	81800PSL	140	81952PSL	159	FC115SL	160	FC18XESL	151
CCW902R	99	19055T	209	81800SL	140	81953P	159	FC116	188	FC18XJ	150
CCW903	99	19200T	209	81900PSL	169	81953PSL	160	FC1200	155	FC18XJSL	151
CCW904L	99	19210T	209	81918P	139	81954P	160	FC1200SL	155	FC18XK	150
CCW904R	99	19220T	209	81918PSL	139	81954PSL	160	FC1201	154	FC18XKSL	151
CCW905	99	19520T	209	81918SL	139	81955P	160	FC1201SL	155	FC18XN	150
CCW906L	99	1964P	167	81919P	141	81955PSL	160	FC1202	154	FC18XNSL	151
CCW906R	99	19720T	209	81919PSL	141	81956P	161	FC1202SL	155	FC18XR	150
CCW907L	99	19730T	209	81919SL	141	81956PSL	161	FC1203	155	FC18XPSL	151
CCW907R	99	19740T	209	81921P	143	81957P	161	FC1204	128	FC198	156
DRS2131SL	99	19750T	209	81921PSL	144	81957PSL	161	FC1204SL	127	FC198SL	156
DRS2131SL	99	2000SL	130	81921SL	144	81958P	162	FC1205	127	FC20042	163
HW30T	102	2000XC	127	81928P	145	81958PSL	162	FC1205SL	127	FC2101	168
HWRT	102	2000XCSL	127	81928PSL	145	81959P	162	FC1205XC	124	FC2101SL	169
LC30T	102	2000XE	127	81928SL	145	81959PSL	162	FC1205XJ	124	FC2102	169
LCET	102	2000XESL	127	81929P	145	81960P	163	FC1205XK	124	FC2106	168
LCRT	102	2000XJ	127	81929PSL	145	81960PSL	163	FC1205XN	124	FC2107	168
LF30T	102	2000XJSL	127	81929PKC	167	81961P	163	FC1205XN	124	FC2108	168
LFET	102	2000XK	127	81929PKCSL	167	81961PSL	164	FC1205XR	124	FC2213	149
LFRT	102	2000XKSL	127	81929PKE	167	81964P	167	FC1206	127	FC2213SL	149
ZHRT	102	2000XN	127	81929PKESL	167	81964PSL	167	FC1206SL	127	FC2223	148
		2000XNSL	127	81929PKJ	167	81968P	140	FC1207	127	FC2223SL	148
		2000XR	127	81929PKJSL	167	81968PSL	141	FC1207XC	124	FC2233	149
		2000XPSL	127	81929PKK	167	81968SL	141	FC1207XE	124	FC2233SL	150
		2009SL	128	81929PKKSL	167	81971P	192	FC1207XJ	124	FC23	204
		2010XC	124	81929PKN	167	81971PKC	187	FC1207XK	124	FC2382	149
		2010XE	124	81929PKNSL	167	81971PKE	187	FC1207XN	124	FC2382SL	149
		2010XJ	124	81929PKR	167	81971PKJ	187	FC1208	155	FC2385	149
		2010XK	124	81929PKRSL	167	81971PKK	187	FC1208SL	155	FC2385SL	150
		2010XN	124	81933P	175	81971PKN	187	FC1208SL	155	FC2389	148
		2010XR	124	81933PSL	175	81971PKR	187	FC1209	154	FC2389SL	148
		2050SL	126	81935P	176	81975P	175	FC1209SL	155	FC241	140
		2050XC	124	81935PSL	176	81977P	176	FC1211	154	FC31	206
		2050XCSL	124	81936P	176	81978P	176	FC1211SL	155	FC310	139
		2050XE	124	81936PSL	176	81980P	177	FC1212	155	FC32	171
		2050XESL	124	81937P	177	81981P	179	FC1289SL	156	FC32SL	171
		2050XJ	124	81937PSL	177	81982P	178	FC131	160	FC32XC	167



FC320CSL	167	FC5720KJ	124	FC709	173	FC820	145	FC8573SL	144	FC902	161
FC320E	167	FC5720KJSL	125	FC710	174	FC821	143	FC8574	144	FC902SL	161
FC320ESL	167	FC5720KK	124	FC712SSL	190	FC822	140	FC8579	181	FC905	142
FC320KJ	167	FC5720KSL	125	FC713	172	FC82213	149	FC8581	181	FC905SL	142
FC320KJSL	167	FC5720KN	124	FC714	172	FC82213SL	149	FC8583SL	181	FC906	179
FC320K	167	FC5720KNSL	125	FC721	202	FC82223	148	FC860	206	FC906SL	179
FC320KSL	167	FC5720KR	124	FC735	203	FC82223SL	148	FC861	205	FC907	161
FC320N	167	FC5720KRSL	125	FC736	202	FC82233	149	FC8610C	205	FC907SL	161
FC320NSL	167	FC572SL	144	FC745	203	FC82233SL	150	FC8610E	205	FC910	145
FC320R	167	FC573SL	144	FC752	203	FC82382	149	FC8610J	205	FC910SL	145
FC320RSL	167	FC574	144	FC755	206	FC82382SL	149	FC8610K	205	FC911	182
FC3487SL	190	FC581	181	FC765	159	FC82385	149	FC8610N	205	FC911SL	182
FC3487KCSL	186	FC583SL	181	FC765SL	159	FC82385SL	150	FC8610R	205	FC912	163
FC3487KESL	186	FC60	206	FC766	171	FC82389	148	FC862	206	FC912SL	163
FC3487KJSL	186	FC6093	142	FC766XC	167	FC82389SL	148	FC86220	198	FC915	173
FC3487KSL	186	FC6094	143	FC766XE	167	FC828	155	FC862203	198	FC916	173
FC3487KNSL	186	FC6095	145	FC766XJ	167	FC82XC	166	FC862203XC	197	FC917	204
FC3487KRSL	186	FC61	205	FC766XK	167	FC82XE	166	FC862203XE	197	FC92	169
FC369	141	FC610C	205	FC766XN	167	FC82XJ	166	FC862203XJ	197	FC925	198
FC38	159	FC610E	205	FC766XR	167	FC82XK	166	FC862203XK	197	FC92SL	169
FC386	185	FC610J	205	FC770	159	FC82XN	166	FC862203XN	197	FC92XC	166
FC387SL	185	FC610K	205	FC772	159	FC82XR	166	FC862203XR	197	FC92XCSL	166
FC389	185	FC610N	205	FC773	160	FC8310	169	FC86220XC	198	FC92XE	166
FC38SL	160	FC610R	205	FC775	160	FC8310SL	169	FC86220XE	198	FC92XESL	166
FC393	197	FC62	192	FC776	161	FC8311	168	FC86220XJ	198	FC92XJ	166
FC4521	165	FC626	146	FC777	161	FC8311SL	169	FC86220XK	198	FC92XJSL	166
FC4521SL	165	FC62XC	187	FC778	162	FC8313	168	FC86220XN	198	FC92XK	166
FC4525	165	FC62XE	187	FC779	162	FC8313SL	169	FC86220XR	198	FC92XKSL	166
FC4525SL	165	FC62XJ	187	FC780	163	FC8316	169	FC86242	196	FC92XN	166
FC46SL	140	FC62XK	187	FC789	174	FC8318	190	FC86243	195	FC92XNSL	166
FC476	165	FC62XN	187	FC794	172	FC8319	190	FC86247	196	FC92XR	166
FC47SL	158	FC62XR	187	FC796	172	FC832	190	FC86249	196	FC92XRSL	166
FC47KCSL	152	FC63SL	190	FC797	173	FC8320	190	FC86252	195	FCM10	158
FC47KESL	152	FC63KCSL	186	FC798	173	FC8321	189	FC86253	195	FCM100	140
FC47KJSL	152	FC63KESL	186	FC803	204	FC8321XC	186	FC86254	196	FCM1000	206
FC47KSL	152	FC63KJSL	186	FC808SL	139	FC8321XE	186	FC86255	195	FCM1006	142
FC47KNSL	152	FC63KNSL	186	FC809	206	FC8321XJ	186	FC86500	146	FCM101	176
FC47KRSL	152	FC63KRSL	186	FC80920	198	FC8321XK	186	FC86500SL	146	FCM101SL	176
FC48SL	192	FC63KRSL	186	FC809203	198	FC8321XN	186	FC86533	197	FCM1029	143
FC48KCSL	187	FC65	189	FC809203XC	197	FC8321XR	186	FC86536	183	FCM104	143
FC48KESL	187	FC6500	146	FC809203XE	197	FC8322	189	FC86550	146	FCM104XC	187
FC48KJSL	187	FC6500SL	146	FC809203XJ	197	FC8323	189	FC86550SL	146	FCM104XE	187
FC48KNSL	187	FC6534	197	FC809203XK	197	FC8324	189	FC86560	183	FCM104XJ	187
FC48KRSL	187	FC6550	146	FC809203XN	197	FC832XC	186	FC86560SL	183	FCM104XK	187
FC507	196	FC6550SL	146	FC809203XR	197	FC832XE	186	FC86570	204	FCM104XN	187
FC529	163	FC6560	183	FC80920XC	198	FC832XJ	186	FC86580	164	FCM104XR	187
FC5425	167	FC6565SL	183	FC80920XE	198	FC832XK	186	FC86580SL	164	FCM105	180
FC5425SL	167	FC6570	204	FC80920XJ	198	FC832XN	186	FC8675SL	190	FCM105SL	180
FC543	163	FC6576	174	FC80920XK	198	FC832XR	186	FC8676	188	FCM106	172
FC545SL	163	FC6577	174	FC80920XN	198	FC832X	185	FC8678SL	188	FCM108	139
FC549	196	FC6580	164	FC80920XR	198	FC8386SL	185	FC868SL	128	FCM1089SL	168
FC5700	128	FC6580SL	164	FC80942	196	FC8390	197	FC868SLXC	124	FCM109	175
FC5700SL	128	FC6582	164	FC80943	195	FC8392	185	FC868SLXE	124	FCM109SL	175
FC5700XC	124	FC658XC	186	FC80947	196	FC84521	165	FC868SLXJ	124	FCM10XC	151
FC5700XCSL	125	FC65XE	186	FC80949	196	FC84521SL	165	FC868SLXK	124	FCM10XE	151
FC5700XE	124	FC65XJ	186	FC80953	195	FC84525	165	FC868SLXN	124	FCM10XJ	151
FC5700XESL	124	FC65XK	186	FC80954	196	FC84525SL	165	FC868SLXR	124	FCM10XK	151
FC5700XJ	125	FC65XN	186	FC80954	196	FC84527	166	FC868SR	128	FCM10XN	151
FC5700XJSL	125	FC65XR	186	FC80955	195	FC84527SL	166	FC868SRXC	124	FCM10XR	151
FC5700XNSL	125	FC668	140	FC8095L	145	FC8489	185	FC868SRXE	124	FCM110	172
FC5700XN	124	FC670	192	FC812SL	142	FC8498	185	FC868SRXJ	124	FCM113	141
FC5700XNSL	125	FC678	188	FC813SL	146	FC8498SL	185	FC868SRXK	124	FCM114	177
FC5700XR	124	FC678SL	188	FC814	140	FC8529	163	FC868SRXN	124	FCM114SL	177
FC5700XRSL	125	FC68SL	128	FC8141	198	FC8545SL	163	FC868SRXR	124	FCM115	160
FC571	144	FC68SLXC	124	FC8144	190	FC85700	128	FC8691	128	FCM115SL	160
FC5710	128	FC68SLXE	124	FC8145	190	FC85700XC	124	FC8691XC	124	FCM116	188
FC5710SL	128	FC68SLXJ	124	FC8145SL	190	FC85700XE	124	FC8691XE	124	FCM1200	153
FC5710XC	124	FC68SLXK	124	FC8149	182	FC85700XJ	124	FC8691XJ	124	FCM1200SL	154
FC5710XCSL	125	FC68SLXN	124	FC8149SL	141	FC85700XK	124	FC8691XK	124	FCM1201	153
FC5710XE	124	FC68SLXN	124	FC815SL	142	FC85700XN	124	FC8691XN	124	FCM1201SL	154
FC5710XESL	125	FC68SLXR	124	FC815SL	142	FC85700XR	124	FC8691XR	124	FCM1202	153
FC5710XJ	124	FC68SR	128	FC816	139	FC8571	144	FC8704	203	FCM1202SL	154
FC5710XESL	125	FC68SRXC	124	FC81645	204	FC85710	128	FC8707	202	FCM1203	153
FC5710XJSL	125	FC68SRXJ	124	FC81646SL	164	FC85710XC	124	FC8708	203	FCM1204SL	127
FC5710XK	124	FC68SRXK	124	FC81649	197	FC85710XE	124	FC8721	202	FCM1205SL	127
FC5710XNSL	125	FC68SRXN	124	FC81651SL	147	FC85710XJ	124	FC8735	203	FCM1206SL	127
FC5710XR	124	FC68SRXR	124	FC81652	147	FC85710XK	124	FC8736	202	FCM1208	153
FC5710XRSL	125	FC691	128	FC81652SL	147	FC85710XN	124	FC8745	203	FCM1209	153
FC5720	128	FC691XC	124	FC81653	147	FC85710XJ	124	FC8752	203	FCM1210SL	158
FC5720SL	128	FC691XE	124	FC81653	147	FC85720	128	FC8867SL	182	FCM1210XC	152
FC5720XC	124	FC691XJ	124	FC81654	184	FC85720XC	124	FC89701	182	FCM1210XC	152
FC5720XCSL	125	FC691XK	124	FC81654SL	184	FC85720XE	124	FC8971	188	FCM1210XESL	152
FC5720XE	124	FC691XN	124	FC8165L	141	FC85720XJ	124	FC8972	198	FCM1210XJSL	152
FC5720XESL	125	FC691XR	124	FC817	141	FC85720XK	124	FC900	142	FCM1210XNSL	152
FC5720XK	124	FC704	203	FC817SL	143	FC85720XN	124	FC900SL	142	FCM1210XRSL	152
FC5720XESL	125	FC707	202	FC818SL	144	FC85720XR	124	FC901	178	FCM1210XSL	154
		FC708	203	FC82	168	FC8572SL	144	FC901SL	178	FCM1210XC	150

# Fiber-Classic® & Smooth-Star® *Continued*

FCM12102XESL	150	FCM2000KJSL	136	FCM4813XC	135	FCM6050N	200	FCM65KCSL	186	FCM81652	147
FCM12102XJSL	150	FCM2000KNSL	136	FCM4813XE	135	FCM6050R	200	FCM65KE	186	FCM81652SL	147
FCM12102XKSL	150	FCM2000KNSL	136	FCM4813XJ	135	FCM606	201	FCM65KESL	186	FCM81654	184
FCM12102XNSL	150	FCM2000KNSL	136	FCM4813XN	135	FCM606XC	200	FCM65KJSL	186	FCM81654SL	184
FCM12102XKSL	150	FCM2009SL	127	FCM4813XR	135	FCM606XE	200	FCM65KJSL	186	FCM8165L	140
FCM1211	153	FCM205	206	FCM4814	137	FCM606XJ	200	FCM65KX	186	FCM817	141
FCM1212	153	FCM2050SL	137	FCM4814XC	135	FCM606XN	200	FCM65KXSL	186	FCM817SL	143
FCM1283	158	FCM2050KCSL	135	FCM4814XE	135	FCM606XR	200	FCM65KN	186	FCM81800SL	140
FCM1283XC	151	FCM2050KESL	135	FCM4814XJ	135	FCM607	201	FCM65KNSL	186	FCM81828	154
FCM1283XJ	151	FCM2050KJSL	135	FCM4814XN	135	FCM607A	179	FCM65KR	186	FCM81829	154
FCM1283XN	151	FCM2050KNSL	135	FCM4814XR	135	FCM607S	179	FCM65KXSL	186	FCM8185L	143
FCM1283XK	151	FCM2050KNSL	135	FCM4816	137	FCM607XC	200	FCM668	140	FCM81900SL	168
FCM1283XN	151	FCM2050KNSL	135	FCM4816XC	135	FCM607XE	200	FCM670	192	FCM81918SL	139
FCM1283XR	151	FCM2101SL	168	FCM4816XE	135	FCM607XJ	200	FCM678	188	FCM81919SL	141
FCM1284	154	FCM2106	168	FCM4816XJ	135	FCM607XN	200	FCM678SL	188	FCM81921SL	143
FCM1284XC	150	FCM2107	168	FCM4816XN	135	FCM607XR	200	FCM6975	200	FCM81928SL	145
FCM1284XE	150	FCM2108	168	FCM4816XR	135	FCM608	201	FCM704	203	FCM81944SL	168
FCM1284XJ	150	FCM220	206	FCM508	199	FCM608XC	200	FCM707	202	FCM81947SL	168
FCM1284XN	150	FCM2213	148	FCM5425	167	FCM608XE	200	FCM708	203	FCM81949SL	168
FCM1284XK	150	FCM2223	148	FCM543	162	FCM608XJ	200	FCM7125SL	189	FCM81968SL	140
FCM1284XN	150	FCM2233	149	FCM5435SL	162	FCM608XN	200	FCM721	202	FCM81968SL	142
FCM1285	153	FCM2382	148	FCM571	144	FCM608XR	200	FCM735	203	FCM82	168
FCM1285XC	150	FCM2382SL	148	FCM571	144	FCM609	199	FCM736	202	FCM820	145
FCM1285XJ	150	FCM2385	149	FCM572SL	144	FCM6093	142	FCM745	203	FCM821	143
FCM1285XN	150	FCM2385SL	149	FCM574	144	FCM6094	143	FCM752	203	FCM822	140
FCM1285XK	150	FCM2389	148	FCM575	181	FCM6095	145	FCM755	206	FCM82213	148
FCM1285XN	150	FCM2389SL	148	FCM577	181	FCM61	205	FCM765	159	FCM82213SL	149
FCM1285XR	150	FCM241	140	FCM581	181	FCM6107	178	FCM765SL	159	FCM82223	148
FCM1286	152	FCM31	206	FCM583SL	181	FCM6108	178	FCM789	173	FCM82223SL	148
FCM1286SL	152	FCM310	139	FCM60	206	FCM6124SL	154	FCM80	174	FCM82233SL	149
FCM1289	154	FCM32	170	FCM600	206	FCM6124XCSL	150	FCM8000SL	137	FCM82382	148
FCM1289SL	154	FCM32SL	170	FCM601	201	FCM6124XESL	150	FCM8000KCSL	136	FCM82382SL	148
FCM131	160	FCM32XC	167	FCM601XC	201	FCM6124XJSL	150	FCM8000KESL	136	FCM82385	149
FCM131SL	160	FCM32XCSL	167	FCM601XE	201	FCM6124XNSL	150	FCM8000XJSL	136	FCM82385SL	149
FCM138	153	FCM32XE	167	FCM601XJ	201	FCM6124XNSL	150	FCM8000XNSL	136	FCM82389	148
FCM138XC	150	FCM32XESL	167	FCM601XN	201	FCM6125SL	154	FCM8000XNSL	136	FCM82389SL	148
FCM138XJ	150	FCM32XJ	167	FCM601XR	201	FCM6125XCSL	150	FCM8000XNSL	136	FCM828	154
FCM138XN	150	FCM32XJSL	167	FCM602	199	FCM6125XESL	150	FCM808SL	139	FCM82XC	166
FCM138XK	150	FCM32XK	167	FCM6021	192	FCM6125XJSL	150	FCM809SL	145	FCM82XE	166
FCM138XN	150	FCM32XKSL	167	FCM6021XC	187	FCM6125XNSL	150	FCM81000	206	FCM82XJ	166
FCM138XR	150	FCM32XN	167	FCM6021XE	187	FCM6125XNSL	150	FCM8101SL	168	FCM82XK	166
FCM1400SL	168	FCM32XNSL	167	FCM6021XJ	187	FCM6126SL	154	FCM8101XCSL	166	FCM82XN	166
FCM1402	168	FCM32XR	167	FCM6021XK	187	FCM6126XCSL	150	FCM8101XESL	166	FCM82XR	166
FCM1405	189	FCM32XNSL	167	FCM6021XN	187	FCM6126XESL	150	FCM8101XJSL	166	FCM8310SL	168
FCM1405SL	189	FCM3487SL	189	FCM6021XR	187	FCM6126XJSL	150	FCM8101XKSL	166	FCM8311SL	168
FCM1406	189	FCM3487XCSL	186	FCM6022	189	FCM6126XNSL	150	FCM8101XNSL	166	FCM8313SL	168
FCM1408	189	FCM3487XESL	186	FCM6022XC	186	FCM6126XNSL	150	FCM8101XNSL	166	FCM8321	189
FCM141	152	FCM3487XJSL	186	FCM6022XE	186	FCM61XC	205	FCM8103SL	162	FCM8321XC	186
FCM142	143	FCM3487XKSL	186	FCM6022XJ	186	FCM61XE	205	FCM8105SL	159	FCM8321XE	186
FCM143	162	FCM3487XNSL	186	FCM6022XK	186	FCM61XJ	205	FCM8107SL	163	FCM8321XJ	186
FCM143SL	162	FCM3487XRSL	186	FCM6022XN	186	FCM61XK	205	FCM8110SL	167	FCM8321XK	186
FCM144	179	FCM369	141	FCM6022XR	186	FCM61XN	205	FCM8114SL	140	FCM8321XN	186
FCM1442SL	163	FCM38	159	FCM6025	176	FCM61XR	205	FCM8114SL	140	FCM8321XR	186
FCM147	162	FCM386	184	FCM6026	181	FCM62	192	FCM8115	152	FCM8322	189
FCM147SL	162	FCM387	184	FCM6029	178	FCM6201SL	135	FCM8115SL	152	FCM8323	189
FCM148	146	FCM387SL	185	FCM6030	180	FCM6240	135	FCM81200	158	FCM8324	189
FCM149	182	FCM389	165	FCM6031	177	FCM6240SL	135	FCM81200SL	158	FCM8366	184
FCM149SL	182	FCM38SL	159	FCM6032	175	FCM626	146	FCM81200XC	151	FCM8386SL	185
FCM151	173	FCM394	185	FCM6035	188	FCM625L	192	FCM81200XCSL	152	FCM84521SL	165
FCM156	163	FCM4521SL	165	FCM6036	182	FCM62XC	187	FCM81200XE	151	FCM84525SL	165
FCM16	140	FCM4525SL	165	FCM604	199	FCM62XCSL	187	FCM81200XESL	152	FCM84527SL	166
FCM160	174	FCM476	165	FCM6041	192	FCM62XE	187	FCM81200XJ	151	FCM84810	137
FCM163	172	FCM4810	137	FCM6041XC	187	FCM62XESL	187	FCM81200XJSL	152	FCM84810SL	137
FCM164	172	FCM4810SL	137	FCM6041XE	187	FCM62XJ	187	FCM81200XK	151	FCM84810XC	136
FCM164S	204	FCM4810XC	136	FCM6041XJ	187	FCM62XJSL	187	FCM81200XKSL	152	FCM84810XCSL	136
FCM1646SL	164	FCM4810XCSL	136	FCM6041XK	187	FCM62XK	187	FCM81200XNSL	151	FCM84810XE	136
FCM1647	164	FCM4810XE	136	FCM6041XN	187	FCM62XKSL	187	FCM81200XNSL	152	FCM84810XESL	136
FCM1650	200	FCM4810XESL	136	FCM6041XR	187	FCM62XNSL	187	FCM81200XR	151	FCM84810XJ	136
FCM1651	147	FCM4810XJSL	136	FCM6042	189	FCM62XNSL	187	FCM81200XSL	152	FCM84810XJSL	136
FCM1651SL	147	FCM4810XJSL	136	FCM6042XC	186	FCM62XR	187	FCM81208P	154	FCM84810XN	136
FCM1652	147	FCM4810XN	136	FCM6042XE	186	FCM62XNSL	187	FCM81208PSL	154	FCM84810XNSL	136
FCM1654	184	FCM4810XNSL	136	FCM6042XJ	186	FCM65	189	FCM81208SL	154	FCM84810XR	136
FCM1656	184	FCM4810XR	136	FCM6042XK	186	FCM6500	146	FCM81225	152	FCM84810XNSL	136
FCM1656SL	184	FCM4810XNSL	136	FCM6042XN	186	FCM6500SL	146	FCM81225SL	152	FCM84812	136
FCM1658	184	FCM4812	136	FCM6042XR	186	FCM6520	200	FCM8125L	142	FCM84812SL	137
FCM18	153	FCM4812SL	137	FCM6045	176	FCM6550	146	FCM813SL	146	FCM84812XC	135
FCM18101SL	140	FCM4812XC	135	FCM6046	181	FCM6560	183	FCM814	140	FCM84812XCSL	136
FCM18XC	150	FCM4812XCSL	136	FCM6049	178	FCM6565	183	FCM8145	189	FCM84812XE	135
FCM18XE	150	FCM4812XE	135	FCM605	201	FCM6565SL	183	FCM8145SL	189	FCM84812XESL	136
FCM18XJ	150	FCM4812XESL	136	FCM6050	180	FCM6568	183	FCM8149	182	FCM84812XJ	135
FCM18XK	150	FCM4812XJ	135	FCM6051	177	FCM6570	204	FCM8149SL	141	FCM84812XJSL	136
FCM18XN	150	FCM4812XJSL	136	FCM6052	175	FCM6575	173	FCM815SL	142	FCM84812XN	135
FCM18XR	150	FCM4812XN	135	FCM6055	188	FCM6577	173	FCM816	139	FCM84812XNSL	136
FCM198	154	FCM4812XNSL	136	FCM6056	182	FCM6580SL	164	FCM8164S	204	FCM84812XR	135
FCM2000SL	137	FCM4812XR	135	FCM605XC	200	FCM6582	164	FCM81646SL	164	FCM84812XNSL	136
FCM2000KCSL	136	FCM4812XRSL	136	FCM605XE	200	FCM6585	189	FCM81651	147	FCM84813	136
FCM2000KESL	136	FCM4813	136	FCM605XJ	200	FCM65XC	186	FCM81651SL	147	FCM84813XC	135

FCM84813XE	135	FCM870XJSL	152	FC06180XNSL	151	S1205XK	125	S1655	197	S2103XC	131
FCM84813XJ	135	FCM8700X	151	FC06180XRSL	151	S1205XN	125	S1656	184	S2103XCSSL	131
FCM84813XN	135	FCM8700XSL	152	FC06188SL	156	S1205XR	125	S1656SL	184	S2103XE	131
FCM84813XR	135	FCM8700X	151	FC06188XCSSL	151	S1206	128	S1658	184	S2103XESL	131
FCM84814	137	FCM8700XNSL	152	FC06188XESL	151	S1206SL	129	S1661	194	S2103XJ	131
FCM84814XC	135	FCM8700X	151	FC06188XJSL	151	S1207	128	S198	157	S2103XJSL	131
FCM84814XE	135	FCM8700XRSL	152	FC06188XNSL	151	S1207XC	125	S198SL	158	S2103XK	131
FCM84814XJ	135	FCM871	139	FC06188XRSL	151	S1207XE	125	S200	208	S2103XKSL	131
FCM84814XN	135	FCM871SL	139	FC06189SL	156	S1207XJ	125	S2000	130	S2103XN	131
FCM84814XR	135	FCM872	140	FC06189XCSSL	151	S1207XK	125	S2000SL	130	S2103XNSL	131
FCM84816	137	FCM8721	202	FC06189XESL	151	S1207XN	125	S2000SL	137	S2103XR	131
FCM84816XC	135	FCM872SL	140	FC06189XJSL	151	S1207XR	125	S2000SL-2C	129	S2103XRSL	131
FCM84816XE	135	FCM873	141	FC06189XNSL	151	S1208	156	S2000SL-4C	129	S2104	132
FCM84816XJ	135	FCM8735	203	FC06189XRSL	151	S1208SL	157	S2000XC	127	S2104SL	132
FCM84816XN	135	FCM8736	202	FC06190SL	156	S1209	156	S2000XCSSL	127	S2104XC	131
FCM84816XR	135	FCM873SL	141	FC06190XCSSL	151	S1209SL	157	S2000XCSSL	136	S2104XCSSL	131
FCM84886SL	137	FCM874	143	FC06190XESL	151	S1211	156	S2000XCSSL-2C	125	S2104XE	131
FCM84886XCSL	135	FCM8745	203	FC06190XJSL	151	S1211SL	157	S2000XCSSL-4C	125	S2104XESL	131
FCM84886XESL	135	FCM874SL	143	FC06190XNSL	151	S1212	156	S2000XE	127	S2104XJ	131
FCM84886XJSL	135	FCM8752	203	FC06190XRSL	151	S128	156	S2000XESL	127	S2104XJSL	131
FCM84886XKSL	135	FCM881SL	170	FC06575	174	S128XC	151	S2000XESL	136	S2104XN	131
FCM84886XNSL	135	FCM881XCSSL	167	FWRT	209	S128XJ	151	S2000XESL-2C	125	S2104XNSL	131
FCM84886XRSL	135	FCM881XESL	167	KNRT	209	S128XJ	151	S2000XESL-4C	125	S2104XN	131
FCM8490	185	FCM881XJSL	167	LT30T	209	S128XK	151	S2000XJ	127	S2104XNSL	131
FCM8498SL	185	FCM881XKSL	167	LTRT	209	S128XN	151	S2000XJSL	127	S2104XR	131
FCM8545SL	162	FCM881XNSL	167	PBRF	209	S128XR	151	S2000XJSL	136	S2104XRSL	131
FCM8571	144	FCM881XRSL	167	RSRT	209	S130	153	S2000XJSL-2C	125	S2105	132
FCM8572SL	144	FCM882SL	159	S100	208	S130SL	153	S2000XJSL-4C	125	S2106	169
FCM8573SL	144	FCM883SL	160	S1000	173	S131	188	S2000XK	127	S2107	169
FCM8574	144	FCM884SL	160	S1001	173	S132	188	S2000XKSL	127	S2108	169
FCM8581	181	FCM885SL	162	S1006	142	S132SL	188	S2000XKSL	136	S210SL	192
FCM8583SL	181	FCM886	178	S100SL	158	S1350	133	S2000XN	127	S210XCSSL	187
FCM860	206	FCM886SL	178	S100XCSSL	152	S137	189	S2000XNSL	127	S210XESL	187
FCM861	205	FCM887SL	161	S100XESL	152	S139	141	S2000XNSL	136	S210XJSL	187
FCM861XC	205	FCM888	178	S100XJSL	152	S139SL	141	S2000XNSL-2C	125	S210XKSL	187
FCM861XE	205	FCM888SL	179	S100XKSL	152	S140	158	S2000XNSL-4C	125	S210XNSL	187
FCM861XJ	205	FCM889SL	161	S100XNSL	152	S1400	170	S2000XR	127	S210XNSL	187
FCM861XK	205	FCM890	145	S100XRSL	152	S1400SL	170	S2000XRSL	127	S211	176
FCM861XN	205	FCM890SL	145	S1029	143	S1401	132	S2000XRSL	136	S213	179
FCM861XR	205	FCM891	181	S104	192	S1401SL	132	S2000XRSL-2C	125	S214	180
FCM862	192	FCM891SL	181	S104XC	187	S1402	170	S2000XRSL-4C	125	S2150	133
FCM86201SL	135	FCM892SL	163	S104XE	187	S1404	198	S20042	164	S220	207
FCM86240	135	FCM893SL	142	S104XJ	187	S1405	191	S2009	129	S2200	132
FCM86240SL	135	FCM898	178	S104XK	187	S1405SL	191	S2009SL	129	S2200XC	131
FCM8625SL	192	FCM898SL	178	S104XN	187	S1406	191	S2010	128	S2200XCSSL	131
FCM862XC	187	FCM899	179	S104XR	187	S1407	191	S2010SL	129	S2200XE	131
FCM862XCSSL	187	FCM899SL	179	S105	192	S1408	191	S2010SL	137	S2200XESL	131
FCM862XE	187	FCM900	142	S108	156	S1409	133	S2010XC	125	S2200XJ	131
FCM862XESL	187	FCM901	178	S1089	169	S1409SL	205	S2010XCSSL	125	S2200XJSL	131
FCM862XJ	187	FCM901SL	178	S1089SL	170	S140XC	152	S2010XCSSL	136	S2200XK	131
FCM862XJSL	187	FCM902	161	S108XC	151	S140XE	152	S2010XE	125	S2200XKSL	131
FCM862XK	187	FCM902SL	161	S108XJ	151	S140XJ	152	S2010XESL	125	S2200XN	131
FCM862XKSL	187	FCM905	142	S108XK	151	S140XK	152	S2010XESL	136	S2200XNSL	131
FCM862XN	187	FCM906	178	S108XN	151	S140XN	152	S2010XJ	125	S2200XR	131
FCM862XNSL	187	FCM906SL	179	S108XN	151	S140XN	152	S2010XJSL	125	S2200XRSL	131
FCM862XR	187	FCM907	161	S108XN	151	S141	156	S2010XJSL	136	S2213	149
FCM862XRSL	187	FCM907SL	161	S1100	207	S1411	194	S2010XK	125	S2213SL	149
FCM863	175	FCM910	145	S115	191	S1411SL	205	S2010XKSL	125	S2223	148
FCM863SL	175	FCM911	181	S1170SL	157	S141XC	151	S2010XKSL	136	S2223SL	148
FCM864	176	FCM911SL	181	S1170XCSSL	151	S141XE	151	S2010XN	125	S2233	150
FCM864SL	176	FCM912	163	S1170XESL	151	S141XJ	151	S2010XNSL	125	S2233SL	150
FCM865	177	FCM912SL	163	S1170XJSL	151	S141XK	151	S2010XNSL	136	S2250	132
FCM86500	146	FCM915	173	S1170XKSL	151	S141XN	151	S2010XR	125	S2250XC	131
FCM86500SL	146	FCM916	173	S1170XNSL	151	S141XR	151	S2010XRSL	125	S2250XCSSL	131
FCM86550	146	FCM92SL	168	S1170XRSL	151	S1442SL	164	S2010XRSL	136	S2250XE	131
FCM86550SL	146	FCM92XCSSL	166	S118	158	S154	142	S205	208	S2250XESL	131
FCM86560	183	FCM92XESL	166	S118XC	152	S154SL	142	S2050	128	S2250XJ	131
FCM86560SL	183	FCM92XJSL	166	S118XE	152	S155	144	S2050XC	125	S2250XJSL	131
FCM86570	204	FCM92XKSL	166	S118XJ	152	S155SL	144	S2050XE	125	S2250XK	131
FCM86580SL	164	FCM92XNSL	166	S118XK	152	S156	164	S2050XJ	125	S2250XKSL	131
FCM865SL	177	FCM92XRSL	166	S118XN	152	S160	146	S2050XK	125	S2250XN	131
FCM866	180	FC06184SL	156	S118XR	152	S160SL	146	S2050XN	125	S2250XNSL	131
FCM866SL	180	FC06184XCSSL	151	S120	208	S161	182	S2050XR	125	S2250XR	131
FCM8675SL	189	FC06184XESL	151	S1200	156	S161SL	183	S206	192	S2250XRSL	131
FCM8678	188	FC06184XJSL	151	S1200SL	157	S162	194	S206XC	187	S236	204
FCM8678SL	188	FC06184XNSL	151	S1201	156	S163	173	S206XE	187	S237	204
FCM867SL	182	FC06184XRSL	151	S1201SL	157	S1645	204	S206XJ	187	S2382	149
FCM870	158	FC06185SL	156	S1202	156	S1646	165	S206XK	187	S2382SL	149
FCM8704	203	FC06185XCSSL	151	S1202SL	157	S1646SL	165	S206XN	187	S2385	150
FCM8707	202	FC06185XESL	151	S1203	156	S1647	164	S206XR	187	S2385SL	150
FCM8708	203	FC06185XJSL	151	S1204	128	S1650	200	S210	208	S2389	148
FCM870SL	158	FC06185XNSL	151	S1204SL	129	S1651	147	S2100	134	S2389SL	148
FCM870XC	151	FC06185XRSL	151	S1205	128	S1651SL	147	S2101	170	S241	141
FCM870XCSSL	152	FC06186SL	156	S1205SL	129	S1652	147	S2101SL	170	S243	188
FCM870XE	151	FC06186XCSSL	151	S1205XK	125	S1652SL	147	S2102	170	S255	204
FCM870XESL	152	FC06186XJSL	151	S1205XE	125	S1653	184	S2103	132	S256	204
FCM870XJ	151	FC06186XNSL	151	S1205XJ	125	S1654	184	S2103SL	132	S2600	126

# Fiber-Classic® & Smooth-Star® Continued

S2610	201	S3300XR	126	S430	193	S5700KCSL	126	S6014	193	S606SL	157
S2610XC	201	S3301	207	S4305XC	187	S5700KE	125	S601SL	158	S606XC	200
S2610XE	201	S340L	129	S4305KE	187	S5700KESL	126	S601XC	201	S606XCSSL	151
S2610XJ	201	S340LXC	126	S4305KJ	187	S5700KJ	125	S601XCSSL	152	S606XE	200
S2610XN	201	S340LXE	126	S4305KK	187	S5700KJSL	126	S601XE	201	S606XESL	151
S2610XR	201	S340LXJ	126	S4305KN	187	S5700KK	125	S601XESL	152	S606XJ	200
S262	190	S340LXK	126	S4305KR	187	S5700KNSL	126	S601XJ	201	S606XK	151
S2620	200	S340LXN	126	S4307	191	S5700KN	125	S601XJSL	152	S606XN	200
S262XC	186	S340LXO	126	S4308	188	S5700KNSL	126	S601XKSL	152	S606XNSL	151
S262XE	186	S340OR	130	S430SL	182	S5700KR	125	S601XN	201	S606XR	200
S262XJ	186	S340ORXC	126	S4310	185	S5700KRSL	126	S601XNSL	152	S606XRSL	151
S262XK	186	S340ORXE	126	S4311	184	S5701	207	S601XR	201	S607	201
S262XN	186	S340ORXJ	126	S4314	175	S5705	129	S601XRSL	152	S6070	143
S262XR	186	S340ORXK	126	S4315	192	S5705XC	125	S602	199	S6070SL	143
S2630	199	S340ORXN	126	S4316	182	S5705XE	125	S6021	192	S6071	162
S263SL	191	S340ORXO	126	S4320	183	S5705XJ	125	S6021XC	187	S6071SL	162
S263KCSL	187	S3401L	207	S4321	191	S5705KK	125	S6021XE	187	S6072	162
S263KESL	187	S3401R	207	S4323	183	S5705KN	125	S6021XJ	187	S6073	179
S263XJSL	187	S3487SL	191	S4324	178	S5705KR	125	S6021XK	187	S6074	179
S263XKSL	187	S3487KCSL	187	S4325	177	S571	145	S6021XN	187	S6075	180
S263XNSL	187	S3487KESL	187	S4326	181	S5710	129	S6021XR	187	S6076	180
S263XRSL	187	S3487XJSL	187	S4327	179	S5710SL	130	S6022	190	S607SL	157
S2640	200	S3487XKSL	187	S4328	177	S5710XC	125	S6022XC	186	S607XC	201
S2650	199	S3487XNSL	187	S4329	180	S5710XCSSL	126	S6022XE	186	S607XCSL	151
S2660	199	S3487XRSL	187	S4330	180	S5710XE	125	S6022XJ	186	S607XE	201
S2670	199	S35	177	S45	207	S5710XESL	126	S6022XK	186	S607XESL	151
S289	194	S3500L	130	S4521	165	S5710XJ	125	S6022XN	186	S607XJ	201
S289XC	194	S3500LXC	126	S4521SL	165	S5710XJSL	126	S6022XR	186	S607XJSL	151
S289XE	194	S3500LXE	126	S4525	165	S5710XK	125	S6025	177	S607XN	201
S289XJ	194	S3500LXJ	126	S4525SL	165	S5710XKNSL	126	S6026	182	S607XNSL	151
S289XK	194	S3500LXK	126	S454	204	S5710XN	125	S6029	179	S607XR	201
S289XN	194	S3500LXN	126	S4570SL	139	S5710XNSL	126	S602SL	143	S607XRSL	151
S289XR	194	S3500LXO	126	S476	165	S5710XR	125	S6030	180	S608	201
S291	193	S350OR	130	S4800	208	S5710XRSL	126	S6031	177	S6080	174
S291SL	179	S350ORXC	126	S4810	137	S5715	129	S6032	175	S6082	173
S292	193	S350ORXE	126	S4810SL	137	S5715XC	125	S6034	188	S6084	173
S292SL	180	S350ORXJ	126	S4810XC	136	S5715XE	125	S6035	188	S6085	172
S294	193	S350ORXK	126	S4810XCSSL	136	S5715XJ	125	S6036	183	S608XC	201
S294SL	177	S350ORXN	126	S4810XE	136	S5715XK	125	S604	199	S608XE	201
S296	205	S350ORXR	126	S4810XESL	136	S5715XN	125	S6041	192	S608XJ	201
S296XC	205	S3501L	207	S4810XJ	136	S5715XR	125	S6041XC	187	S608XN	201
S296XE	205	S3501R	207	S4810XJSL	136	S5720	129	S6041XE	187	S608XR	201
S296XJ	205	S3540	200	S4810XNSL	136	S5720SL	130	S6041XJ	187	S609	199
S296XK	205	S3600L	130	S4810XNSL	136	S5720XC	125	S6041XK	187	S6090	145
S296XN	205	S3600LXC	126	S4810XR	136	S5720XCSSL	126	S6041XN	187	S6091	162
S296XR	205	S3600LXE	126	S4810XRSL	136	S5720XE	125	S6041XR	187	S6091SL	162
S30	192	S3600LXJ	126	S4812	137	S5720XESL	126	S6042	191	S6092	161
S308SL	157	S3600LXK	126	S4812SL	137	S5720XJ	125	S6042XC	186	S6092SL	161
S308KCSL	151	S3600LXN	126	S4812XC	136	S5720XJSL	126	S6042XE	186	S6093	142
S308KESL	151	S3600LXO	126	S4812XCSSL	136	S5720XK	125	S6042XJ	186	S6094	144
S308XJSL	151	S360OR	130	S4812XE	136	S5720XKNSL	126	S6042XK	186	S6095	145
S308XKSL	151	S360ORXC	126	S4812XESL	136	S5720XN	125	S6042XN	186	S6100	142
S308XNSL	151	S360ORXE	126	S4812XJ	136	S5720XNSL	126	S6042XR	186	S6100SL	142
S308XRSL	151	S360ORXJ	126	S4812XJSL	136	S5720XR	125	S6045	177	S6101	178
S30XC	187	S360ORXK	126	S4812XNSL	136	S5720XRSL	126	S6046	182	S6101SL	178
S30XE	187	S360ORXN	126	S4812XR	136	S5721	207	S6049	179	S6102	161
S30XJ	187	S360ORXR	126	S4812XR	136	S5725	129	S604SL	141	S6102SL	161
S30XK	187	S3601L	207	S4812XR	136	S5725XC	125	S605	201	S6103	161
S30XN	187	S360RL	207	S4812XRSL	136	S5725XE	125	S6050	180	S6104	193
S30XR	187	S369	141	S4813XC	136	S5725XJ	125	S6051	177	S6106	178
S31	208	S37	182	S4813XE	136	S5725XK	125	S6052	175	S6107	178
S310	139	S385	185	S4813XJ	136	S5725XN	125	S6054	189	S6108	178
S32	191	S387	185	S4813XN	136	S5725XR	125	S6055	188	S6124SL	157
S3200	134	S387SL	185	S4813XR	136	S572SL	145	S6056	183	S6124XCSSL	151
S3200SL	134	S389	165	S4814	137	S573SL	145	S605SL	157	S6124XESL	151
S3200XC	133	S392	185	S4814XC	136	S574	144	S605XC	200	S6124XJSL	151
S3200XCSSL	133	S393	197	S4814XE	136	S575	181	S605XCSSL	151	S6124XNSL	151
S3200XE	133	S394	185	S4814XJ	136	S577	181	S605XE	200	S6124XRSL	151
S3200XESL	133	S398	194	S4814XN	136	S579	181	S605XESL	151	S6125SL	157
S3200XJ	133	S4070SL	145	S4814XR	136	S581	181	S605XJ	200	S6125XCSSL	151
S3200XJSL	133	S41	179	S4816	137	S583SL	181	S605XJSL	151	S6125XESL	151
S3200XN	133	S416SL	145	S4816XC	136	S585	193	S605XN	200	S6125XJSL	151
S3200XNSL	133	S42	180	S4816XE	136	S5870SL	144	S605XNSL	151	S6125XNSL	151
S3200XR	133	S4200	134	S4816XJ	136	S600	208	S605XR	200	S6125XRSL	151
S3200XRSL	133	S4200SL	134	S4816XN	136	S6000	175	S605XRSL	151	S6126SL	157
S32XC	186	S4200XC	133	S4816XR	136	S6000SL	175	S606	201	S6126XCSSL	151
S32XE	186	S4200XCSSL	133	S507	196	S6002	139	S6061	153	S6126XESL	151
S32XJ	186	S4200XE	133	S508	200	S6002SL	139	S6062	157	S6126XJSL	151
S32XK	186	S4200XESL	133	S529	163	S6006	177	S6062SL	158	S6126XNSL	151
S32XN	186	S4200XJ	133	S5425	167	S6006SL	178	S6063	156	S6126XRSL	151
S32XR	186	S4200XJSL	133	S5425SL	167	S6008	141	S6063SL	205	S6126XSL	153
S3300	130	S4200XN	133	S543	163	S6008SL	141	S6063XC	151	S6130SL	140
S3300XC	126	S4200XNSL	133	S545SL	163	S6009	160	S6063XE	151	S6131SL	142
S3300XE	126	S4200XR	133	S549	196	S6009SL	161	S6063XJ	151	S6132SL	146
S3300XJ	126	S4200XRSL	133	S5700	129	S601	201	S6063K	151	S6134SL	141
S3300XK	126	S426	182	S5700SL	130	S6010	161	S6063KN	151	S6135SL	143
S3300XN	126	S43	183	S5700XC	125	S6013	193	S6063KR	151	S6200	134

S6200SL	134	S8000SL	132	S8180E	152	S82610XC	201	S8321XR	186	S84200KNSL	133
S6200XC	133	S8000SL	137	S8180J	152	S82610XE	201	S8322	190	S84200KR	133
S6200XCSL	133	S8000XC	127	S8180K	152	S82610XJ	201	S8323	190	S84200KXSL	133
S6200XE	133	S8000XCSL	131	S8180N	152	S82610XN	201	S8324	190	S84305XC	187
S6200XESL	133	S8000XCSL	136	S8180R	152	S82610XR	201	S8325	191	S84305XE	187
S6200XJ	133	S8000XE	127	S81929P	192	S82620	200	S8326	190	S84305XJ	187
S6200XJSL	133	S8000XESL	131	S81929PXC	187	S82630	199	S8327	190	S84305XK	187
S6200XN	133	S8000XESL	136	S81929PXE	187	S82640	200	S8328	190	S84305XN	187
S6200XNSL	133	S8000XJ	127	S81929PXJ	187	S82650	199	S832XC	186	S84305XR	187
S6200XR	133	S8000XJSL	131	S81929PXX	187	S82660	199	S832XE	186	S84308	188
S6200XKSL	133	S8000XJSL	136	S81929PXN	187	S82670	199	S832XJ	186	S84309	190
S6201SL	135	S8000K	127	S81929PXR	187	S828	157	S832XK	186	S84310	185
S6240	135	S8000KSL	131	S81933P	175	S829	153	S832XN	186	S84311	184
S6240SL	135	S8000KSL	136	S81935P	176	S829SL	153	S832XR	186	S84312	191
S626	146	S8000N	127	S81936P	176	S82SL	170	S833	177	S84313	190
S6500	147	S8000NNSL	131	S81937P	177	S82XC	166	S83300	129	S84314	175
S6500SL	147	S8000NNSL	136	S81938P	179	S82XCSL	167	S83300XC	126	S84315	192
S6520	200	S8000OR	127	S81939P	178	S82XE	166	S83300XE	126	S84316	182
S6534	197	S8000ORSL	131	S81940P	179	S82XESL	167	S83300XJ	126	S84318	190
S6536	184	S8000ORSL	136	S81941P	180	S82XJ	166	S83300XK	126	S84319	176
S6550	147	S807	194	S81942P	182	S82XJSL	167	S83300XN	126	S84320	183
S6550SL	147	S807XC	194	S81983	180	S82XK	166	S83300XR	126	S84321	191
S6560	183	S807XE	194	S82	169	S82XKSL	167	S83301	207	S84322	186
S6565	183	S807XJ	194	S820	145	S82XN	166	S83400L	130	S84323	183
S6565SL	184	S807XK	194	S8200	207	S82XN	166	S83400LXC	126	S84324	178
S6568	183	S807XN	194	S8201	208	S82XR	166	S83400LXE	126	S84325	177
S6570	204	S807XR	194	S8202SL	170	S82XRSL	167	S83400LXJ	126	S84326	181
S6572	194	S808	157	S8204SL	170	S830	192	S83400LXK	126	S84327	179
S6575	174	S808SL	157	S8207SL	170	S830XC	187	S83400LXN	126	S84328	177
S6576	174	S80XC	167	S821	144	S830XE	187	S83400LXR	126	S84329	180
S6577	174	S80XE	167	S82103	132	S830XJ	187	S83400R	130	S84330	180
S6580	164	S80XJ	167	S82103XC	131	S830XK	187	S83400RXC	126	S84521	165
S6580SL	164	S80XK	167	S82103XE	131	S830XN	187	S83400RXC	126	S84521SL	165
S6582	164	S80XN	167	S82103XJ	131	S830XR	187	S83400RXL	126	S84525	165
S668	140	S80XR	167	S82103XK	131	S831	208	S83400RXK	126	S84525SL	165
S682	167	S810	208	S82103XN	131	S8310	170	S83400RXN	126	S84527	166
S685L	130	S81000	208	S82103XN	131	S8310SL	170	S83400RXR	126	S84527SL	166
S685LXC	126	S81086SL	158	S82104	132	S8311	169	S83401L	207	S84586SL	140
S685LXE	126	S81086XCSL	152	S82105	132	S8311SL	170	S83401R	207	S8467	185
S685LXJ	126	S81086XESL	152	S82105XC	131	S83120	198	S83500L	130	S84800	208
S685LXK	126	S81086XJSL	152	S82105XE	131	S831203	198	S83500LXC	126	S84810	137
S685LXN	126	S81086XKSL	152	S82105XJ	131	S831203XC	197	S83500LXE	126	S84810SL	137
S685LXR	126	S81086XNSL	152	S82105XK	131	S831203XE	197	S83500LXJ	126	S84810XC	136
S685R	130	S81086XRSL	152	S82105XN	131	S831203XJ	197	S83500LXK	126	S84810XCSL	136
S685RXC	126	S81100	207	S82105XR	131	S831203XK	197	S83500LXN	126	S84810XE	136
S685RXC	126	S81186SL	157	S82106	132	S831203XN	197	S83500LXR	126	S84810XESL	136
S685RXL	126	S8120	208	S82106XC	131	S831203XR	197	S83500R	130	S84810XJ	136
S685RXL	126	S81208	157	S82106XE	131	S83120XC	198	S83500RXC	126	S84810XJSL	136
S685RXN	126	S81225	153	S82106XJ	131	S83120XE	198	S83500RXL	126	S84810XN	136
S685RXR	126	S8132	188	S82106XK	131	S83120XJ	198	S83500RXK	126	S84810XNSL	136
S691	129	S8132SL	188	S82106XN	131	S83120XK	198	S83500RXL	126	S84810XR	136
S691XC	125	S814	140	S82106XR	131	S83120XN	198	S83500RXN	126	S84810XKSL	136
S691XE	125	S8140	158	S82107	132	S83120XR	198	S83500RXR	126	S84812	137
S691XJ	125	S81401	132	S82107XC	131	S8313	170	S83501L	207	S84812SL	137
S691XK	125	S81405	191	S82107XE	131	S8313SL	170	S83501R	207	S84812XC	136
S691XN	125	S81405TC	205	S82107XJ	131	S83142	197	S83540	200	S84812XCSL	136
S691XR	125	S8140XC	152	S82107XK	131	S83143	195	S83600L	130	S84812XE	136
S6975	200	S8140XE	152	S82107XN	131	S83147	196	S83600LXC	126	S84812XESL	136
S704	203	S8140XJ	152	S82107XR	131	S83149	196	S83600LXE	126	S84812XJ	136
S707	202	S8140XK	152	S82200	132	S83152	195	S83600LXJ	126	S84812XJSL	136
S708	203	S8140XN	152	S82200XC	131	S83153	195	S83600LXK	126	S84812XN	136
S709	173	S8140XR	152	S82200XK	131	S83154	196	S83600LXN	126	S84812XNSL	136
S7125SL	191	S8141	198	S82200XN	131	S83155	196	S83600LXR	126	S84812XR	136
S721	202	S8144	191	S82200XN	131	S8316	170	S83600R	130	S84812XKSL	136
S735	203	S8145	191	S82200XR	131	S8317	204	S83600RXC	126	S84813	137
S736	202	S8145SL	191	S82213	149	S8318	191	S83600RXL	126	S84813XC	136
S745	203	S8149	182	S82213SL	149	S8319	191	S83600RXK	126	S84813XE	136
S751SL	171	S8149SL	140	S82213SL	148	S832	191	S83600RXN	126	S84813XJ	136
S751XCSSL	167	S815	140	S82233	150	S8320	191	S83600RXR	126	S84813XN	136
S751XESL	167	S816	139	S82233SL	148	S83200SL	134	S83600RXR	126	S84813XR	136
S751XJSL	167	S81645	204	S82250	132	S83200XSL	133	S83601L	207	S84814	137
S751XKSL	167	S81646	165	S82250SL	132	S83200XC	133	S83601R	207	S84814XC	136
S751XNSL	167	S81646SL	165	S8229C	166	S83200XCSL	133	S837	182	S84814XE	136
S751XRSL	167	S81649	197	S8229E	166	S83200XE	133	S8386	185	S84814XJ	136
S752	203	S81650	200	S8229K	166	S83200XESL	133	S8386SL	185	S84814XN	136
S755	208	S81651	147	S8229L	166	S83200XJ	133	S8387	185	S84814XR	136
S757SL	163	S81651SL	147	S8229N	166	S83200XK	133	S8390	197	S84816	137
S758SL	160	S81652	147	S8229R	166	S83200XNSL	133	S8392	185	S84816XC	136
S770	174	S81652SL	147	S82382	149	S83200OR	133	S84200	134	S84816XE	136
S771	172	S81653	184	S82382SL	149	S83200RSL	133	S84200SL	134	S84816XJ	136
S773	173	S81654	184	S82385	150	S83200RSL	133	S84200XC	133	S84816XN	136
S774	173	S81654SL	184	S82385SL	150	S8321	191	S84200XCSL	133	S84816XR	136
S80	171	S81656	184	S82389	148	S8321XC	186	S84200XE	133	S84866SL	132
S8000	130	S817	141	S82389SL	148	S8321XE	186	S84200XESL	133	S84866SL	137
S8000-12	129	S818	158	S82600	127	S8321XJ	186	S84200XJ	133	S84866XCSL	131
S8000-18	129	S81828	157	S82610	201	S8321XK	186	S84200XJSL	133	S84866XCSL	136
S8000-9	129	S818XC	152			S8321XN	186	S84200XN	133	S84866XESL	131

# Fiber-Classic® & Smooth-Star® *Continued*

S84886KESL	136	S85710KRSL	208	S8601XCSL	152	S86580	164	S896KJ	205
S84886KJSL	131	S85715	129	S8601XESL	152	S86580SL	164	S896KK	205
S84886KSL	136	S85715XC	125	S8601XJSL	152	S8675SL	191	S896KN	205
S84886KXSL	131	S85715XE	125	S8601XKSL	152	S867SL	183	S896KR	205
S84886KXSL	136	S85715XJ	125	S8601XNSL	152	S8682	167	S897	208
S84886KXSL	131	S85715XK	125	S8601XRSL	152	S8682SL	167	S89701	183
S84886KXSL	136	S85715XN	125	S8602	199	S8685	130	S8971	188
S84886KXSL	131	S85715XR	125	S86021	192	S8685LC	126	S8972	198
S84886KXSL	136	S85720	129	S86021XC	187	S8685LKE	126	S898	170
S8489	186	S85720SL	208	S86021XE	187	S8685LXJ	126	S898SL	170
S8498	185	S85720XC	125	S86021XJ	187	S8685LXK	126	S90	171
S8498SL	186	S85720XCSL	208	S86021XK	187	S8685LXN	126	S902	164
S8508	200	S85720XE	125	S86021XN	187	S8685LXR	126	S902SL	164
S85225SL	130	S85720XESL	208	S86021XR	187	S8685R	130	S90SL	132
S85225XCSL	127	S85720XJ	125	S86022XC	186	S8685RXC	126	S90XC	167
S85225XESL	127	S85720XJSL	208	S86022XE	186	S8685RXE	126	S90XE	167
S85225XJSL	127	S85720XK	125	S86022XJ	186	S8685RXJ	126	S90XJ	167
S85225XKSL	127	S85720XKSL	208	S86022XK	186	S8685RXK	126	S90XK	167
S85225XNSL	127	S85720XN	125	S86022XN	186	S8685RXN	126	S90XN	167
S85225XNSL	127	S85720XNSL	208	S86022XR	186	S8685RXR	126	S90XR	167
S85226SL	129	S85720XR	125	S86025	177	S8691	129	S91	160
S85226KCSL	125	S85720XRSL	208	S86026	182	S8691XC	125	S912	163
S85226KESL	125	S85721	207	S86027	176	S8691XE	125	S916	140
S85226KJSL	125	S85725	129	S86029	179	S8691XJ	125	S916SL	140
S85226KSL	125	S85725XC	125	S8602SL	142	S8691XK	125	S91SL	160
S85226KXSL	125	S85725XE	125	S86030	180	S8691XN	125	S92	170
S85226KXSL	125	S85725XJ	125	S86031	177	S8691XR	125	S9200	134
S85227SL	130	S85725XK	125	S86032	175	S86975	200	S9200KC	133
S85227XCSL	126	S85725XN	125	S86035	188	S8704	203	S9200KE	133
S85227XESL	126	S85725XR	125	S86036	183	S8707	202	S9200KJ	133
S85227XJSL	126	S8572SL	145	S8604	199	S8708	203	S9200KN	133
S85227XKSL	126	S8573SL	145	S8605	201	S8721	202	S9200KN	133
S85227XNSL	126	S8574	144	S8605SL	157	S8735	203	S925	198
S85227XNSL	126	S8575	181	S8605XC	200	S8736	202	S92SL	132
S85228SL	130	S8579	181	S8605XE	200	S8745	203	S92XC	166
S85228KCSL	126	S8581	181	S8605XJ	200	S8752	203	S92XE	166
S85228KESL	126	S8583SL	181	S8605XN	200	S880	171	S92XJ	166
S85228KJSL	126	S85892	139	S8605XR	200	S880SL	171	S92XK	166
S85228KSL	126	S85892SL	139	S8606	201	S880XC	167	S92XN	166
S85228XNSL	126	S85893	141	S8606SL	157	S880XCSL	167	S92XR	166
S85228XNSL	126	S85893SL	141	S8606XC	200	S880XJ	167	S93	207
S85229SL	130	S85895	145	S8606XE	200	S880KJSL	167	S9320	198
S85229KCSL	126	S85895SL	145	S8606XJ	200	S880KSL	167	S93203	198
S85229KESL	126	S85896	144	S8606XN	200	S880KXSL	167	S93203XC	197
S85229KJSL	126	S85896SL	144	S8606XR	200	S880KX	167	S93203XE	197
S85229KSL	126	S85897	178	S8607	201	S880KXSL	167	S93203XJ	197
S85229XNSL	126	S85898	161	S86074	179	S880KN	167	S93203XK	197
S85229XNSL	126	S85898SL	161	S8607SL	157	S880KNSL	167	S93203XN	197
S85230SL	208	S85901	162	S8607XC	201	S880KR	167	S93203XR	197
S8529	163	S85902	163	S8607XE	201	S880KXSL	167	S9320XC	198
S8545SL	163	S85902SL	163	S8607XJ	201	S881	170	S9320XE	198
S85700	129	S85905	175	S8607XN	201	S881SL	170	S9320XJ	198
S85700SL	208	S85907	176	S8607XR	201	S881XC	166	S9320XK	198
S85700XC	125	S85908	179	S8608	201	S881XCSL	167	S9320XN	198
S85700XCSL	208	S85909	180	S8608XC	201	S881XE	166	S9320XR	198
S85700XE	125	S85910SL	192	S8608XE	201	S881XESL	167	S9342	197
S85700XESL	208	S85910XCSL	187	S8608XJ	201	S881XJ	166	S9343	195
S85700XJ	125	S85910XESL	187	S8608XN	201	S881XJSL	167	S9347	196
S85700XJSL	208	S85910XJSL	187	S8608XR	201	S881XK	166	S9349	196
S85700XK	125	S85910XKSL	187	S8609	199	S881XKSL	167	S9352	195
S85700XKSL	208	S85910XNSL	187	S86107	178	S881XN	166	S9353	195
S85700XN	125	S85910XNSL	187	S86200	134	S881XNSL	167	S9354	196
S85700XNSL	208	S85912SL	175	S86200SL	134	S881XR	166	S9355	196
S85700XR	125	S85914SL	176	S86200XC	133	S881XRSL	167	S95	160
S85700XRSL	208	S85915SL	177	S86200XCSL	133	S882	170	S960	208
S85701	207	S85916SL	178	S86200XE	133	S887	160	S97	163
S85705	129	S85917SL	179	S86200XESL	133	S887SL	160	S971	188
S85705XC	125	S85918SL	178	S86200XJ	133	S888	160	S972	175
S85705XE	125	S85920SL	182	S86200XJSL	133	S888SL	160	S973	178
S85705XJ	125	S85922SL	180	S86200XN	133	S891	161	S975	159
S85705XK	125	S85924SL	157	S86200XNSL	133	S891SL	161	S975SL	159
S85705XN	125	S85925SL	157	S86200XR	133	S892	162	S977	160
S85705XR	125	S85926SL	157	S86200XRSL	133	S89200	134	S979	159
S8571	145	S85927SL	139	S86201SL	135	S89200KC	133	S981	160
S85710	129	S85928SL	153	S86240	135	S89200KE	133	S982	161
S85710SL	208	S85930SL	145	S86240SL	135	S89200KJ	133	S983	162
S85710XC	125	S85931SL	141	S86500	147	S89200KN	133	S992	174
S85710XCSL	208	S85932SL	143	S86500SL	147	S89200KR	133	S997	172
S85710XE	125	S85934SL	144	S86520	200	S892SL	162	S999	173
S85710XESL	208	S8600	208	S86533	197	S893	178	SART	209
S85710XJ	125	S8600XC	201	S86536	184	S894	159		
S85710XJSL	208	S8600XE	201	S86550	147	S894SL	159		
S85710XK	125	S8600XJ	201	S86550SL	147	S895	161		
S85710XKSL	208	S8600XN	201	S86560	183	S895SL	161		
S85710XN	125	S8600XR	201	S86560SL	184	S896	205		
S85710XNSL	208	S8601	201	S86565	183	S896XC	205		
S85710XR	125	S8601SL	158	S86570	204	S896XE	205		

100	233	104KE	228	19730T	239	371SLHD	226	6186SL	235	8321XJ	235
104	229	104KJ	228	19740T	239	374HD	226	6186XCSL	222	8321XK	235
105	229	104KK	228	19750T	239	391HD	225	6186XCSL	234	8321XN	235
108	223	104KN	228	198SL	223	391SLHD	225	6186XESL	222	8321XR	235
118	223	104KR	228	198SL	235	395HD	228	6186XESL	234	835HD	228
128	223	1089SLHD	225	203HD	233	395SLHD	228	6186XJSL	222	86184SL	235
130	223	108XC	222	205HD	233	396HD	230	6186XJSL	234	86185SL	235
131	229	108XE	222	206HD	229	397HD	228	6186XNSL	222	86186SL	235
137	229	108XJ	222	206HDXC	228	416SL	222	6186XNSL	234	896XC	237
139	221	108XK	222	206HDXE	228	426HD	227	6186XRSL	222	896XE	237
198	223	108XN	222	206HDXJ	228	430HD	230	6186XRSL	234	896XJ	237
310	221	108XR	222	206HDXX	228	430SLHD	227	620SL	221	896XX	237
369	221	1101HD	229	206HDXXN	228	454HD	232	623HD	227	896XXN	237
571	221	1101XCHD	228	206HDXR	228	4572SLHD	225	625HD	230	896XR	237
610	221	1101KEHD	228	2109HD	225	469HD	225	625SLHD	227	916SL	221
620	221	1101XJHD	228	210HD	233	469SLHD	225	626SL	222	956SLHD	224
626	222	1101XGHD	228	210SLHD	229	508HD	231	627HD	227	959HD	225
800	238	1101XNHD	228	210SLHDXC	228	5425SL	225	628HD	230	959HDXC	225
808	234	1101XRHD	228	210SLHDXE	228	544HD	224	628SLHD	227	959HDXCJSL	225
810	238	1102HD	229	210SLHDXJ	228	546SLHD	224	630HD	226	959HDXE	225
818	235	1111HD	227	210SLHDXX	228	576HD	227	631HD	227	959HDXESL	225
828	234	1112HD	227	210SLHDXXN	228	578HD	227	632SL	223	959HDXJ	225
829	234	1113HD	227	210SLHDXR	228	582HD	227	632SL	235	959HDXJSL	225
896	238	1114HD	226	2110HD	225	584SLHD	227	632XCSL	222	959HDXX	225
916	221	1115HD	226	2111HD	225	588HD	230	632XCSL	234	959HDXXSL	225
1006	221	1116HD	226	211HD	226	601HD	232	632XESL	222	959HDXXN	225
1028	222	1117HD	226	236HD	233	601XCHD	232	632XESL	234	959HDXXNSL	225
1029	221	1118HD	227	237HD	233	601XEHD	232	632XJSL	222	959HDXR	225
1200	223	1120HD	227	2382HD	222	601XJHD	232	632XJSL	234	959HDXRSL	225
1201	223	1121HD	229	2382SL	222	601XNHD	232	632XKSL	222	959SLHD	225
1202	223	1123HD	229	2385HD	222	601XRHD	232	632XKSL	234	961HD	225
1203	223	1123HDXC	228	2385SL	222	602HD	231	632XNSL	222	961HDXC	225
5425	225	1123HDXE	228	2389HD	222	604HD	231	632XNSL	224	961HDXE	225
8132	236	1123HDXJ	228	2389SL	222	605HD	232	632XNSL	234	961HDXJ	225
8145	236	1123HDXX	228	243HD	229	605HDXC	231	632XNSL	234	961HDXX	225
8206	236	1123HDXXN	228	255HD	233	605HDXE	231	6500HD	222	961HDXXN	225
8317	237	1123HDXR	228	256HD	233	605HDXJ	231	6500SL	222	961HDXR	225
8321	236	115HD	229	262HD	229	605HDXXN	231	6520HD	231	965HD	224
8322	236	118XC	223	262HDXC	228	605HDXR	231	6560HD	228	965SLHD	224
8323	236	118XE	223	262HDXE	228	606HD	232	6565HD	228	966SLHD	224
8324	236	118XJ	223	262HDXJ	228	606HDXC	231	6565SLHD	228	967HD	224
8704	237	118XK	223	262HDXK	228	606HDXE	231	6568HD	228	967SLHD	224
8708	238	118XN	223	262HDXXN	228	606HDXJ	231	6570HD	233	968HD	224
8752	237	118XR	223	262HDXR	228	606HDXXN	231	6570SLHD	233	969HD	233
03142HD	224	1200SL	223	263HD	231	606HDXR	231	6572HD	230	971SLHD	224
1001HD	226	1200SL	234	263HDXC	230	607HD	232	6578HD	226	978HD	233
1002HD	226	1201SL	223	263HDXE	230	607HDXC	231	6580SLHD	224	980HD	229
1004HD	229	1201SL	234	263HDXJ	230	607HDXE	231	6582HD	224	980HDXC	228
1005HD	233	1202SL	223	263HDXX	230	607HDXJ	231	6720HDXCJSL	225	980HDXE	228
1006SL	221	1202SL	234	263HDXXN	230	607HDXXN	231	6720HDXKESL	225	980HDXJ	228
1007HD	226	128XC	222	263HDXR	230	607HDXR	231	6720HDXKJSL	225	980HDXX	228
1007SLHD	226	128XE	222	263SLHD	229	608HD	232	6720HDXKSL	225	980HDXXN	228
1008HD	230	128XJ	222	263SLHDXC	228	608HDXC	231	6720HDXNSL	225	980HDXR	228
1009HD	224	128XK	222	263SLHDXE	228	608HDXE	231	6720HDXRSL	225	982HD	229
1009SLHD	224	128XN	222	263SLHDXJ	228	608HDXJ	231	6720SLHD	225	982HDXC	228
100SL	235	128XR	222	263SLHDXX	228	608HDXXN	231	6975HD	231	982HDXE	228
100XCSL	223	130SL	223	263SLHDXXN	228	608HDXR	231	704HD	232	982HDXJ	228
100XCSL	223	130SL	234	263SLHDXR	228	609HD	231	707HD	232	982HDXX	228
100XESL	223	132HD	228	289HD	231	609HD	221	708HD	232	982HDXXN	228
100XESL	223	132SLHD	229	289HDXC	230	613HD	227	721HD	232	982HDXR	228
100XJSL	223	139SL	221	289HDXE	230	615HD	230	736HD	232	984HD	228
100XJSL	234	140SLHD	225	289HDXJ	230	615SLHD	227	736HD	232	988HD	227
100XKSL	223	140SHD	229	289HDXX	230	6184SL	223	745HD	232	989HD	227
100XKSL	234	140SLHD	229	289HDXR	230	6184SL	235	752HD	232	996HD	226
100XNSL	223	1406HD	229	294HD	230	6184XCSL	222	818SL	235	999HD	227
100XNSL	234	1408HD	229	294SLHD	226	6184XCSL	234	818XC	234	AXRT	239
100XRSL	223	1411HD	231	296HD	233	6184XESL	222	818XCSL	234	BSRT	239
100XRSL	234	1643HD	233	296HDXC	233	6184XJSL	222	818XC	234	CNRT	239
1011HD	226	1643SLHD	233	296HDXE	233	6184XJSL	234	818XESL	234	CK30T	239
1020HD	226	1644HD	225	296HDXJ	233	6184XNSL	222	818XJ	234	CRRT	239
1022HD	226	1644SLHD	225	296HDXX	233	6184XNSL	234	818XK	234	ECRT	239
1024HD	226	1650HD	231	296HDXXN	233	6184XRSL	222	818XNSL	234	FWRT	239
1025HD	226	1651HD	222	296HDXR	233	6184XRSL	234	818XR	234	KART	239
1029SL	221	1651SL	222	296SLHD	233	6185SL	223	818XNSL	234	LT30T	239
1032HD	227	1657HD	228	296SLHDXC	233	6185SL	235	818XR	234	LTRT	239
1035HD	227	1657SLHD	228	296SLHDXE	233	6185XCSL	222	818XRSL	234	PBRT	239
1037HD	224	1659HD	228	296SLHDXJ	233	6185XCSL	234	8206XC	235	RSRT	239
1037SLHD	224	1660HD	228	296SLHDXX	233	6185XESL	222	8206XE	235	SART	239
1039HD	224	1662HD	230	296SLHDXXN	233	6185XESL	234	8206XJ	235	TS100	238
1039SLHD	224	19020T	239	296SLHDXR	233	6185XJSL	222	8206XK	235	TS104	238
1040HD	224	19055T	239	309HD	226	6185XJSL	234	8206XXN	235	TS104XC	235
1040SLHD	224	19200T	239	310SL	221	6185XNSL	222	8206XR	235	TS104XE	235
1041HD	224	19210T	239	311HD	230	6185XNSL	234	828SL	235	TS104XJ	235
1041SLHD	224	19220T	239	311SLHD	226	6185XRSL	222	829SL	234	TS104XK	235
1042HD	224	19520T	239	369SL	221	6185XRSL	234	8321XC	235	TS104XXN	235
104XC	228	19720T	239	371HD	230	6186SL	223	8321XE	235	TS104XR	235

Steel *Continued*

TS105	236	TS296XCSL	237
TS108	234	TS296XE	237
TS108XC	234	TS296XESL	237
TS108XE	234	TS296XJ	237
TS108XJ	234	TS296XJSL	237
TS108XK	234	TS296XK	237
TS108XN	234	TS296XKSL	237
TS108XR	234	TS296XN	237
TS115	236	TS296XNSL	237
TS118	235	TS296XR	237
TS118XC	234	TS296XRSL	237
TS118XE	234	TS572SL	221
TS118XJ	234	TS704	237
TS118XK	234	TS708	238
TS118XN	234	TS752	237
TS118XR	234		
TS1200	234		
TS1201	234		
TS1202	234		
TS1203	234		
TS128	234		
TS128XC	234		
TS128XE	234		
TS128XJ	234		
TS128XK	234		
TS128XN	234		
TS128XR	234		
TS130	234		
TS131	236		
TS132	236		
TS132SL	236		
TS137	236		
TS1405SL	236		
TS1408	236		
TS1411	237		
TS198	235		
TS206	236		
TS206XC	235		
TS206XE	235		
TS206XJ	235		
TS206XK	235		
TS206XN	235		
TS206XR	235		
TS210	238		
TS210SL	236		
TS210XCSL	235		
TS210XESL	235		
TS210XJSL	235		
TS210XKSL	235		
TS210XNSL	235		
TS210XRSL	235		
TS236	237		
TS237	238		
TS243	236		
TS255	237		
TS256	238		
TS262	236		
TS262XC	235		
TS262XE	235		
TS262XJ	235		
TS262XK	235		
TS262XN	235		
TS262XR	235		
TS263	237		
TS263SL	236		
TS263XC	237		
TS263XCSL	235		
TS263XE	237		
TS263XESL	235		
TS263XJ	237		
TS263XJSL	235		
TS263XK	237		
TS263XKSL	235		
TS263XN	237		
TS263XNSL	235		
TS263XR	237		
TS263XRSL	235		
TS289	237		
TS289XC	237		
TS289XE	237		
TS289XJ	237		
TS289XK	237		
TS289XN	237		
TS289XR	237		
TS296	238		
TS296SL	238		
TS296XC	237		

## Fire


100	243
1005HD	243
203HD	243
205HD	243
210HD	243
909HD	243
978HD	243
SSF100	243
SSF1100	242
SSF120	242
SSF160	243
SSF200	242
SSF205	242
SSF220	242
SSF31	242
SSF45	242
SSF4800	242
SSF600	243
SSF755	242
SSF8100	243
SSF81100	242
SSF8120	242
SSF8160	243
SSF8200	242
SSF8205	242
SSF8220	242
SSF831	242
SSF84800	242
SSF8600	243
SSF93	242
SSF960	242
TS100	243
TS210	243

## Pulse


DRS2131SL	255	S4CLSL	256	S81086XNSL	255
DRS22131SL	255	S4LAX	252	S81086XRSL	255
S10AXSL	256	S4CL	253	S810AX	253
S10CLSL	256	S4LPB	251	S810AXSL	256
S10PBSL	255	S4LXC	253	S810CL	254
S10XCSL	256	S4LXE	253	S810CLSL	256
S10XESL	256	S4LXJ	253	S810CLX	253
S10XJSL	256	S4LXK	253	S810CLL	254
S10XKSL	256	S4LXN	253	S810CLPB	252
S10XNSL	256	S4LXR	253	S810CLXC	254
S10XRSL	256	S4PB	251	S810CLXE	254
S1651SL	255	S4PBSL	255	S810CLXJ	254
S1AX	250	S4RAX	252	S810CLXK	254
S1BL	248	S4RCL	253	S810CLXN	254
S1BS	248	S4RPB	251	S810CLXR	254
S1CL	250	S4RXC	253	S810CPB	252
S1CX	250	S4RXC	253	S810CPBSL	255
S1EC	250	S4RXL	253	S810RAX	253
S1LAX	250	S4RXC	253	S810RCL	254
S1LBL	248	S4RXN	253	S810RPB	252
S1LBS	248	S4RRR	253	S810RXC	254
S1LCL	250	S4RC	253	S810RXC	254
S1LCX	250	S4KCSL	256	S810RXL	254
S1LEC	250	S4KE	253	S810RXL	254
S1LLT	250	S4KESL	256	S810RXC	254
S1LPB	249	S4KJ	253	S810RXC	254
S1LRS	249	S4KJSL	256	S810RXC	254
S1LSA	249	S4KK	253	S810RXC	254
S1LSG	249	S4KSL	256	S810RXC	254
S1LSN	249	S4KN	253	S810RXC	254
S1LT	250	S4KNSL	256	S810RXC	254
S1LXC	250	S4KR	253	S810RXC	254
S1LXE	250	S4KRSL	256	S810RXC	254
S1LXJ	250	S572SL	255	S810RXC	254
S1LXK	250	S5AX	252	S810RXC	254
S1LXN	250	S5AXSL	256	S810RXC	254
S1LXR	250	S5CL	254	S810RXC	254
S1PB	249	S5CLSL	256	S810RXC	254
S1RAX	250	S5LAX	252	S810RXC	254
S1RBL	249	S5CL	253	S810RXC	254
S1RBS	248	S5LPB	251	S810RXC	254
S1RCL	250	S5LXC	253	S810RXC	254
S1RCX	250	S5LXE	253	S810RXC	254
S1REC	250	S5LXJ	253	S810RXC	254
S1RLT	250	S5LXK	253	S810RXC	254
S1RPB	249	S5LXN	253	S810RXC	254
S1RRS	249	S5LXR	253	S810RXC	254
S1RS	249	S5PB	251	S810RXC	254
S1RSA	249	S5PBSL	255	S810RXC	254
S1RSG	249	S5RAX	252	S810RXC	254
S1RSN	249	S5RCL	254	S810RXC	254
S1RXC	250	S5RPB	251	S810RXC	254
S1RXC	250	S5RXC	254	S810RXC	254
S1RXJ	250	S5RXC	254	S810RXC	254
S1ROK	250	S5RXL	254	S810RXC	254
S1ROX	250	S5RXC	254	S810RXC	254
S1SA	249	S5RXN	254	S810RXC	254
S1SG	249	S5RRR	254	S810RXC	254
S1SN	249	S5RC	254	S810RXC	254
S1XC	250	S5KCSL	256	S810RXC	254
S1XE	250	S5KE	254	S810RXC	254
S1XJ	250	S5KESL	256	S810RXC	254
S1XK	250	S5KJ	254	S810RXC	254
S1XN	250	S5KJSL	256	S810RXC	254
S1XR	250	S5KX	254	S810RXC	254
S2382SL	255	S5KSL	256	S810RXC	254
S2385SL	255	S5KN	254	S810RXC	254
S2389SL	255	S5KNSL	256	S810RXC	254
S2AX	248	S5KR	254	S810RXC	254
S2CL	248	S5KRSL	256	S810RXC	254
S2CX	248	S501SL	255	S810RXC	254
S2EC	248	S601XCSL	255	S810RXC	254
S2PB	248	S601XESL	255	S810RXC	254
S2RS	248	S601XJSL	255	S810RXC	254
S2SG	248	S601XKSL	255	S810RXC	254
S2SN	248	S601XNSL	255	S810RXC	254
S2XC	248	S601XRSL	255	S810RXC	254
S2XE	248	S602SL	255	S810RXC	254
S2XJ	248	S604SL	255	S810RXC	254
S2XK	248	S6130SL	255	S810RXC	254
S2XN	248	S6134SL	255	S810RXC	254
S2XR	248	S6500SL	255	S810RXC	254
S4570SL	255	S81086SL	255	S810RXC	254
S4AX	252	S81086XCSL	255	S810RXC	254
S4AXSL	256	S81086XESL	255	S810RXC	254
S4CL	253	S81086XJSL	255	S810RXC	254
		S81086XKSL	255	S810RXC	254



SB1LLT	250	SB400	253	SB8PB	251
SB1LPB	249	SB400SL	256	SB8XC	254
SB1LRS	249	SB400N	253	SB8XE	254
SB1LSA	249	SB400NSL	256	SB8XJ	254
SB1LSG	249	SB400R	253	SB8XK	254
SB1LT	250	SB400RSL	256	SB8XN	254
SB1LXC	250	SB572SL	255	SB8XR	254
SB1LXE	250	SB5927SL	255	SB8PB	251
SB1LXJ	250	SB5931SL	255	SB8RAX	253
SB1LXK	250	SB5932SL	255	SB8RCL	254
SB1LXN	250	SB5AX	252	SB8PPB	251
SB1LXR	250	SB5AXSL	256	SB8RXC	254
SB1PB	249	SB5CL	254	SB8RXE	254
SB1PAX	250	SB5CLSL	256	SB8RXL	254
SB1RBL	249	SB5LAX	252	SB8RXX	254
SB1RBS	248	SB5LCL	253	SB8RXN	254
SB1RCL	250	SB5LPB	251	SB8RXR	254
SB1RCX	250	SB5LXC	253	SB8XC	254
SB1REC	250	SB5LXE	253	SB8XE	254
SB1RLT	250	SB5LXJ	253	SB8XK	254
SB1RPB	249	SB5LXK	253	SB8XN	254
SB1RPS	249	SB5LXN	253	SB8XR	254
SB1RS	249	SB5LXR	253	SB8RAX	253
SB1RSA	249	SB5PB	251	SB8AXSL	256
SB1RSG	249	SB5PBSL	255	SB8CL	254
SB1RXC	250	SB5PAX	252	SB8CLS	256
SB1RXE	250	SB5RCL	254	SB8LAX	252
SB1RXJ	250	SB5RPB	251	SB8LCL	254
SB1RXK	250	SB5RXC	254	SB8LPB	251
SB1RXN	250	SB5RXE	254	SB8LXC	254
SB1RXR	250	SB5RXJ	254	SB8LXE	254
SB1SA	249	SB5RXK	254	SB8LXJ	254
SB1SG	249	SB5RXN	254	SB8LXK	254
SB1XC	250	SB5RXR	254	SB8LXN	254
SB1XE	250	SB5XC	254	SB8LXR	254
SB1XJ	250	SB5XCSL	256	SB8PB	251
SB1XK	250	SB5XE	254	SB8PBSL	255
SB1XN	250	SB5XESL	256	SB8RAX	253
SB1XR	250	SB5XJ	254	SB8RCL	254
SB2382SL	255	SB5XJSL	256	SB8RFB	251
SB2385SL	255	SB5XX	254	SB8RXC	254
SB2389SL	255	SB5XXSL	256	SB8RXE	254
SB3AX	248	SB5XN	254	SB8RXJ	254
SB3CL	248	SB5XNSL	256	SB8RXX	254
SB3CX	248	SB5XR	254	SB8RXN	254
SB3EC	248	SB5XRSL	256	SB8RXR	254
SB3PB	248	SB6500SL	255	SB8XC	254
SB3PS	248	SB6AX	252	SB8XCSL	256
SB3SG	248	SB6AXSL	256	SB8XE	254
SB3SN	248	SB6CL	254	SB8VESL	256
SB3XC	248	SB6CLSL	256	SB8XJ	254
SB3XE	248	SB6LAX	252	SB8XJSL	256
SB3XJ	248	SB6LCL	254	SB8XK	254
SB3XK	248	SB6LPB	251	SB8XKSL	256
SB3XN	248	SB6LXC	254	SB8XN	254
SB3XR	248	SB6LXE	254	SB8XNSL	256
SB4586SL	255	SB6LXJ	254	SB8XR	254
SB4AX	252	SB6LXK	254	SB8XSL	256
SB4AXSL	256	SB6LXN	254	SB8XR	254
SB4CL	253	SB6LXR	254	SB8XRSL	256
SB4CLSL	256	SB6PB	251		
SB4LAX	252	SB6PBSL	255		
SB4LCL	253	SB6PAX	252		
SB4LPB	251	SB6RCL	254		
SB4LXC	253	SB6RPB	251		
SB4LXE	253	SB6RXC	254		
SB4LXJ	253	SB6RXE	254		
SB4LXK	253	SB6RXJ	254		
SB4LXN	253	SB6RXK	254		
SB4LXR	253	SB6RXN	254		
SB4PB	251	SB6RXR	254		
SB4PBSL	255	SB6XC	254		
SB4RAX	252	SB6XCSL	256		
SB4RCL	253	SB6XE	254		
SB4RFB	251	SB6XESL	256		
SB4RXC	253	SB6XJ	254		
SB4RXE	253	SB6XJSL	256		
SB4RXJ	253	SB6XX	254		
SB4RXK	253	SB6XXSL	256		
SB4RXN	253	SB6XN	254		
SB4RXR	253	SB6XNSL	256		
SB4XC	253	SB6XR	254		
SB4XCSL	256	SB6XSL	256		
SB4XE	253	SBAX	253		
SB4XESL	256	SBCL	254		
SB4XJ	253	SBLAX	253		
SB4XJSL	256	SBCL	254		



Top: Fiber-Classic Mahogany Collection, Calix Glass, Door - FCM82223, Finish - Acorn  
 Bottom: Impressions Storm & Entry Door System - IM8100, Finish - White; Fiber-Classic Mahogany Collection, Chord Glass, Door - FCM84810XC, Finish - Tumbleweed



Top Right: Classic Craft Walnut Grain Door - CCW8901L; Low-E Glass Direct Set Sidelites - DRS82131SL, Finish - Tumblewood  
Bottom: Smooth-Star, Latitude Glass, Doors - S4525, Finish - Onyx

# Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

## Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles at [thermatru.com/inspiration](http://thermatru.com/inspiration).



## Advancement Center

Learn about Therma-Tru products and programs on our new online training platform at [brainshark.com/thermatru](http://brainshark.com/thermatru).



## Certified Door System Installation Program

Build your knowledge, skills and confidence with comprehensive door system installer training from Therma-Tru – the expert in fiberglass door systems – and OSI\* – the expert in construction sealants. Get started today at [thermatru.com/installer](http://thermatru.com/installer).




## Digital Vault

Explore the Digital Vault to find logos, images, literature and more to help you promote the Therma-Tru products you offer. Create an account today at [thermatru.widencollective.com/login](http://thermatru.widencollective.com/login).




## Trade Professionals Online

Find everything from selling tools and training materials to technical information at [thermatru.com/professionals](http://thermatru.com/professionals).



## Design Your Door

Homeowners can research and design a door with their own personal touch – all from the convenience of home. To get started, visit [thermatru.com/design-your-door](http://thermatru.com/design-your-door).





## THERMA TRU<sup>®</sup> DOORS

[thermatru.com](https://thermatru.com)

1-800-THERMA-TRU (843-7628)

1750 Indian Wood Circle  
Maumee, OH 43537



#thermatru

Cover: Classic Craft Fir Grain Door - CCA81166; Low-E Glass, Sidelites - CCA35005L, Finish - Acorn  
Back Cover: Classic Craft Mahogany Grain, Low-E Glass with SDLs, Door - CCM82806, Finish - Tumbleweed  
©2024 Therma-Tru Corp. All rights reserved. All trademarks and images featured are owned by their respective company and used with permission. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. and Larson Manufacturing Company, LLC are part of Fortune Brands Innovations, Inc. - an industry-leading home and security products company. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency.  
Part #MAFL2024 HESB / JAN 2024